



TECH MANUAL

23/24 SEASON

TABLE OF CONTENTS



SIZING GUIDES

- 04 SKI, POLE, HELMET SIZING GUIDE
- 05 BOOT SIZING GUIDE

SKIS

- 06 SKI OVERVIEW (BY MODEL)
- 30 SKI TECHNOLOGY OVERVIEW
- 34 BINDING OVERVIEW
- 35 BINDING MOUNTING
- 36 MIDSOLE CHART
- 43 CLIMBING SKINS

BOOTS

- 45 BOA® FIT SYSTEM OVERVIEW
- 53 MULTIPLE LAST OPTIONS
- 55 BOOT OVERVIEW (BY MODEL)
- 76 BOOT TECHNOLOGY OVERVIEW
- 80 LINER OPTIONS OVERVIEW
- 82 CUFF ALIGNMENT
- 83 FORWARD LEAN ADJUSTMENT
- 86 OUTSOLES
- 88 WALK MODE
- 90 MICRO ADJUSTABLE BUCKLES
- 91 WOMEN'S SPECIFIC FIT
- 92 LINER & SHELL BOOT FITTING

POLES & HELMETS

- 95 POLE OVERVIEW
- 98 POLE TECHNOLOGY OVERVIEW
- 99 HELMET OVERVIEW
- 103 HELMET TECHNOLOGY OVERVIEW

SIZING GUIDES

UNIVERSAL SKI SIZING CHART

SKIERS WEIGHT LBS (kg)	SKIERS HEIGHT ft/inches (cm)	SKI LENGTH (cm)	
		Expert	Intermediate
100 + (45kg)	4' 9"+ (145cm)	149+	139+
110 + (50kg)	5' 0"+ (152cm)	152+	142+
120 + (55kg)	5' 2"+ (157cm)	153+	146+
130 + (59kg)	5' 4"+ (162cm)	163+	153+
140 + (64kg)	5' 6"+ (168cm)	166+	156+
150 + (68kg)	5' 8"+ (173cm)	170+	160+
160 + (73kg)	5' 10"+ (178cm)	173+	163+
170 + (77kg)	6' 0"+ (183cm)	180+	170+
190 + (86kg)	6' 2"+ (188cm)	184+	177+

POLE SIZING CHART

SKIERS HEIGHT ft/inches	POLE LENGTH inches	POLE LENGTH cm
6' 7" +	56	140
6' 4" - 6' 6"	54	135
6' 1" - 6' 3"	52	130
5' 10" - 6' 0"	50	122
5' 7" - 5' 9"	48	120
5' 4" - 5' 6"	46	115
5' 1" - 5' 3"	44	110
4' 9" - 5' 0"	42	105
4' 5" - 4' 8"	40	100
4' 1" - 4' 4"	38	95
3' 9" - 4' 0"	36	90
3' 5" - 3' 8"	34	85
< 3' 4"	32	80

HELMET SIZING CHART

SIZE	HAT SIZE	CIRCUMFERENCE inches	CIRCUMFERENCE cm
X-SMALL		18 7/8"	48 cm
		19 1/4"	49 cm
		19 5/8"	50 cm
		20 1/8"	51 cm
		20 1/2"	52 cm
SMALL/YOUTH	6 3/4	21 1/4"	54 cm
	6 7/8	21 5/8"	55 cm
	7	22"	56 cm
MEDIUM	7 1/8	22 3/8"	57 cm
	7 1/4	22 3/4"	58 cm
	7 3/8	23 1/8"	59 cm
	7 1/2	23 1/2"	60 cm
LARGE/X LARGE	7 5/8	24"	61 cm
	7 3/4	24 3/8"	62 cm

BOOT SIZING CHART

SHELL LENGTH (mm)	MONDO POINT	US SIZES MEN	US SIZES WOMEN	EU ADULT SIZES	UK ADULT SIZES
264*	22.5	-	5.5	36	3.5
266**	22.5	-	5.5	36	3.5
268***	22.5		5.5	36	3.5
276*	23.5	-	6.5	37.5	4.5
276**	23.5	-	6.5	37.5	4.5
277***	23.5		6.5	37.5	4.5
282***	24.5		7.5	38.5	5.5
284*	24.5	6.5	7.5	39	5.5
286**	24.5	6.5	7.5	39	5.5
293***	25.5	7.5	8.5	40	6.5
294*	25.5	7.5	8.5	40	6.5
296**	25.5	7.5	8.5	40	6.5
301***	26.5	8.5	9.5	41.5	7.5
304*	26.5	8.5	9.5	41.5	7.5
306**	26.5	8.5	9.5	41.5	7.5
310***	27.5	9.5	10.5	42.5	8.5
314*	27.5	9.5	10.5	42.5	8.5
316*	27.5	9.5	10.5	42.5	8.5
318***	28.5	10.5		44	9.5
324*	28.5	10.5	-	44	9.5
326**	28.5	10.5	-	44	9.5
326***	29.5	11.5		45.5	10.5
334*	29.5	11.5	-	45.5	10.5
335***	30.5	12.5		47.5	11.5
336**	29.5	11.5	-	45.5	10.5
344*	30.5	12.5	-	47.5	11.5
346**	30.5	12.5	-	47.5	11.5

*MINDBENDER, RECON, ANTHEM, DISPATCH **BFC ***FL3X

JUNIOR BOOT SIZING CHART

SHELL LENGTH (mm)	MONDO POINT	US SIZES MEN	US SIZES WOMEN
194	14.5	8	7
194	15.5	9	8
204	16.5	10	9
214	17.5	11	10
224	18.5	12	11
234	19.5	13	12
241	20.5	1	13
250	21.5	3	2
262	22.5	4	3
267	23.5	5	4
277	24.5	6	5
287	25.5	7	6



ALL-MOUNTAIN
DISRUPTION TECHNOLOGY



CARBON I-BEAM

Full-length unidirectional carbon running from tip to tail, providing increased accuracy and energy along the entire length of the ski with a lighter, livelier feel than our Titanal I-Beam.

BEAM
TECHNOLOGY



TITANIAL I-BEAM

Titanal runs tip to tail along the center of the ski, optimally shaped for stability and precision through the entire turn.

CARVING DISRUPTION W



Disruption MTiW



Disruption SC W

DIMENSIONS	115/72/103	127/74/109
ROCKER	Speed Rocker	Speed Rocker
SIZES	146, 153, 160, 167	146, 153, 160, 167
RADIUS	14.7m @ 160	12.6m @ 160
WEIGHT	1499g @ 160	1471g @ 160
CONSTRUCTION	Aspen Veneer	Aspen Veneer
BINDINGS	ERC 11 TCx Light Quikclik	ER3 10 Compact Quikclik

BEAM
TECHNOLOGY



BEAM
TECHNOLOGY



ALL-MOUNTAIN CARVING DISRUPTION W



Disruption 81Ti W



Disruption 78CW



Disruption 76C W



Disruption 76 W



Disruption 75 W

DIMENSIONS	124/81/110	123/78/108	126/76/110	126/76/110	125/75/109
ROCKER	Speed Rocker	Speed Rocker	Speed Rocker	Catch Free Rocker	Catch Free Rocker
SIZES	146, 153, 160, 167	146, 153, 160, 167	142, 149, 156, 163	142, 149, 156, 163	142, 149, 156, 163
RADIUS	14.8m @ 160	14.4m @ 160	11.8m @ 156	11.8m @ 156	11.8m @ 156
WEIGHT	1703g @ 160	1599g @ 160	1420g @ 156	1420g @ 156	1382g @ 156
CONSTRUCTION	Aspen Veneer	Aspen Veneer	Aspen Light	Aspen Light	Composite
BINDINGS	ERC 11 TCx Light Quikclik	ER3 10 Compact Quikclik	ER3 10 Compact Quikclik	ERP 10 Quikclik	ERP 10 Quikclik, ERP 10

BEAM
TECHNOLOGY



BEAM
TECHNOLOGY



BEAM
TECHNOLOGY



DURACAP
CONSTRUCTION

BEAM
TECHNOLOGY



HYB TECH
HYBRIDTECH
SIDEWALL

BEAM
TECHNOLOGY



DURACAP
CONSTRUCTION

CARVING DISRUPTION



Disruption Ti2



Disruption MTi



Disruption STi



Disruption SC

DIMENSIONS	111/71/96	118/74/104	125/72/107	127/73/108
ROCKER	Speed Rocker	Speed Rocker	Speed Rocker	Speed Rocker
SIZES	177, 182, 187	165, 170, 175, 180	155, 160, 165, 170	156, 162, 168, 174
RADIUS	22.3m @ 182	18.1m @ 175	13.6m @ 165	15.2m @ 174
WEIGHT	2093g @ 182	1836g @ 175	1627g @ 165	1618g @ 174
CONSTRUCTION	Aspen Veneer	Maple/Aspen	Aspen Veneer	Aspen Veneer
BINDINGS	Marker XCOMP 16	MXCell 12 TCx Quikclik	MXC 12 TCx Light Quikclik	M3 11 Compact Quikclik

BEAM
TECHNOLOGY



BEAM
TECHNOLOGY



BEAM
TECHNOLOGY



BEAM
TECHNOLOGY



ALL-MOUNTAIN CARVING DISRUPTION



Disruption 82Ti



Disruption 78Ti



Disruption 78C



Disruption 76X



Disruption 76

DIMENSIONS	125/82/111	123/78/109	125/78/111	126/76/110	126/76/108
ROCKER	Speed Rocker	Speed Rocker	Speed Rocker	Catch Free Rocker	Catch Free Rocker
SIZES	163, 170, 177, 184	156, 163, 170, 177, 184	156, 163, 170, 177	156, 163, 170, 177	149, 156, 163, 170, 177
RADIUS	18.4m @ 177	17.8m @ 177	15.6m @ 170	14.4m @ 170	14.4m @ 170
WEIGHT	1923g @ 177	1886g @ 177	1671g @ 170	1607g @ 170	1607g @ 170
CONSTRUCTION	Aspen Veneer	Aspen Veneer	Aspen Veneer	Aspen Light	Composite
BINDINGS	MXCell 12 TCx Quikclik	MXCell 12 TCx Light Quikclik	M3 11 Compact Quikclik	M3 10 Compact Quikclik	M2 10 Quikclik, M2 10

BEAM
TECHNOLOGY



BEAM
TECHNOLOGY



BEAM
TECHNOLOGY



BEAM
TECHNOLOGY



BEAM
TECHNOLOGY





FREERIDE MINDBENDER TECHNOLOGY

One Design Story - Two Tech Solutions



TITANAL

Y-BEAM
TECHNOLOGY

TITANAL Y-BEAM

Titanal is placed directly over the edges in the forebody of the ski for powerful and predictable turn initiation. Underfoot the titanal spans the full width of the ski for maximum control and power transfer. In the tail we move mass away from the mount points increasing directional stability, resulting in consistent turn release. Precision cut titanal in a "Y" shape alters the torsional stiffness of the ski while maintaining a balanced, even flex pattern that delivers power in a controlled manner throughout the length of the ski.



SPECTRAL

BRAID
TECHNOLOGY

SPECTRAL BRAID

An extension of K2's Torsion Control Design, Spectral Braid is a first of its kind variable angle reinforcement that allows for precision tuned torsion and flex by altering the fiber orientation along the length of the ski. Lively energetic, and remarkably composed; Mindbender skis with K2's Spectral Braid have stability and control in spades while remaining hyper-maneuverable.

FREERIDE MINDBENDER W

NEW



Mindbender 116C W

NEW



Mindbender 106C W



Mindbender 99Ti W

DIMENSIONS	143/116/132	138/106/127	134/99/120
ROCKER	Powder Rocker	All Terrain Rocker	All Terrain Rocker
SIZES	163, 170, 177	155, 162, 169, 176	154, 160, 166, 172, 178
RADIUS	18.0m @ 170	15.7m @ 169	15.4m @ 166
WEIGHT	1985g @ 170	1770g @ 169	1887g @ 166
CONSTRUCTION	Aspen Veneer	Aspen Veneer	Aspen Veneer
DRILL SPECS	3.6x9.5mm	3.6x9.5mm	4.1x9.5mm



TORSION CONTROL DESIGN

SPECTRAL



TORSION CONTROL DESIGN

SPECTRAL



TORSION CONTROL DESIGN

TITANAL



FREERIDE MINDBENDER W

NEW



Mindbender 96C W

NEW



Mindbender 90C W



Mindbender 89Ti W

NEW



Mindbender 85 W

DIMENSIONS	131/96/119	132/90/117	130/89/114	128/85/116
ROCKER	All Terrain Rocker	All Terrain Rocker	All Terrain Rocker	All Terrain Rocker
SIZES	148, 154, 160, 166, 172	148, 154, 160, 166, 172	146, 152, 158, 164, 170, 176	149, 156, 163, 170
RADIUS	14.1m @ 166	11.9m @ 160	13.1m @ 164	11.9m @ 163
WEIGHT	1630g @ 166	1550g @ 163	1756g @ 164	1550g @ 163
CONSTRUCTION	Aspen Veneer	Aspen Veneer	Aspen Veneer	Aspen Veneer
DRILL SPECS	3.6x9.5mm	3.6x9.5mm	4.1x9.5mm	3.6x9.5mm



TORSION CONTROL DESIGN

SPECTRAL



TORSION CONTROL DESIGN

SPECTRAL



TORSION CONTROL DESIGN

TITANAL



TORSION CONTROL DESIGN

FREERIDE MINDBENDER

NEW




Mindbender 116C

NEW



Mindbender 108Ti



Mindbender 106C



Mindbender 99Ti

DIMENSIONS	143/116/132	137/108/125	137/106/127	134/99/120
ROCKER	Powder Rocker	All Terrain Rocker	All Terrain Rocker	All Terrain Rocker
SIZES	177, 182, 187, 194	172, 179, 186, 193	169, 176, 183, 189	166, 172, 178, 184, 190
RADIUS	22.5m @ 187	22.8m @ 186	18.9m @ 183	19.6m @ 184
WEIGHT	2325g @ 187	2265g @ 186	2089g @ 183	2000g @ 184
CONSTRUCTION	Aspen Veneer	Aspen Veneer	Aspen Veneer	Aspen Veneer
DRILL SPECS	3.6x9.5mm	4.1x9.5mm	3.6x9.5mm	4.1x9.5mm



FREERIDE MINDBENDER

NEW



Mindbender 96C

NEW



Mindbender 90C



Mindbender 89Ti

NEW




Mindbender 85

DIMENSIONS	131/96/119	132/90/117	130/89/114	128/85/116
ROCKER	All Terrain Rocker	All Terrain Rocker	All Terrain Rocker	All Terrain Rocker
SIZES	166, 172, 178, 184	160, 166, 172, 178	164, 170, 176, 182, 188	156, 163, 170, 177
RADIUS	17.8m @ 184	14.1m @ 172	16.6m @ 182	13.1m @ 170
WEIGHT	1930g @ 184	1708g @ 172	2003g @ 182	1650g @ 170
CONSTRUCTION	Aspen Veneer	Aspen Veneer	Aspen Veneer	Aspen Veneer
DRILL SPECS	3.6x9.5mm	3.6x9.5mm	4.1x9.5mm	3.6x9.5mm





TOURING
WAYBACK TECHNOLOGY



Ti Spyne

Increases predictability, stability, and damping on lightweight touring ski constructions.

Carbon Overdrive

Uni-directional carbon fiber integrated into the layups to keep them light and responsive.

Snophobic Topsheet

Hydrophobic snow-shedding topsheet material that helps prevent snow buildup.

TOURING WAYBACK

NEW



Wayback 98 W

NEW



Wayback 89 W

NEW



Wayback 106

NEW



Wayback 98

DIMENSIONS	126/98/114	121/89/107	132/106/121	126/98/114
ROCKER	All-Terrain Rocker	All-Terrain Rocker	All Terrain Rocker	All Terrain Rocker
SIZES	151, 158, 165, 172	153, 160, 167	165, 172, 179, 186	165, 172, 179, 186
RADIUS	18.3m @ 165	15.8m @ 160	22.3m @ 179	22.1m @ 179
WEIGHT	1260g @ 165	1150g @ 160	1475g @ 179	1390g @ 179
CONSTRUCTION	Paulownia	Paulownia	Paulownia	Paulownia
DRILL SPECS	4.1x9.5mm	4.1x9.5mm	4.1 x 9.5mm	4.1x9.5mm



TOURING WAYBACK

NEW



Wayback 89



Wayback 92



Wayback 84



Wayback 80

DIMENSIONS	121/89/107	126/92/114	118/84/106	113/80/100
ROCKER	All Terrain Rocker	All Terrain Rocker	All Terrain Rocker	All Terrain Rocker
SIZES	160, 167, 174, 181	153, 160, 167, 174, 181	146, 153, 160, 167, 174	163, 170, 177
RADIUS	19.3m @ 174	19.6m @ 174	19.8m @ 174	20.0m @ 170
WEIGHT	1275g @ 174	1512g @ 174	1287g @ 174	1008g @ 170
CONSTRUCTION	Paulownia	Paulownia	Paulownia	Balsa/Paulownia Tour Ultra Lite
DRILL SPECS	4.1x9.5mm	3.6x9.5mm	3.6x9.5mm	4.1x9.5mm





FREESTYLE
RECKONER TECHNOLOGY

SPECTRAL



Spectral Braid

Another implementation of K2's Torsion Control Design, the patented Spectral Braid makes another appearance in the Reckoner collection. In this iteration, tighter fiber angles are found in the midbody of the ski, with more open angles in the tip and tail. The result is a ski with playful extremities coupled with a stable and powerful feel underfoot. This allows for more playfulness and forgiveness in the ski's extremities while maintaining a stable and powerful feel underfoot.

FREESTYLE RECKONER



Reckoner 122



Reckoner 112



Reckoner 102



Reckoner 92 W



Reckoner 92

DIMENSIONS	144/122/136	136/112/127	134/102/127	124/92/114	124/92/114
ROCKER	Powder Twin Rocker	All-Terrain Twin Rocker	All-Terrain Twin Rocker	All-Terrain Twin Rocker	All-Terrain Twin Rocker
SIZES	177, 184, 191	170, 177, 184, 191	163, 170, 177, 184	149, 159, 169	149, 159, 169, 179
RADIUS	23.7m @ 184cm	22.9m @ 184cm	19.3m @ 184	14.6m @ 159	16.9m @ 169
WEIGHT	2168g @ 184	2062g @ 184	1822g @ 177	1505g @ 159	1647g @ 169
CONSTRUCTION	Fir/Aspen Double Barrel	Fir/Aspen Double Barrel	Fir/Aspen Double Barrel	Aspen Veneer	Aspen Veneer
DRILL SPECS	3.6 x 9.5mm	3.6x9.5mm	3.6x9.5mm	3.6x9.5mm	3.6x9.5mm



FREESTYLE PARK & PIPE



Midnight



Poacher



Sight

DIMENSIONS	116/88/110	124/96/118	116/88/110
ROCKER	All-Terrain Twin Rocker	All-Terrain Twin Rocker	All-Terrain Twin Rocker
SIZES	149, 159, 169	163, 170, 177, 184	149, 159, 169, 179
RADIUS	14.5m @ 169	19m @ 184	19.5m @ 179
WEIGHT	1707g @ 169	2079g @ 177	1814g @ 169
CONSTRUCTION	Aspen	Fir/Aspen Double Barrel	Aspen
DRILL SPECS	3.6x9.5mm	3.6 x 9.5mm	3.6x9.5mm



FREESTYLE SPECIALTY

NEW



Crescendo



Fatty



244

DIMENSIONS	155/132/144	112/85/99	97/66/82
ROCKER	Powder Rocker	Full Camber	Full Camber
SIZES	159, 168, 177, 186	88	153, 163, 173
RADIUS	19.6m @ 177	n/a	23.0m @ 163
WEIGHT	2120g @ 177	n/a	1280g @ 163
CONSTRUCTION	Paulownia/Aspen	Composite	Fir/Aspen
DRILL SPECS	3.6x9.5mm	3.6x9.5mm	4.1x9.5mm



TORSION
CONTROL
DESIGN

SPECTRAL



YOUTH



Disruption Jr



Mindbender Team



Mindbender Jr



Wayback Jr

DIMENSIONS	104/68/88	127/98/116	110/84/98	118/84/106
ROCKER	Speed Rocker	All Terrain Rocker	All Terrain Rocker	All Terrain Rocker
SIZES	134, 144, 154	145, 155, 165	119, 129, 139, 149	126, 136, 146
RADIUS	16.0m @ 144	14.3m @ 155	12.0m @ 139	11.2m @ 136
WEIGHT	975g @ 144	1495g @ 155	1025g @ 139	930g @ 136
CONSTRUCTION	Aspen	Aspen Veneer	Aspen	Paulownia
BINDING	Marker FDT 7.0	n/a	Marker FDT 4.5, FDT 7.0	n/a

YOUTH



Poacher Jr



Dreamweaver



Juvy

DIMENSIONS	102/75/96	102/75/96	97/72/93
ROCKER	All Terrain Twin Rocker	All Terrain Twin Rocker	Catch Free Rocker
SIZES	109, 119, 129, 139, 149	109, 119, 129, 139, 149	109, 119, 129, 139, 149
RADIUS	10.0m @ 129	10.0m @ 129	8.0m @ 129
WEIGHT	890g @ 129	890g @ 129	750g @ 129
CONSTRUCTION	Aspen	Aspen	Composite
BINDING	Marker FDT 4.5,FDT 7.0	Marker FDT 4.5,FDT 7.0	Marker FDT 4.5,FDT 7.0

YOUTH



Missy



Indy



Luvbug

DIMENSIONS	97/72/93	96/70/86	96/70/86
ROCKER	Catch Free Rocker	Catch Free Rocker	Catch Free Rocker
SIZES	109, 119, 129, 139, 149	76, 88, 100, 112, 124, 136	76, 88, 100, 112, 124, 136
RADIUS	8.0m @ 129	9.0m @ 112	9.0m @ 112
WEIGHT	750g @ 129	750g @ 112	750g @ 112
CONSTRUCTION	Composite	Composite	Composite
BINDING	Marker FDT 4.5,FDT 7.0	Marker FDT 4.5,FDT 7.0	Marker FDT 4.5,FDT 7.0

SKI TECHNOLOGY CONSTRUCTION

CONSTRUCTION



Triaxially Braided - K2-patented process that interlocks strands of fiberglass around a milled core for pronounced torsional strength while retaining the flex patterns inherent in a wood ski.



Metal Laminate - A metal laminate construction, denoted by "Ti" in the name, uses a sheet of Titanal above and below the core to give the ski a damp, precise and accurate feel.



Hybritech Sidewall - Blending a sidewall construction underfoot with a cap construction in the extremities. The sidewall section gives the ski accuracy, power, and edge grip while the capped region reduces the swing weight and increases overall durability.



Duracap Construction - A molding process that envelops the core and internal materials with the top layer of the ski. Duracap skis are generally lighter overall, with enhanced durability and forgiveness.



TwinTech Sidewalls - A Durable, Full sidewall construction providing great edge feel and performance with added top sheet resistant to ski vs. ski impact damage.

WOMEN'S SPECIFIC



Stance Forward - More than simply moving the mounting point on a men's ski, the overall shape, sidecut, and flex are designed around the biomechanics of how women stand and pressure the ski during a turn.



Correct Flex - Eliminates the overly stiff mid-section typically found on shorter lengthed skis. K2 addresses this with an insert that leaves a smooth, consistent flex profile optimized on every size from longest to shortest.

FREERIDE



Torsion Control Design - Designed to enhance stability and control in all snow types, TORSION CONTROL DESIGN combines a progressive torsional flex with a balanced and even longitudinal profile. Torsionally stiffest in the forebody and center of the ski, then easing throughout the tail. K2 skis with TCD have both precise, accurate turn initiation and smooth, consistent turn release in all snow types.



Ti Y-Beam - Y-Beam Technology is a unique shape of titanal that places metal furthest away from the neutral axis in the tip to provide precision and pull at the top of the turn. Underfoot, the metal extends edge to edge for power. In the tail, it tapers in to allow the ski to break free on the back end.



Spectral Braid - An extension of K2's Torsion Control Design, Spectral Braid is a first of its kind variable angle reinforcement that allows for precision tuned torsion and flex by altering the fiber orientation along the length of the ski. Lively, energetic, and remarkably composed; Mindbender skis with K2's Spectral Braid have stability and control in spades while remaining hyper-maneuverable.



SlantWall - Adding a 30degree angle to the sidewall in K2's Hybritech construction, SlantWall increases a skis agility and responsiveness while maintaining accuracy and power.



Uni Directional Flax - Flax improves a skis ability to track in variable terrain resulting in improved suspension and composure.

SKI TECHNOLOGY CONSTRUCTION

CARVING



Dark Matter Damping - A space age sandwich of high modulus carbon and a polymeric damper, strategically placed along the skis edge. Edge contact on rough and firm snow is dramatically enhanced improving grip and control.



Titanal I-Beam - Titanal runs from tip to tail along the center of the ski, optimally shaped for stability and precision through the entire turn.



Carbon I-Beam - Full length uni-directional carbon running from tip to tail, providing increased accuracy and energy along the entire length of the ski.



FREESTYLE



Spectral Braid - An extension of K2's Torsion Control Design, Spectral Braid is a first of its kind variable angle reinforcement that allows for precision tuned torsion and flex by altering the fiber orientation along the length of the ski. Lively, energetic, and remarkably composed.



Double Barrel - The backbone of our Park & Pipe collection, Double Barrel cores combine a dense, Fir core over the edges for power and impact resistance, with a lighter Aspen center core for a lively energetic feel.



Carbon Boost Braid - Longitudinal carbon stringers woven into the K2's patented Triaxial Braid for added pop and rebound.

TOURING



Ti SpYne - First of its kind, Titanal laminate developed specifically for K2 Touring skis that dramatically increases damping and predictability on lightweight carbon constructions, while enhancing stability and edge grip.

Carbon Overdrive - A proprietary construction that delivers incredibly high performance at extremely low weights.



Snowphobic Topsheet - Hydrophobic, snow shedding top material that helps prevent snow from sticking to the tops of your skis.

SKI TECHNOLOGY
ROCKER PROFILES

A gradual rise in the tip, and sometimes tails, of a cambered ski reducing edge contact with the snow for better maneuverability and flotation.



SPEED ROCKER
Short and low rise in the tip for quicker turn initiation and precise steering.



POWDER ROCKER
Higher rise over a long section in the tip and tail to maximize float and planing in softer snow.



POWDER TWIN ROCKER
High and long rise in the tip and tail for added versatility and float in softer snow.



ALL-TERRAIN ROCKER
Gradual rise in the tip with a short, low section in the tail for greater versatility in all conditions.



ALL-TERRAIN TWIN ROCKER
All-terrain twin rocker is a gradual extended rise at the tip and tail for added versatility and control in all-conditions with twin-tipped skis.



CATCH FREE ROCKER
Gentle, gradual rise in the tip and tail that encourages progression and development of a skier.

SKI TECHNOLOGY
SKI CORES

K2 uses a variety of wood species in cores to fine tune the energy, rebound and power each core gives a ski.



ASPEN VENEER
Lightweight and resilient, great all-around material.



MAPLE
Energetic, tough, dense wood that absorbs impact.



ECORE
Lightweight, eco-friendly balsa core with integrated flax fiber stringers for damping.



PAULOWNIA
Lively, low density wood with excellent strength to weight ratio.



FIR
Stiff, strong and dense wood for solid edge to edge performance.



BALSA
Ultra-light and responsive, balsa cores are a key component to our class leading performance to weight ratio.


BINDING TECHNOLOGY POWERED BY MARKER

	XCOMP 16	Premium construction and technology, including magnesium components for precise steering and control. XCOMP dampening technology eliminates fast, hard impacts and keeps the boot perfectly centered.
	MXCELL 12 TC (TWIN CAM) X	Designed for maximum power transmission between ski and boot with the XCell Piston Technology toe piece to keep boot centered during quick jolts and the TCX Heel for highest control and precision performance.
	MXC 12 TC (TWIN CAM) X LIGHT	Combining a Triple Pivot X toe with a Twin Cam X light Heel. Giving a modern look to all mountain performance.
	M3 11/12 TCx LIGHT	The Triple Pivot Comfort Toe with the Twin Cam X light heel reduces weight for enhanced overall comfort and performance.
	M3 10 COMPACT	A Lightweight binding system with the Triple Pivot Comfort Toe and a Compact heel for the most comfort and secure feel.
	M2 10	Designed to save weight with the highly functional compact heel and the TLT two linkage toe for full lateral and backward release for beginner skiers.
	ERC 11 TCx LIGHT	Combining a lightened Triple Pivot Toe and a Twin Cam X light heel with easy-to-step-in for the lightest and highest performance women's system.
	ER3 10 COMPACT	A lightweight binding system with the Triple Pivot Comfort Toe and a Compact heel for the most comfort and secure feel.
	ERP 10	The lightest women's binding system offered with an easy entry and targeted functionality for beginning skiers.
GRIP WALK	Now featured on all bindings. New patented ISO 9523 rocker sole boot and binding system designed for better grip and added walking comfort without compromising the binding's power transmission and release function.	

BINDING PLATES

	WORLD CUP PISTON PLATE	Full length, metal-framed composite plate with an active hydraulic piston. Adds dampness and stiffness for ultimate power.
	XCELL DEMO PLATE	Full length adjustable demo plate for maximum power transfer with XCell Toe and Twin Cam X Heel.
	QUIKCLIK PLATE	Full length, very easy and quick sliding plate for individual toe and heel adjustments.
	QUIKCLIK FREE	Separate toe and heel plates with easy adjustment sliders for reduced weight and closer stance on the ski.


MEASURING & DRILLING FOR BINDING MOUNTING



STEP 1: Align tape measure on tail of ski.



For skis with skin notches be sure to measure from outside of the tail notch.




STEP 2: Pull tape measure directly from the tail to mounting location. Do not follow the curvature of the ski, a straight line from tail to midsole is correct.



STEP 3: Verify the measurement on the tape measure corresponds with the midsole chart (Page 32-38).



STEP 4: Select the right drill bit. Skis with Titanal in the binding region should be drilled with a 4.1mm x 9.5mm drill bit. Skis without Titanal in the binding region should be drilled with a 3.6mm x 9.5mm drill bit.



STEP 5: Follow the jig setup, binding install, and testing procedures established by the binding manufacturer.

MIDSOLE CHART

SKI COLLECTION	SKI MODEL	SKI SIZE (MM)	MIDSOLE MARK FROM TAIL (MM)
MINDBENDER M COLLECTION	MINDBENDER 116C	177	79.84
	MINDBENDER 116C	182	82.61
	MINDBENDER 116C	187	84.92
	MINDBENDER 116C	194	88.16
	MINDBENDER 108TI	172	77
	MINDBENDER 108TI	179	80.2
	MINDBENDER 108TI	186	83.4
	MINDBENDER 108TI	193	86.6
	MINDBENDER 106C	169	76.61
	MINDBENDER 106C	176	79.84
	MINDBENDER 106C	183	83.08
	MINDBENDER 106C	189	85.75
	MINDBENDER 99TI	166	73.3
	MINDBENDER 99TI	172	76
	MINDBENDER 99TI	178	78.8
	MINDBENDER 99TI	184	81.5
	MINDBENDER 99TI	190	84.2
	MINDBENDER 96C	166	75.22
	MINDBENDER 96C	172	77.99
	MINDBENDER 96C	178	80.77
	MINDBENDER 96C	184	83.08
	MINDBENDER 90C	160	72.45
	MINDBENDER 90C	166	75.22
	MINDBENDER 90C	172	77.99
	MINDBENDER 90C	178	80.77
	MINDBENDER 90C QUIKCLIK	160	72.45
	MINDBENDER 90C QUIKCLIK	166	75.22
	MINDBENDER 90C QUIKCLIK	172	77.99
	MINDBENDER 90C QUIKCLIK	178	80.77
	MINDBENDER 89TI	164	72.3
	MINDBENDER 89TI	170	75.03
	MINDBENDER 89TI	176	77.77
	MINDBENDER 89TI	182	80.5
	MINDBENDER 89TI	188	83.24
	MINDBENDER 89TI QUIKCLIK	164	72.3
	MINDBENDER 89TI QUIKCLIK	170	75.03
	MINDBENDER 89TI QUIKCLIK	176	77.77
	MINDBENDER 89TI QUIKCLIK	182	80.5
	MINDBENDER 89TI QUIKCLIK	188	83.24
	MINDBENDER 85	156	70.51
	MINDBENDER 85	163	72.92
	MINDBENDER 85	170	75.46
MINDBENDER 85	177	78.24	

MIDSOLE CHART

SKI COLLECTION	SKI MODEL	SKI SIZE (MM)	MIDSOLE MARK FROM TAIL (MM)
MINDBENDER W COLLECTION	MINDBENDER 116C W	163	73.37
	MINDBENDER 116C W	170	77.07
	MINDBENDER 116C W	177	79.84
	MINDBENDER 106C W	155	70.14
	MINDBENDER 106C W	162	73.37
	MINDBENDER 106C W	169	76.61
	MINDBENDER 106C W	176	79.84
	MINDBENDER 99TI W	154	67.8
	MINDBENDER 99TI W	160	70.5
	MINDBENDER 99TI W	166	73.3
	MINDBENDER 99TI W	172	76
	MINDBENDER 99TI W	178	78.8
	MINDBENDER 96C W	148	66.9
	MINDBENDER 96C W	154	69.68
	MINDBENDER 96C W	160	72.45
	MINDBENDER 96C W	166	75.22
	MINDBENDER 96C W	172	77.99
	MINDBENDER 90C W	148	66.9
	MINDBENDER 90C W	154	69.68
	MINDBENDER 90C W	160	72.5
	MINDBENDER 90C W	166	75.22
	MINDBENDER 90C W	172	77.99
	MINDBENDER 89TI W	146	64.09
	MINDBENDER 89TI W	152	66.83
	MINDBENDER 89TI W	158	69.56
	MINDBENDER 89TI W	164	72.3
	MINDBENDER 89TI W	170	75.03
	MINDBENDER 89TI W	176	77.77
	MINDBENDER 85 W	149	68.11
	MINDBENDER 85 W	156	70.51
	MINDBENDER 85 W	163	72.92
	MINDBENDER 85 W	170	75.46
MINDBENDER 85 W QUIKCLIK	149	68.11	
MINDBENDER 85 W QUIKCLIK	156	70.51	
MINDBENDER 85 W QUIKCLIK	163	72.92	
MINDBENDER 85 W QUIKCLIK	170	75.46	
DISRUPTION M COLLECTION	DISRUPTION TI2 WC PISTON	177	85.12
	DISRUPTION TI2 WC PISTON	182	80.12
	DISRUPTION TI2 WC PISTON	187	82.4
	DISRUPTION MTI FDT RACE	165	72.6
	DISRUPTION MTI FDT RACE	170	74.9
	DISRUPTION MTI FDT RACE	175	77.2
	DISRUPTION MTI FDT RACE	180	79.5

MIDSOLE CHART

SKI COLLECTION	SKI MODEL	SKI SIZE (MM)	MIDSOLE MARK FROM TAIL (MM)	
DISRUPTION M COLLECTION	DISRUPTION STI QUIKCLIK HP	155	68.1	
	DISRUPTION STI QUIKCLIK HP	160	70.4	
	DISRUPTION STI QUIKCLIK HP	165	72.7	
	DISRUPTION STI QUIKCLIK HP	170	75	
	DISRUPTION SC QUIKCLIK FREE	156	68.6	
	DISRUPTION SC QUIKCLIK FREE	162	71.3	
	DISRUPTION SC QUIKCLIK FREE	168	74.1	
	DISRUPTION SC QUIKCLIK FREE	174	76.8	
	DISRUPTION 82TI QUIKCLIK HP	163	71.9	
	DISRUPTION 82TI QUIKCLIK HP	170	75	
	DISRUPTION 82TI QUIKCLIK HP	177	78.2	
	DISRUPTION 82TI QUIKCLIK HP	184	81.4	
	DISRUPTION 78TI QUIKCLIK HP	156	68.7	
	DISRUPTION 78TI QUIKCLIK HP	163	71.9	
	DISRUPTION 78TI QUIKCLIK HP	170	75	
	DISRUPTION 78TI QUIKCLIK HP	177	78.2	
	DISRUPTION 78TI QUIKCLIK HP	184	81.4	
	DISRUPTION 78C QUIKCLIK FREE	156	68.9	
	DISRUPTION 78C QUIKCLIK FREE	163	72	
	DISRUPTION 78C QUIKCLIK FREE	170	75.2	
	DISRUPTION 78C QUIKCLIK FREE	177	78.4	
	DISRUPTION 76X QUIKCLIK FREE	156	69.11	
	DISRUPTION 76X QUIKCLIK FREE	163	72.31	
	DISRUPTION 76X QUIKCLIK FREE	170	75.51	
	DISRUPTION 76X QUIKCLIK FREE	177	78.71	
	DISRUPTION 76 M3	149	65.91	
	DISRUPTION 76 M3	156	69.11	
	DISRUPTION 76 M3	163	72.31	
	DISRUPTION 76 M3	170	75.51	
	DISRUPTION 76 M3	177	78.71	
	DISRUPTION 76 QUIKCLIK FREE	149	65.91	
	DISRUPTION 76 QUIKCLIK FREE	156	69.11	
	DISRUPTION 76 QUIKCLIK FREE	163	72.31	
	DISRUPTION 76 QUIKCLIK FREE	170	75.51	
	DISRUPTION 76 QUIKCLIK FREE	177	78.71	
	DISRUPTION W COLLECTION	DISRUPTION MTI W QUIKCLIK HP	146	64.5
		DISRUPTION MTI W QUIKCLIK HP	153	67.7
		DISRUPTION MTI W QUIKCLIK HP	160	71
		DISRUPTION MTI W QUIKCLIK HP	167	74.2
		DISRUPTION SC W QUIKCLIK FREE	146	64
		DISRUPTION SC W QUIKCLIK FREE	153	67.2
		DISRUPTION SC W QUIKCLIK FREE	160	70.4
		DISRUPTION SC W QUIKCLIK FREE	167	73.6

MIDSOLE CHART

SKI COLLECTION	SKI MODEL	SKI SIZE (MM)	MIDSOLE MARK FROM TAIL (MM)	
DISRUPTION W COLLECTION	DISRUPTION 81TI W QUIKCLIK FREE	146	65.4	
	DISRUPTION 81TI W QUIKCLIK FREE	153	68.6	
	DISRUPTION 81TI W QUIKCLIK FREE	160	71.9	
	DISRUPTION 81TI W QUIKCLIK FREE	167	75.1	
	DISRUPTION 78C W QUIKCLIK FREE	146	65.4	
	DISRUPTION 78C W QUIKCLIK FREE	153	68.6	
	DISRUPTION 78C W QUIKCLIK FREE	160	71.9	
	DISRUPTION 78C W QUIKCLIK FREE	167	75.1	
	DISRUPTION 76C W QUIKCLIK FREE	142	62.71	
	DISRUPTION 76C W QUIKCLIK FREE	149	65.91	
	DISRUPTION 76C W QUIKCLIK FREE	156	69.11	
	DISRUPTION 76C W QUIKCLIK FREE	163	72.31	
	DISRUPTION 76 W QUIKCLIK FREE	142	62.71	
	DISRUPTION 76 W QUIKCLIK FREE	149	65.91	
	DISRUPTION 76 W QUIKCLIK FREE	156	69.11	
	DISRUPTION 76 W QUIKCLIK FREE	163	72.31	
	DISRUPTION 75 W M3	142	69.11	
	DISRUPTION 75 W M3	149	72.31	
	DISRUPTION 75 W M3	156	75.51	
	DISRUPTION 75 W M3	163	78.71	
	DISRUPTION 75 W QUIKCLIK FREE	142	69.11	
	DISRUPTION 75 W QUIKCLIK FREE	149	72.31	
	DISRUPTION 75 W QUIKCLIK FREE	156	75.51	
	DISRUPTION 75 W QUIKCLIK FREE	163	78.71	
	WAYBACK M COLLECTION	WAYBACK 106	165	72.59
		WAYBACK 106	172	75.78
		WAYBACK 106	179	78.97
		WAYBACK 106	186	82.16
WAYBACK 98		165	72.56	
WAYBACK 98		172	75.75	
WAYBACK 98		179	78.94	
WAYBACK 98		186	82.12	
WAYBACK 92		153	66.3	
WAYBACK 92		160	69.46	
WAYBACK 92		167	72.61	
WAYBACK 92		174	75.77	
WAYBACK 92		181	78.92	
WAYBACK 89		160	70.42	
WAYBACK 89		167	73.61	
WAYBACK 89		174	76.8	
WAYBACK 89	181	79.99		
WAYBACK 84	146	63		
WAYBACK 84	153	66.2		
WAYBACK 84	160	69.3		
WAYBACK 84	167	72.63		
WAYBACK 84	174	75.6		

MIDSOLE CHART

SKI COLLECTION	SKI MODEL	SKI SIZE (MM)	MIDSOLE MARK FROM TAIL (MM)
WAYBACK M COLLECTION	WAYBACK 80	163	70.1
	WAYBACK 80	170	73.6
	WAYBACK 80	177	77.2
WAYBACK W COLLECTION	WAYBACK 98 W	151	66.19
	WAYBACK 98 W	158	69.37
	WAYBACK 98 W	165	72.56
	WAYBACK 98 W	172	75.75
	WAYBACK 89 W	153	67.22
	WAYBACK 89 W	160	70.42
	WAYBACK 89 W	167	73.61
RECKONER M COLLECTION	RECKONER 122	177	84.31
	RECKONER 122	184	87.61
	RECKONER 122	191	90.94
	RECKONER 112	170	80.25
	RECKONER 112	177	83.56
	RECKONER 112	184	86.88
	RECKONER 112	191	90.19
	RECKONER 102	163	78.05
	RECKONER 102	170	81.36
	RECKONER 102	177	84.67
	RECKONER 102	184	87.98
	RECKONER 92	149	71
	RECKONER 92	159	75.7
	RECKONER 92	169	80.4
	RECKONER 92	179	85.1
	RECKONER 92 QUIKCLIK FREE	149	71
	RECKONER 92 QUIKCLIK FREE	159	75.7
	RECKONER 92 QUIKCLIK FREE	169	80.4
	RECKONER 92 QUIKCLIK FREE	179	85.1
RECKONER W COLLECTION	RECKONER 92 W	149	71
	RECKONER 92 W	159	75.7
	RECKONER 92 W	169	80.4
	RECKONER 92 W QUIKCLIK	149	71
	RECKONER 92 W QUIKCLIK	159	75.7
	RECKONER 92 W QUIKCLIK	169	80.4

MIDSOLE CHART

SKI COLLECTION	SKI MODEL	SKI SIZE (MM)	MIDSOLE MARK FROM TAIL (MM)
PARK & PIPE COLLECTION	POACHER	163	75.3
	POACHER	170	78.8
	POACHER	177	82.3
	POACHER	184	85.8
	SIGHT	149	71.8
	SIGHT	159	76.5
	SIGHT	169	81.2
	SIGHT	179	85.9
SPECIALTY COLLECTION	MIDNIGHT	149	71.8
	MIDNIGHT	159	76.5
	MIDNIGHT	169	81.2
	CRESCENDO	159	68.79
	CRESCENDO	168	72.74
	CRESCENDO	177	76.69
	CRESCENDO	186	80.64
	FATTY	88	39.5
YOUTH COLLECTION	244	153	63.5
	244	163	68.5
	244	173	73.5
	DISRUPTION JR 7.0 FDT JR	134	57.5
	DISRUPTION JR 7.0 FDT JR	144	62.5
	DISRUPTION JR 7.0 FDT JR	154	67.5
	WAYBACK JR	126	541
	WAYBACK JR	136	586
	WAYBACK JR	146	631
	MINDBENDER TEAM	145	64.8
	MINDBENDER TEAM	155	69.3
	MINDBENDER TEAM	165	73.9
MINDBENDER JR FLAT	119	50.5	
MINDBENDER JR FLAT	129	55	
MINDBENDER JR FLAT	139	59.4	
MINDBENDER JR FLAT	149	63.9	
MINDBENDER JR 4.5 FDT JR	119	50.5	
MINDBENDER JR 4.5 FDT JR	129	55	
JR LARGE PLATE			
MINDBENDER JR 7.0 FDT JR	139	59.4	
MINDBENDER JR 7.0 FDT JR	149	63.9	

MIDSOLE CHART

SKI COLLECTION	SKI MODEL	SKI SIZE (MM)	MIDSOLE MARK FROM TAIL (MM)
YOUTH COLLECTION	POACHER JR FLAT	109	49
	POACHER JR FLAT	119	54
	POACHER JR FLAT	129	59
	POACHER JR FLAT	139	64
	POACHER JR FLAT	149	69
	POACHER JR 4.5 FDT JR	109	49
	POACHER JR 4.5 FDT JR	119	54
	POACHER JR 4.5 FDT JR LARGE PLATE	129	59
	POACHER JR 7.0 FDT JR	139	64
	POACHER JR 7.0 FDT JR	149	69
	DREAMWEAVER FLAT	109	49
	DREAMWEAVER FLAT	119	54
	DREAMWEAVER FLAT	129	59
	DREAMWEAVER FLAT	139	64
	DREAMWEAVER FLAT	149	69
	DREAMWEAVER 4.5 FDT JR	109	49
	DREAMWEAVER 4.5 FDT JR	119	54
	DREAMWEAVER 4.5 FDT JR LARGE PLATE	129	59
	DREAMWEAVER 7.0 FDT JR	139	64
	DREAMWEAVER 7.0 FDT JR	149	69
	JUVY 4.5 FDT JR	109	50.6
	JUVY 4.5 FDT JR	119	55.7
	JUVY 4.5 FDT JR LARGE PLATE	129	60.8
	JUVY 7.0 FDT JR	139	65.9
	JUVY 7.0 FDT JR	149	69
	MISSY 4.5 FDT JR	109	50.6
	MISSY 4.5 FDT JR	119	55.7
	MISSY 4.5 FDT JR LARGE PLATE	129	60.8
	MISSY 7.0 FDT JR	139	65.9
	INDY 4.5 FDT JR	76	31.6
	INDY 4.5 FDT JR	88	37.5
	INDY 4.5 FDT JR	100	43.7
	INDY 4.5 FDT JR	112	49.5
	INDY 4.5 FDT JR LARGE PLATE	124	55.5
	INDY 7.0 FDT JR	136	61.5
	LUV BUG 4.5 FDT JR	76	31.6
LUV BUG 4.5 FDT JR	88	37.5	
LUV BUG 4.5 FDT JR	100	43.7	
LUV BUG 4.5 FDT JR	112	49.5	
LUV BUG 4.5 FDT JR LARGE PLATE	124	55.5	
LUV BUG 7.0 FDT JR	136	61.5	

PRE-CUT & TRIM-TO-FIT CLIMBING SKINS

PRE-CUT SKINS



Precision-cut skins are ready to tour right out of the box. These precision cut skins are cut to fit each of our backside models.



Z-CLIP ATTACHMENT

A secure, self-centering attachment that reduces weight and speeds up transitions.




ADJUSTABLE TAIL STRAP

The tail strap keeps your skins secure and centered. Because the attachment sits on top of the ski, it eliminates drag and friction, providing improved glide for maximum efficiency.

PRE-CUT & TRIM-TO-FIT CLIMBING SKINS

TRIM-TO-FIT SKINS



Available in 125mm and 140mm widths. Trim-to-Fit skins come with our Offset Skin Cutter that makes trimming skins quick and easy. These skins come with a universal attachment to accommodate any skins within these measurements:

TRIM-TO-FIT 125MM WIDTH SKINS
Works for skis with a tip width of 131mm and narrower.

TRIM-TO-FIT 140MM WIDTH SKINS
Works for skis with a tip width narrower than 150mm.

UNIVERSAL ATTACHMENTS

K2 Trim-To-Fit skins come with low profile self-centering universal tip hooks and tail clasp that can be used on any ski.



RECON
120 / BOA®

BOA® FIT SYSTEM BOOT TECHNOLOGY

The BOA® Fit System delivers dialed in performance and a micro-adjustable precision fit. It consists of three integral parts: a micro-adjustable dial, lightweight yet extremely strong laces and low-friction lace guides, which are applied in uniquely designed configurations to improve the fit and performance of the boot.



THREE COMPONENTS. ENDLESS POSSIBILITIES.

1. DIAL

Adjusts fit with precision and allows for a fast release.

2. LACE

Lightweight, strong and expertly configured for performance.


3. GUIDES

Low-friction guides to ensure a smooth and precise fit, every time.


HOW IT WORKS:



Push in to Engage



Turn for Precision Fit (Tighten)



Turn for Precision Fit (Loosen)



Pull Up for Fast Release

BOA® FIT SYSTEM BOOT TECH: ANATOMY

ENGINEERED FOR UNPRECEDENTED DURABILITY.

H+i1



H+i1 DIAL

Provides micro-adjustable, precision fit and quick release, with quality and durability guaranteed. The BOA dial platform features a breakaway design engineered to eject the dial cartridge upon severe impact without damaging the system, allowing skiers to pop the dial back into the bayonet mid-mountain. In the unlikely event that the system is broken, it can be easily repaired and replaced.

SS3 LACE:

Built to withstand skiing the toughest terrain, season after season. Made of stainless steel, SS3 is our strongest, most durable lace, boasting a tensile strength of more than 254 kg.

RIVET GUIDES:

Heavy-duty guides for low friction tightening and loosening.

LACE & SYSTEM STRENGTH:

90

19 strands of stainless steel permeated and wrapped in Nylon coated by 90 more strands of stainless steel ensuring maximum durability

1.7


1.70 mm thin, lightweight and yet super durable

254

Tensile strength of more than 254 kg


BOA® FIT SYSTEM BOOT TECH: PERFORMANCE

The BOA® Fit System provides a performance fit engineered to enhance feel and responsiveness while reducing pressure points by incrementally modulating the Alpine boot closure with precise micro-adjustments.



DIALED IN

Precision fit with on-the-fly tightening and loosening for enhanced responsiveness, optimized pressure distribution, and reduced pressure points.



LOCKED IN

Connected fit designed to uniformly wrap the foot and minimize downward pressure, increasing heel lock-down for improved power and edge-to-edge control.



CONFIDENT

Engineered for confidence and built to withstand rugged terrain and inclement weather, BOA® dials and laces deliver extreme durability. Bayonet and cartridge system ensures continued operation, even after heavy impacts.

BOA® ALPINE BOOT TECH: MULTIFIT LAST

The MultiFit Lasts was designed with an innovative toe seal which allows the shell to wrap around the foot and distribute pressure. By distributing pressure, we increase blood flow to the foot which keeps your feet warmer, more comfortable and increases edge feel resulting in increased performance.



BOA® ALPINE

BOOT TECH: POWERLITE SHELL



STIFFEST FLEX TPU
Y-Shaped Powerfuse Spyne adds strength and power in order to maximize fore/aft flex efficiency and later stiffness for responsiveness.

STIFF FLEX TPU
Lateral & torsional stiffness in key areas for power, control & stability.


MEDIUM FLEX TPU
Better wrapping & closure.

SOFTER FLEX TPU
Easier entry and exit and better wrapping.

BOA® ALPINE

BOOT TECH: CUSTOMIZABLE TOE & INSOLE SHIMS

CUSTOMIZABLE LINER WITH INSOLE SHIM INSERTS
2MM INSOLE SHIMS TO CREATE A PERFECT FIT.
PLACE UNDER THE FOOTBED INSIDE THE LINER



CUSTOMIZABLE LINER WITH TOE SHIM INSERTS
4MM TOE SHIMS TO CREATE THE PERFECT FIT.




BOOT TECH: HONEYCOMB BOOT BOARD BOARD WITH MODULAR INSERTS

HONEYCOMB BOOT BOARD

Stay Warmer, Longer. Traps heat and insulates like a down jacket. Retains heat 15% better than traditional boot board. Boot-fitter friendly

HARSH MELLOW MODULAR INSERTS

The honeycomb boot board includes two modular heel inserts. A soft Harsh Mellow insert for a high level of damping or a more rigid insert for improved power transfer.




ANY FOOT ANY PERFORMANCE

MULTIPLE LAST OPTIONS:

With four different last options, your foot shape no longer dictates the performance of your boot.

Heel hold is essential to a great fit and function. Our four last options grow in the forefoot but the heel pocket does not grow proportionally to ensure a better, more secure fit.



LOW VOLUME

- MINDBENDER TEAM
- MINDBENDER 130
- MINDBENDER 120
- MINDBENDER TEAM W
- MINDBENDER 115 W
- MINDBENDER 95 W
- RECON TEAM
- RECON PRO
- RECON 130
- RECON 120
- RECON 100
- RECON 90
- ANTHEM TEAM
- ANTHEM PRO
- ANTHEM 115
- ANTHEM 105
- ANTHEM 85
- ANTHEM 75
- DISPATCH PRO
- DISPATCH LT
- DISPATCH
- DISPATCH W LT
- DISPATCH W
- METHOD B&E
- METHOD PRO
- METHOD
- DIVERGE LT
- DIVERGE SC
- METHOD PRO W
- METHOD W
- DIVERGE LT W
- DIVERGE W
- MINDBENDER TEAM JR

MID VOLUME

- MINDBENDER 120
- MINDBENDER 100
- RECON 130
- RECON 120 HEAT
- RECON 120
- RECON 100
- RECON 90
- ANTHEM 115
- ANTHEM 105 HEAT
- ANTHEM 105
- ANTHEM 85
- ANTHEM 75
- DISPATCH PRO
- DISPATCH LT
- DISPATCH
- DISPATCH W LT
- DISPATCH W
- METHOD B&E
- METHOD PRO
- METHOD
- DIVERGE LT
- DIVERGE SC
- METHOD PRO W
- METHOD W
- DIVERGE LT W
- DIVERGE W

HIGH VOLUME

- BFC 120
- BFC 100
- BFC 90
- BFC 80
- BFC W 105
- BFC W 95
- BFC W 85
- BFC W 75
- REVERB

MULTIFIT LAST

- ANTHEM 115 BOA®
- ANTHEM 105 BOA®
- ANTHEM 95 BOA®
- RECON 130 BOA®
- RECON 120 BOA®
- RECON 110 BOA®
- MINDBENDER 115 W BOA®
- MINDBENDER 95W BOA®
- MINDBENDER 130 BOA®
- MINDBENDER 120 BOA®



ALL-MOUNTAIN ANTHEM

NEW



ANTHEM 115 BOA®

NEW



ANTHEM 105 BOA®

NEW



ANTHEM 95 BOA®



ANTHEM TEAM

	ANTHEM 115 BOA®	ANTHEM 105 BOA®	ANTHEM 95 BOA®	ANTHEM TEAM
FLEX	115	105	95	125
LAST	MultiFit Last (97-104mm)	MultiFit Last (97-104mm)	MultiFit Last (97-104mm)	98mm (LV)
LINER	PowerFit Pro	PrecisionFit Pro	LuxFit Pro	PowerFit Pro
STRAP	Cam Booster	Cam Buckle Power Strap	Velcro Taper	Cam Booster
SIZES	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5
WEIGHT	1770g @ 24.5	1720g @ 24.5	1720g @ 24.5	1660g @ 24.5
SOLE	Gripwalk	Gripwalk	Gripwalk	Gripwalk

BOA® Fit System
MultiFit Last
Grip walk soles
Modular Honeycomb Boot Board with Hard & Soft Inserts
Women's Adjustable Cuff

BOA® Fit System
MultiFit Last
Grip walk soles
Modular Honeycomb Boot Board with Hard & Soft Inserts
Women's Adjustable Cuff
Fastfit Instep

BOA® Fit System
MultiFit Last
Grip walk soles
Modular Honeycomb Boot Board with Hard & Soft Inserts
Women's Adjustable Cuff
Fastfit Instep

Powerlite Shell
Powerfuse Spyne
Energy Interlock
Fastfit Instep
Fully Heat Moldable
Dual Cuff Alignment

ALL-MOUNTAIN ANTHEM



ANTHEM 115

ANTHEM 105

ANTHEM 95

ANTHEM 85

	ANTHEM 115	ANTHEM 105	ANTHEM 95	ANTHEM 85
FLEX	115	105	95	85
LAST	98mm (LV), 100mm (MV)	98mm (LV), 100mm (MV)	98mm (LV) 100mm (MV)	100mm (MV)
LINER	PrecisionFit Pro	PrecisionFit Pro	LuxFit Pro	LuxFit Pro
STRAP	Cam Booster	40mm Velcro	Velcro Taper	40mm Velcro
SIZES	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5
WEIGHT	1560g @ 24.5	1560g @ 24.5	1560g @ 24.5	1560g @ 24.5
SOLE	Gripwalk	Gripwalk	Gripwalk	Gripwalk

Powerlite Shell
Powerfuse Spynne
Energy Interlock
Fastfit Instep
Fully Heat Moldable
Dual Cuff Alignment

Powerlite Shell
Powerfuse Spynne
Energy Interlock
Fastfit Instep
Fully Heat Moldable
Dual Cuff Alignment

Powerlite Shell
Fastfit Instep
Energy Interlock
Powerfuse Spynne
Fully Heat Moldable
Women's-Specific Last
Women's-Adjustable Cuff

Powerlite Shell
Powerfuse Spynne
Energy Interlock
Fastfit Instep
Fully Heat Moldable
Dual Cuff Alignment

ALL-MOUNTAIN RECON

NEW

NEW

NEW



RECON 130 BOA®

RECON 120 BOA®

RECON 110 BOA®

RECON TEAM

	RECON 130 BOA®	RECON 120 BOA®	RECON 110 BOA®	RECON TEAM
FLEX	130	120	110	140
LAST	MultiFit Last (97-104mm)	MultiFit Last (97-104mm)	MultiFit Last (97-104mm)	98mm (LV)
LINER	PowerFit Pro	PrecisionFit Pro	LuxFit Pro	PowerFit Pro
STRAP	Cam Booster	Cam Buckle Power Strap	Velcro Taper	Cam Booster
SIZES	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5
WEIGHT	1860g @ 17.5	1810g @ 27.5	1810g @ 27.5	1750g @ 27.5
SOLE	Gripwalk	Gripwalk	Gripwalk	Gripwalk

BOA® Fit System
MultiFit Last
Grip walk soles
Modular Honeycomb Boot Board with Hard & Soft Inserts
Fastfit Instep

BOA® Fit System
MultiFit Last
Grip walk soles
Modular Honeycomb Boot Board with Hard & Soft Inserts
Fastfit Instep

BOA® Fit System
MultiFit Last
Grip walk soles
Modular Honeycomb Boot Board with Hard & Soft Inserts
Fastfit Instep

Powerlite Shell
Powerfuse Spynne
Energy Interlock
Fastfit Instep
Fully Heat Moldable
Dual Cuff Alignment

ALL-MOUNTAIN
RECON



RECON 130

RECON 120

RECON 110

RECON 100

FLEX	130	120	110	100
LAST	98mm (LV), 100mm (MV)	98mm (LV), 100mm (MV)	98mm (LV) 100mm (MV)	100mm (MV)
LINER	PowerFit Pro	PrecisionFit Pro	LuxFit Pro	LuxFit
STRAP	Cam Booster	Cam	Velcro Taper	Velcro
SIZES	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5
WEIGHT	1700g @ 27.5	1650g @ 27.5	1650g @ 24.5	1650g @ 27.5
SOLE	Gripwalk	Gripwalk	Gripwalk	Gripwalk

Powerlite Shell
Powerfuse Spyne
Energy Interlock
Fastfit Instep
Fully Heat Moldable
Dual Cuff Alignment

Powerlite Shell
Powerfuse Spyne
Energy Interlock
Fastfit Instep
Fully Heat Moldable
Dual Cuff Alignment

Powerlite Shell
Powerfuse Spyne
Energy Interlock
Fastfit Instep
Fully Heat Moldable
Dual Cuff Alignment

Powerlite Shell
Powerfuse Spyne
Energy Interlock
Fastfit Instep
Fully Heat Moldable
Dual Cuff Alignment

NEW

NEW



MINDBENDER 115 W BOA®

MINDBENDER 95 W BOA®

FLEX	115	95
LAST	MultiFit Last (97-104mm)	MultiFit Last (97-104mm)
LINER	PowerFit Pro Tour BOA	LuxFit Pro Tour
STRAP	Cam Booster	Velcro Taper
SIZES	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5
WEIGHT	1860g @ 24.5	1820g @ 24.5
SOLE	Gripwalk	Gripwalk

BOA® Fit System
MultiFit Last
Fastfit Instep
Powerlock Spyne
Fully Heat Moldable
Integrated Tech Fitting
Friction Free Cuff Pivot

BOA® Fit System
MultiFit Last
Fastfit Instep
Powerlock Spyne
Fully Heat Moldable
Integrated Tech Fitting
Friction Free Cuff Pivot

FREERIDE
MINDBENDER W



MINDBENDER W TEAM

MINDBENDER 115 W

MINDBENDER 95 W

FLEX	125	115	95
LAST	98mm (LV)	98mm (LV)	100mm (MV)
LINER	PowerFit Pro Tour	PowerFit Pro Tour	LuxFit Pro Tour
STRAP	Cam Booster	Cam Booster	Velcro
SIZES	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5
WEIGHT	1740g @ 24.5	1700g @ 24.5	1660g @ 24.5
SOLE	Gripwalk	Gripwalk	Gripwalk

Powerlite Shell
Powerlock Spnye
Fastfit Instep
Fully Heat-Moldable
Integrated Tech Fittings
Friction Free Cuff Pivot

Powerlite Shell
Powerlock Spnye
Fastfit Instep
Fully Heat-Moldable
Integrated Tech Fittings
Friction Free Cuff Pivot

Powerlite Shell
Powerlock Spnye
Fastfit Instep
Fully Heat-Moldable
Integrated Tech Fittings
Friction Free Cuff Pivot

FREERIDE
MINDBENDER

NEW

NEW



MINDBENDER 130 BOA®

MINDBENDER 120 BOA®

MINDBENDER TEAM

FLEX	130	120	140
LAST	MultiFit Last (97-104mm)	MultiFit Last (97-104mm)	98mm (LV)
LINER	PowerFit Pro Tour BOA	PowerFit Pro Tour	PowerFit Pro Tour
STRAP	Cam Booster	Cam Buckle Power Strap	Cam Booster
SIZES	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5
WEIGHT	1945g @ 27.5	1930g @ 27.5	1825g @ 27.5
SOLE	Gripwalk	Gripwalk	Gripwalk

BOA® Fit System
MultiFit Last
Fastfit Instep
Powerlock Spnye
Fully Heat Moldable
Integrated Tech Fitting
Friction Free Cuff Pivot

BOA® Fit System
MultiFit Last
Fastfit Instep
Powerlock Spnye
Fully Heat Moldable
Integrated Tech Fitting
Friction Free Cuff Pivot

Powerlite Shell
Powerlock Spnye
Fastfit Instep
Fully Heat-Moldable
Integrated Tech Fittings
Friction Free Cuff Pivot

FREERIDE MINDBENDER



MINDBENDER 130

MINDBENDER 120

MINDBENDER 100

FLEX	130	120	100
LAST	98mm (LV)	98mm (LV)	100mm (MV)
LINER	PowerFit Pro Tour	PowerFit Pro Tour	LuxFit Pro Tour
STRAP	Cam Booster	Cam Strap	Velcro Taper
SIZES	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5
WEIGHT	1785g @ 27.5	1770g @ 27.5	1760g @ 27.5
SOLE	Gripwalk	Gripwalk	Gripwalk

Powerlite Shell
Powerlock Spyne
Fastfit Instep
Fully Heat-Moldable
Integrated Tech Fittings
Friction Free Cuff Pivot

Powerlite Shell
Powerlock Spyne
Fastfit Instep
Fully Heat-Moldable
Integrated Tech Fittings
Friction Free Cuff Pivot

Powerlite Shell
Powerlock Spyne
Fastfit Instep
Fully Heat-Moldable
Integrated Tech Fittings
Friction Free Cuff Pivot

FREETOUR DISPATCH W



DISPATCH LT W

DISPATCH W

FLEX	115	105
LAST	100mm (MV)	100mm (MV)
LINER	Tourfit LT	Tourfit
STRAP	40mm Velcro	40mm Velcro
SIZES	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5
WEIGHT	1390g @ 24.5	1445g @ 24.5
SOLE	Vibram 9523	Vibram 9523

Powerlite Tour Shell
Powerlock Spyne 2.0
Fastfit Instep
Fully Heat-Moldable
Switchback Buckles
Honeycomb bootboard

Powerlite Tour Shell
Powerlock Spyne 2.0
Fastfit Instep
Fully Heat-Moldable
Switchback Buckles
Honeycomb bootboard

FREETOUR DISPATCH



DISPATCH PRO

DISPATCH LT

DISPATCH

FLEX	130	120	110
LAST	100mm (MV)	100mm (MV)	100mm (MV)
LINER	Tourfit BOA®	Tourfit LT	Tourfit
STRAP	Cam Booster	Velcro Tour	Velcro Tour
SIZES	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5
WEIGHT	1500g @ 27.5	1465g @ 27.5	1520g @ 27.5
SOLE	Vibram 9523	Vibram 9523	Vibram 9523

Powerlite Tour Shell
Powerlock Spyne 2.0
Fastfit Instep
Fully Heat-Moldable
Switchback Buckles
Honeycomb bootboard

Powerlite Tour Shell
Powerlock Spyne 2.0
Fastfit Instep
Fully Heat-Moldable
Switchback Buckles
Honeycomb bootboard

Powerlite Tour Shell
Powerlock Spyne 2.0
Fastfit Instep
Fully Heat-Moldable
Switchback Buckles
Honeycomb bootboard

COMFORT BFC W



BFC W 105

BFC W 95

BFC W 85

BFC W 75

FLEX	105	95	85	75
LAST	103mm (HV)	103mm (HV)	103mm (HV)	103mm (HV)
LINER	CushFit Pro	CushFit Plus	CushFit Plus	CushFit Comfort
STRAP	40mm Velcro	40mm Velcro	40mm Velcro	30mm Velcro
SIZES	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5
WEIGHT	1810g @ 24.5	1860g @ 24.5	1830g @ 24.5	1690g @ 24.5
SOLE	Gripwalk	Gripwalk	Gripwalk	Gripwalk

Apres Mode 2.0 Walk Mechanism
Hands Free Entry
Fully Heat Moldable

Apres Mode Walk Mechanism
Hands Free Entry
Fully Heat Moldable

Hands Free Entry
Fully Heat Moldable

Hands Free Entry
Fully Heat Moldable

COMFORT
BFC

NEW



BFC 130

BFC 120

FLEX	130	120
LAST	103mm (HV)	103mm (HV)
LINER	CushFit Pro	CushFit Pro
STRAP	Cam Booster	40mm Velcro
SIZES	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5
WEIGHT	1900g @ 27.5	1900g @ 27.5
SOLE	Gripwalk	Gripwalk

Apres Mode 2.0 Walk Mechanism
Hands Free Entry
Fully Heat Moldable

Apres Mode 2.0 Walk Mechanism
Hands Free Entry
Fully Heat Moldable

COMFORT
BFC



BFC 100

BFC 90

BFC 80

FLEX	100	90	80
LAST	103mm (HV)	103mm (HV)	103mm (HV)
LINER	CushFit Plus	CushFit Plus	CushFit Comfort
STRAP	40mm Velcro	40mm Velcro	30mm Velcro
SIZES	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5
WEIGHT	1950g @ 27.5	1920g @ 27.5	1780g @ 27.5
SOLE	Gripwalk	Gripwalk	Gripwalk

Apres Mode Walk Mechanism
Hands Free Entry
Fully Heat Moldable

Hands Free Entry
Fully Heat Moldable

Hands Free Entry
Fully Heat Moldable

FREESTYLE FLEX W



REVOLVE TBL



REVOLVE TEAM W



REVOLVE PRO W



REVOLVE W

FLEX	100	110	100	90
LAST	99mm	99mm	99mm	99mm
LINER	Intuition Pro Wrap	Intuition Pro Tongue	Intuition Pro Wrap	Intuition Tongue
STRAP	Cam	Cam	40mm Velcro	40mm Velcro
SIZES	23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5
WEIGHT	1750g @ 24.5	1750g @ 24.5	1680g @ 24.5	1700g @ 24.5
SOLE	Gripwalk	Gripwalk	Alpine	Alpine

Fully Heat-Moldable
Revolve Plus Shell
Intuition Pro Wrap
Gripwalk Soles

Fully Heat-Moldable
Revolve Plus Shell
Intuition Pro Tongue
Gripwalk Soles

Fully Heat-Moldable
Revolve Shell
Intuition Pro Wrap
Alpine Soles

Fully Heat-Moldable
Revolve Shell
Intuition Tongue
Alpine Soles

FREESTYLE FLEX W



METHOD PRO W



METHOD W

FLEX	90	70
LAST	102mm	102mm
LINER	Intuition Wrap	Intuition Tongue
STRAP	40mm Velcro	40mm Velcro
SIZES	23.5, 24.5, 25.5, 26.5, 27.5	23.5, 24.5, 25.5, 26.5, 27.5
WEIGHT	1800g @ 24.5	1800g @ 24.5
SOLE	Gripwalk	Gripwalk

Fully Heat-Moldable
Method Shell
Intuition Wrap
Gripwalk Soles

Fully Heat-Moldable
Method Shell
Intuition Tongue
Gripwalk Soles

FREESTYLE FLEX W



DIVERGE PRO W

DIVERGE LT W

DIVERGE W

FLEX	110	110	90
LAST	102mm	102mm	102mm
LINER	Intuition Pro Tour Wrap	Intuition Pro Tour Tongue	Intuition Tour Tongue
STRAP	Cam Booster	40mm Velcro	40mm Velcro
SIZES	23.5, 24.5, 25.5, 26.5, 27.5	23.5, 24.5, 25.5, 26.5, 27.5	23.5, 24.5, 25.5, 26.5, 27.5
WEIGHT	1770g @ 24.5	1680g @ 24.5	1740g @ 24.5
SOLE	Gripwalk	Gripwalk	Gripwalk

Fully Heat Moldable
Diverge Tour Shell
Intuition Pro Tour Wrap
Gripwalk Soles

Fully Heat-Moldable
Diverge Tour Shell
Intuition Pro Tour Tongue
Gripwalk Soles

Fully Heat-Moldable
Diverge Tour Shell
Intuition Tour Tongue
Gripwalk Soles

FREESTYLE FLEX



REVOLVE TW

REVOLVE TEAM

REVOLVE PRO

REVOLVE

FLEX	100	120	100	90
LAST	99mm	99mm	99mm	99mm
LINER	Intuition Pro Wrap	Intuition Pro Tongue	Intuition Pro Wrap	Intuition Tongue
STRAP	Cam	Cam	40mm Velcro	40mm Velcro
SIZES	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5, 31.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5, 31.5
WEIGHT	2050g @ 27.5	2050g @ 27.5	1980g @ 27.5	2000g @ 27.5
SOLE	Gripwalk	Gripwalk	Alpine	Alpine

Fully Heat-Moldable
Revolve Plus Shell
Intuition Pro Wrap
Gripwalk Soles

Fully Heat-Moldable
Revolve Plus Shell
Intuition Pro Wrap
Gripwalk Soles

Fully Heat-Moldable
Revolve Shell
Intuition Pro Wrap
Alpine Soles

Fully Heat-Moldable
Revolve Shell
Intuition Tongue
Alpine Soles

FREESTYLE FLEX



METHOD B&E



METHOD PRO



METHOD

FLEX	90	100	90
LAST	102mm	102mm	102mm
LINER	Intuition Pro Wrap	Intuition Wrap	Intuition Tongue
STRAP	Cam Booster	40mm Velcro	40mm Velcro
SIZES	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5
WEIGHT	2000g @ 27.5	2000g @ 27.5	2000g @ 27.5
SOLE	Gripwalk	Gripwalk	Gripwalk

Fully Heat-Moldable
Method Shell
Intuition Pro Wrap
Gripwalk Soles

Fully Heat-Moldable
Method Shell
Intuition Wrap
Gripwalk Soles

Fully Heat-Moldable
Method Shell
Intuition Tongue
Gripwalk Soles

FREESTYLE FLEX



DIVERGE SC



DIVERGE LT



DIVERGE

FLEX	120	120	100
LAST	102mm	102mm	102mm
LINER	Intuition Pro Tour Wrap	Intuition Pro Tour Tongue	Intuition Pro Tour Tongue
STRAP	Cam Booster	40mm Velcro	40mm Velcro
SIZES	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5	24.5, 25.5, 26.5, 27.5, 28.5, 29.5, 30.5
WEIGHT	1940g @ 27.5	1880g @ 27.5	1850g @ 27.5
SOLE	Gripwalk	Gripwalk	Gripwalk

Fully Heat-Moldable
Diverge Tour Shell
Intuition Pro Tour Wrap
Gripwalk Soles

Fully Heat-Moldable
Diverge Tour Shell
Intuition Pro Tour Tongue
Gripwalk Soles

Fully Heat-Moldable
Diverge Tour Shell
Intuition Pro Tour Tongue
Gripwalk Soles

YOUTH



MINDBENDER TEAM JR

REVERB

EVOLVER

FLEX	90/80 (varies by size)	70	70
LAST	100mm	103mm	99mm
LINER	Luxfit Tour	Cushfit Comfort	Intuition Tongue
STRAP	30mm Velcro	30mm Velcro	40mm Velcro
SIZES	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5	22.5, 23.5, 24.5, 25.5, 26.5, 27.5
WEIGHT	1600g @ 27.5	1690g @ 27.5	1700g @ 27.5
SOLE	Gripwalk	Gripwalk	Alpine

Powerlite Shell
Powerlock Spyne
Fastfit Instep
Fully Heat-Moldable
Integrated Tech Fittings
Friction Free Cuff Pivot

Fully Heat-Moldable
Hands Free Entry

Fully Heat-Moldable
Revolve Shell
Intuition Tongue
Alpine Soles

YOUTH



INDY 1 / LUVBUG 1

INDY 2 / LUVBUG 2

INDY 3 / LUVBUG 3

FLEX	n/a	n/a	n/a
LAST	n/a	n/a	n/a
LINER	Cushfit Jr	Cushfit Jr	Cushfit Jr
STRAP	n/a	n/a	n/a
SIZES	14.5, 15.5, 16.5, 17.5, 18.5	19.5, 20.5, 21.5, 22.5	23.5, 24.5, 25.5
WEIGHT	n/a	n/a	n/a
SOLE	Alpine	Alpine	Alpine

CONSTRUCTIONS

2 PIECE BOOT TECHNOLOGY

SHELLS

POWERLITE SHELL

K2's highest-performance shell design, utilizing shell walls of varying thicknesses and four different types of TPU to provide the ultimate combination of light weight and responsiveness.

POWERLITE TOUR SHELL

K2's highest-performance touring shell design, utilizing shell walls of varying thicknesses to provide the ultimate combination of light weight and responsiveness. Completely heat moldable. Eco-Friendly Pebax Upper Cuff and Shell. Consistent flex across a wide range of temperatures. Bootfitter Friendly.

LINERS

BOA® TOURFIT LINER

BOA liner increases adjustability and even hold across the entire foot. Features stiffer foam with asymmetric tongue for added power and energy transmission. Completely heat moldable with pre-molded ankle pocket.

TOURFIT LT

Lightweight construction that offers same performance features in the pro model. Stiffer foam with asymmetric tongue for added power and energy transmission. Completely heat moldable with pre-molded ankle pocket

TOURFIT

Lightweight, hard charging construction inspired by the Lux Fit Tour liners. Pre-molded ankle bumps for added fit and fully heat moldable with asymmetric tongue.

POWERFIT PRO

Pre-molded and lasted with Ultralon heat-moldable foam. Featuring stiffer foam and a stiff, asymmetric tongue for added power and energy transmission, pre-molded ankle pockets, and a high-density power collar.

PRECISIONFIT PRO

Pre-molded and lasted with Ultralon heat-moldable foam. Featuring an asymmetric tongue, pre-molded ankle pockets, and a high-density power collar for a firm-but-comfortable performance fit.

POWERFIT PRO TOUR

Pre-molded and lasted with Ultralon heat-moldable foam. Featuring stiffer foam and a stiff, asymmetric tongue for added power and energy transmission, pre-molded ankle pockets, and a high-density power collar. Includes a tour notch at the back of the ankle for increased comfort and range of motion while hiking and skinning.

PRECISIONFIT PRO TOUR

Pre-molded and lasted with Ultralon heat-moldable foam. Features an asymmetric tongue, high-density power collar, and a tour notch at the back of the ankle for increased comfort and range of motion while hiking and skinning.

LUXFIT PRO

Pre-molded and lasted with Ultralon heat-moldable foam. Features medium-density foam, pre-molded ankle pockets, and a medium-density collar, providing an ideal blend of performance and comfort.

LUXFIT PRO TOUR

Pre-molded and lasted with Ultralon heat-moldable foam. Features medium-density foam, pre-molded ankle pockets, and a medium-density collar, providing an ideal blend of performance and comfort. Includes a tour notch at the back of the ankle for increased comfort and range of motion while hiking and skinning.

CUSHFIT PRO

Maintains the renowned comfort of the original Cushfit liner, but with a notable increase in support and performance thanks to the use of Ultralon foam, similar to what is used in our Powerfit Pro and Precisionfit Pro liners.

CUSH PLUS

Lasted with a blend of open-cell and EVA foam for an extremely comfortable, warm, and supportive fit.

CUSHFIT COMFORT

Same great fit and out-of-the-box feel as our classic Cushfit liner, but with additional foam in key areas for increased comfort and compliance.

CUSHFIT JR

A scaled-down version of our adult Cushfit liner built for our youth boots.

CONSTRUCTIONS

2 PIECE BOOT TECHNOLOGY

FEATURES

PEBAX

Lightweight, eco-friendly material used in the cuff of select boot models for energetic and consistent flex across a wide range of temperatures.

FASTFIT INSTEP

Softer TPU material is used in the instep area of select models' shells for quick and easy entry and exit.

HANDS FREE ENTRY

Dual material overlap for hassle-free entry and exit.

ENERGY INTERLOCK

A rivet-free technology that integrates the cuff and shell, putting less stress on the boot's lower shell and producing a smooth, progressive flex.

POWERFUSE SPYNE

A co-injected Y-shaped support in the rear of the boot that adds strength and power to the Energy Interlock in order to maximize fore/aft flex efficiency and lateral stiffness, providing enhanced responsiveness and energy transfer to the ski.

CUFF ALIGNMENT INDEX

Single-sided alignment system for +/- 1 degree of lateral cuff adjustment

DUAL CUFF ALIGNMENT INDEX

Dual-sided alignment system for +/- 2 degrees of lateral cuff adjustment.

FULLY HEAT-MOLDABLE

Both the boot's shell and cuff are capable of being heat-molded to a variety of foot shapes for a true custom fit.

WOMEN'S-SPECIFIC LAST

A lower cuff height, lower-volume shell, and narrower heel to accommodate women's lower leg and foot shapes.

WOMEN'S ADJUSTABLE CUFF

Allows for quick adjustment of the cuff opening to accommodate a variety of lower leg shapes.

APRÈS MODE 2.0

A new and improved walk mode offering a massive 50-degree range of motion. A lever on the back of the boot unlocks the upper cuff from the lower shell, allowing for increased comfort and convenience when walking from the car to the lift.

INTEGRATED TECH FITTINGS

Tech fittings in the toe and heel are fully integrated into the shell injection, allowing for compatibility with both tech bindings and alpine DIN bindings.

FRICTION FREE CUFF PIVOT

An easy-hinging cuff pivot designed to provide minimal resistance while in walk mode.

GRIPWALK OUTSOLES

Removable and interchangeable rockered soles designed to work with Marker's GripWalk binding system for better grip and comfort while walking, standing, and hiking.

REPLACEABLE OUTSOLES

Dual-injected TPU for secure footing, direct power transfer to the ski, and increased wear resistance.

CANTABLE OUTSOLES

Shims can easily be placed underneath the outsoles to cant the boots for a customized fit.

NAVICULAR PUNCH

A strategic bump built into the boot mold to alleviate pressure commonly experienced during ankle flexion.

ASYMMETRICAL TOE BOX

Fits the natural curvature of your toes for added comfort and to ensure a proper fit.

POWER WEDGE

A removable spoiler that fits between the liner and the back of the boot cuff that allows for adjustment of the boot's forward lean angle, ranging from 12 to 14 degrees.

THERM-IC BLUETOOTH HEATED LINER

Control your Therm-ic heated boot liners using the free Therm-ic Heat Control app on your smartphone. Available for iPhone and Android devices.

SWITCHBACK BUCKLE

Buckles lock in the forward position when touring to increase ROM. Toe buckle flipped on toebox for increased clearance in variable terrain. Magnesium buckles and wire balls for additional weight savings.

DYNAFIT TECH FITTING

Dynafit tech fittings in the toe and heel are fully integrated into the shell injection.

VIBRAM OUTSOLE

Designed with adventure in mind. Superior grip and durability, K2 exclusive tread pattern. 9523 iso DIN.

HONEYCOMB BOOTBOARD

Stay Warmer, Longer. Traps heat and insulates like a down jacket. Retains heat 15% better than traditional bootboard. Boot-fitter friendly

POWERLOCK 2.0 WALK MECHANISM

Improved walk mechanism with locking lever, 9-15 degrees of forward lean adjustability and 60 degrees ROM.

MULTIFIT LAST

The MultiFit Last was developed in conjunction with the BOA Fit System to accommodate a variety of foot shapes ranging from 97mm to 104mm eliminating the need for multiple last options.

BOA FIT SYSTEM

The BOA Fit System provides a performance fit engineered to enhance feel and responsiveness while reducing pressure points by incrementally modulating the Alpine boot closure with precise micro-adjustments.

LINER TOE SHIM

Designed to create the perfect fit for a variety of foot shapes. These 4mm toe shims can be added to the liner on all BOA boots to decrease the volume between the toe-box and instep.

HARSH MELLOW MODULAR INSERTS

The honeycomb boot board includes two modular heel inserts. A soft Harsh Mellow insert for a high level of damping or a more rigid insert for improved power transfer.

CONSTRUCTIONS

3 PIECE BOOT TECHNOLOGY

SHELLS

REVOLVE

Revolver Shell, offers the same fit and feel as the Raichle boots of years past, updated to withstand the rigors of today. Precise, snug, and proven, this 99mm last shell has become the definitive freestyle boot of the modern era.

REVOLVE PLUS

The Revolver Plus Shell takes the same 99mm last and opens up the toe box for a roomier feel out of the box. The Pillar Shell uses the original 3-piece design and adds replaceable soles for extended longevity and increased traction.

METHOD

The Method Shell adds much needed depth to the FL3X line. Designed for those with a wider foot, the Method shell incorporates a higher volume fit and a 102mm last.

DIVERGE TOUR

The Diverge Tour Shell offers a smooth stride and articulated purchase in any situation. Walk farther and more comfortably than ever before. Featuring a higher back cuff and lightweight Grilamid™ plastic, this construction will take you anywhere.

LINERS

INTUITION PRO TOUR WRAP

Slip-on the Intuition Pro Tour Wrap and get ready to motor on up the skin track. Crafted out of Intuition® Foam, and featuring a tour notch and lace-up system, the Intuition Pro Tour Wrap offers the added comfort and performance your boot is missing.

INTUITION PRO WRAP

Slip into the Intuition Pro Wrap, and experience unmatched ankle retention and pressure-free performance. Crafted out of Intuition® Foam, the Intuition Pro Wrap offers the added comfort and performance your boot is missing.

INTUITION WRAP

The Intuition Wrap Liner's laminates are specifically engineered to be our lightest weight liner for increased maneuverability while maintaining its warmth and custom moldable fit right out of the box.

INTUITION PRO TOUR TONGUE

With a Tour Flex Notch, removable external J-Bars, and lacing system, the Intuition Pro Tour Tongue makes walking a blister-free experience in an enveloping snug fit, while giving you the performance you need to send it on the downhill.

INTUITION PRO TONGUE

Crafted out of Intuition® Foam, the Intuition Pro Tongue Liner's laminate is specifically engineered to provide energy transfer to the shell while maintaining warmth in a custom, moldable fit. Slip-on the Intuition Pro Tongue liner and feel the power of the highest performing liner that we've ever created.

INTUITION TONGUE

The Intuition Tongue Liner's laminates use multi-layered construction in a traditional tongue liner, designed to provide targeted comfort and performance in a familiar way.

CONSTRUCTIONS

3 PIECE BOOT TECHNOLOGY

FEATURES

RIBBED TONGUE

100% Ribbed tongue enables smoother, more natural linear flex from your shin to your toe. The tongue bends like a flexible straw, never bottoming out while providing smooth rebound. No more shin bang!

EASY ON/OFF

The front of the shell opens a full 90° to slide your foot in and out with ease in all temperatures. Like putting on slippers!

MOLDABLE

Utilizing the QuickFit™ System, all FL3X boots - shells included - can be molded to the exact needs of your foot. Not all feet are the same; and with FL3X, we pride ourselves on creating boots that allow a personalized, 1-to-1 fit experience.

ADJUSTABLE FLEX

The boot's flex is rated on a simple scale of 4-12 (12=stiffest). Change a boot's flex by simply switching the tongue. (Competitor's boots require permanent cutting.)

INFINITE PIVOT

Unlike traditional designs, the rear cuff never bottoms out. It pivots infinitely forward with your calf for less shell distortion, no shin pain and more control.

CUSTOMIZABLE

All parts are sold separately for unlimited personalization and repair using a standard phillips head screwdriver.

LADDER BUCKLE

The ladder buckle features an intuitive, easy to remember, macro-size adjustment, plus a micro-twist for fine adjustment with a light, easy-to-handle aluminum lever.

FORWARD LEAN & CUFF ALIGNMENT

Tool-less forward angle adjustment. Original & Soul shells: 2mm or 4mm. Easy, precise lateral angle adjustment. Revolver & Revolver Plus shells: 12mm.

WOMEN'S CUFF

The women's cuff is anatomically shaped to match a female's specific calf shape for increased comfort and control.

SHOCK ABSORBER BOOT BOARD

Soft rubber layer in the sole of the shell absorbs vibrations, impact and shock for a smooth ride.

WIDETRACK BUCKLE

Durable aluminum levers with a minimalistic lightweight design. This adjustment mechanism is engineered to increase precision and durability while maintaining on-the-fly, single-handed micro adjustment.

45 DEGREE HEEL LOCK

Keep heels where they belong. Placing the middle buckle at an optimal 45 degree angle creates a solid lock for the heel to stay put when pressuring the tips and tails of the skis.

GRIPWALK OUTSOLE

Designed for a better purchase on unstable & slippery terrain. The convex shape and ribbed tread add both comfort & grip for getting from house to hill to peak! Sold separately. Available for Revolver Plus and Method models.

J-BAR

An additional j-shaped piece of foam is inserted internally on both sides of the ankle area to dramatically increase ankle hold down, to keep your feet perfectly in place for precise control.

POWER WEDGE

Dial in your forward lean angle with this removable velcro spoiler.

WIDE TOE

A thinner foam is used in the front of the liner to increase space without sacrificing control for people with wider feet or who prefer a little more toe room.

INTUITION

All boot liners are built using authentic Intuition™ closed cell foam. It is body heat activated to mold 100% to your feet and shells during use, or can be instantly heat molded by a shop in minutes for a light, warm and super comfortable fit.

WOMEN'S LINER

The women's cuff is anatomically shaped to match a women's-specific calf shape for increased comfort and control.

TECH FITTINGS

Compatible with all pin-tech bindings, the in-molded tech fittings open up a new world of possibilities for FL3X Boots. One boot - any objective.

MID GRIP

Whether you are climbing grated stairs or scrambling on top of a mountain, a dual material or single material midgrip gives you the confidence to stay on your feet.

WALK MODE

Flip the lever up to ascend with ease. And when it's time to send it, flip the lever down, lock the cuff in place, and push into the fluid, progressive flex you've come to expect from FL3X. Works great for après bar sessions too.

DUAL MATERIAL OUTSOLES

No slipping getting in-between you and the ground. A firm TPU and a softer material combat wear and keep your feet underneath you on any surface.

POWER WRAP

An additional layer of ergonomically shaped EVA is wrapped around the outside of the upper liner to increase energy transfer and horsepower to the shell.

LINER OPTIONS

INTUITION® LINER OFFERINGS

All boot liners are built using authentic Intuition® closed cell foam. It is body heat activated to mold 100% to your feet and shells during use, or can be instantly heat molded by a shop in minutes for a light, warm and super comfortable fit.



INTUITION WRAP

The Intuition Wrap Liner's laminates are specifically engineered to be our lightest weight liner for increased maneuverability while maintaining it's warmth and custom moldable fit right out of the box.



INTUITION TONGUE

The Intuition Tongue Liner's laminates use multi-layered construction in a traditional tongue liner, designed to provide targeted comfort and performance in a familiar way.



INTUITION PRO WRAP

Slip into the Intuition Pro Wrap, and experience unmatched ankle retention and pressure-free performance. Crafted out of Intuition® Foam, the Intuition Pro Wrap offers the added comfort and performance your boot is missing.



INTUITION PRO TONGUE

Crafted out of Intuition® Foam, the Intuition Pro Tongue Liner's laminate is specifically engineered to provide energy transfer to the shell while maintaining warmth in a custom, moldable fit. Slip-on the Intuition Pro Tongue liner and feel the power of the highest performing liner that we've ever created.



INTUITION PRO TOUR WRAP

Slip-on the Intuition Pro Tour Wrap and get ready to motor on up the skin track. Crafted out of Intuition® Foam, and featuring a tour notch and lace-up system, the Intuition Pro Tour Wrap offers the added comfort and performance your boot is missing.



INTUITION PRO TOUR TONGUE

With a Tour Flex Notch, removable external J-Bars, and lacing system, the Intuition Pro Tour Tongue makes walking a blister-free experience in an enveloping snug fit, while giving you the performance you need to send it on the downhill.

LINER OPTIONS

ULTRALON® LINER OFFERINGS

All liners are made with Ultralon foam renowned for its moldability, flexibility and durability. Ultralon thermo-foaming, cross-linked, closed cell foam is designed to be more resistant to heat-related shrinkage and pressure packing-out than any other foam in the world. The Ultralon liners are also lighter weight and warmer than standard liners.



Cushfitpro

Maintains the renowned comfort of the original Cushfit liner, but with a notable increase in support and performance thanks to the use of Ultralon foam, similar to what is used in our Powerfit Pro and Precisionfit Pro liners.



CushfitPlus

Lasted with a blend of open-cell and EVA foam for an extremely comfortable, warm, and supportive fit.



CushfitComfort

Same great fit and out-of-the-box feel as our classic Cushfit liner, but with additional foam in key areas for increased comfort and compliance.



power fitpro

Pre-molded and lasted with Ultralon heat-moldable foam. Featuring stiffer foam and a stiff, asymmetric tongue for added power and energy transmission, pre-molded ankle pockets, and a high-density power collar.



precision fitpro

Pre-molded and lasted with Ultralon heat-moldable foam. Featuring an asymmetric tongue, pre-molded ankle pockets, and a medium-density collar, providing an ideal blend of performance and comfort.



lux fitpro

Pre-molded and lasted with Ultralon heat-moldable foam. Features medium-density foam, pre-molded ankle pockets, and a medium-density collar, providing an ideal blend of performance and comfort.



power fitpro TOUR

Pre-molded and lasted with Ultralon heat-moldable foam. Featuring stiffer foam and a stiff, asymmetric tongue for added power and energy transmission, pre-molded ankle pockets, and a high-density power collar. Includes a tour notch at the back of the ankle for increased comfort and range of motion while hiking and skinning.



precision fitpro TOUR

Pre-molded and lasted with Ultralon heat-moldable foam. Features an asymmetric tongue, high-density power collar, and a tour notch at the back of the ankle for increased comfort and range of motion while hiking and skinning.



lux fitpro TOUR

Pre-molded and lasted with Ultralon heat-moldable foam. Features medium-density foam, pre-molded ankle pockets, and a medium-density collar, providing an ideal blend of performance and comfort. Includes a tour notch at the back of the ankle for increased comfort and range of motion while hiking and skinning.



BOA tour fit

BOA liner increases adjustability and even hold across the entire foot. Features stiffer foam with asymmetric tongue for added power and energy transmission. Completely heat moldable with pre-molded ankle pocket.



TOUR fitLT

Lightweight construction that offers same performance features in the pro model. Stiffer foam with asymmetric tongue for added power and energy transmission. Completely heat moldable with pre molded ankle pocket.



TOUR fit

Lightweight, hard charging construction inspired by the Lux Fit Tour liners. Pre molded ankle bumps for added fit and fully heat moldable with asymmetric tongue.

BOOT FEATURES

CUFF ADJUSTMENT/ALIGNMENT

Cuff Alignment requires a 4mm hex key. First, remove the liner. Using the hex key loosen cuff screw. Next, separate outer ring of cuff alignment and realign to desired position. Lastly, reassemble until hardware is secure.

Note: The cuff alignment is adjustable on both the medial and lateral sides of the boot.

POSITIONS

POSITIVE (+): RAISES CUFF NEUTRAL NEGATIVE (-): LOWERS CUFF

LEG ADJUSTMENT

KNOCK KNEE **NEUTRAL** **BOWING**

Medial 1.1 Deg Medial 2.2 Deg 0 Deg. Lateral 1.1 Deg Lateral 2.2 Deg.

FORWARD LEAN ANGLE

-2 DEG FORWARD LEAN **NEUTRAL** +2 DEG FORWARD LEAN

BOOT FEATURES

FORWARD LEAN

LINER WEDGE - FORWARD LEAN ADJUSTMENT

Boots are assembled with liner wedge in the maximum forward lean position of 12° – 14°. To reduce forward lean, raise the liner wedge. To minimize forward lean entirely, remove the liner wedge.



BOOT FEATURES

DISPATCH FORWARD LEAN ADJ.

Dispatch Walk Mechanism pieces can be adjusted to customize forward lean from 9-15 degrees.

Shell and walk mechanism are ribbed to accommodate 3 forward lean settings ranging from 9 - 15 degrees of forward lean.



9°

9 degrees forward lean. This is the most upright position. Notice the walk mechanism is in the top position and the screw dissects the bottom indicator line.



12°

12 degrees forward lean. Stock "out of box" Position. Notice the walk mechanism is in the middle position and the screw dissects the middle indicator line.



15°

15 degrees forward lean, this is the most forward position. Notice the walk mechanism is in the bottom position and the screw dissects the top indicator line.




BOOT FEATURES

MINDBENDER FORWARD LEAN ADJ.

Mindbender Walk Mechanism pieces can be adjusted to customize forward lean
 ***Adding a Liner Wedge can also add an additional 2°

NUT PLATE POSITION

SHELL BRACKET POSITION



BOOT FEATURES
BOOT OUTSOLES

Designed with adventure in mind – Our Dispatch Collection is outfitted with Freetour specific soles creating more freedom on every run. K2 exclusive tread pattern delivers enhanced grip when walking and superior stability on uneven terrain and outfitted with 9523 ISO DIN.



VIBRAM OUTSOLES AVAILABLE ON ALL DISPATCH MODELS




Dispatch Pro Dispatch LT Dispatch Dispatch LT W Dispatch W

BOOT FEATURES
BOOT OUTSOLES


GripWalk is the new sole-binding system for better walking comfort and top skiing performance.

GripWalk is made up of two components: a ski boot sole partly made of softer material with a rockered profile, and a ski binding designed to specifically accommodate the GripWalk rockered sole at the toe.



ABOUT GRIPWALK

- GripWalk soles make ski boots easier to walk in. The rockered soles offer an improved natural roll which increases walking comfort and natural stride
- The profile-lugged rocker sole offers superior walking grip and is less slippery than standard alpine soles
- GripWalk is simple to use. The design of GripWalk bindings and the familiar step-in and step-out of traditional bindings remains keeping natural function for existing and new skiers alike
- The boot sole / binding interface does not sacrifice skiing power transmission
- GripWalk is TÜV certified — Functionality & performance approval by an independent technical inspection authority if unsure.



BOOT FEATURES
HIKE/WALK

Powerlock Spyne featured on Mindbender and Dispatch boot models.

Powerlock Spyne is transformed to Hike Mode by pulling up on the lever. Powerlock is returned to ski mode by pulling down on the lever. It may be necessary to lean forward and then backwards in order for the catch to fully re-engage

Warning

Never ski while in Hike Mode (Powerlock Spyne disengaged).

MINDBENDER POWERLOCK SPYNE



Powerlock Spyne walk mechanism allows for 50-degree range of motion while open, and when closed a powerful connection.

DISPATCH POWERLOCK SPYNE 2.0



The Dispatch collection features an improved walk mechanism with locking lever, 9-15 degrees of forward lean adjustability and 60 degrees range of motion.

BOOT FEATURES
APRES MODE

*Apres Mode 2.0 features on BFC 120, BFC 100, BFC W 105, and BFC W 95



APRES MODE

Unlocks the upper cuff from the lower shell for comfort and convenience while walking from car to lift to apres and beyond without impeding downhill performance.




BFC 120

BFC 100

BFC W 105

BFC 95

BOOT FEATURES
MICRO ADJUST BUCKLES




BUCKLES MICRO-ADJUST



CHANGING BUCKLES

Using a 3mm hex key, buckles can be removed (or moved) by removing buckle screws.



CHANGING RACKS

Using a 3mm hex key remove screws, move rack, t-nut and screw to desired position, there are three mounting positions available on upper cuff.

BOOT FEATURES
WOMEN'S SPECIFIC BOOT FIT



FEATURES

- Added adjustable rear cuff feature for quick custom fit for a variation of calf muscles
- Requires 6mm allen key to adjust.
- Up to 10mm additional circumference when fully adjusted.
- Variety of indexing positions: 0 – 2.5Mm – 5mm – 7.5Mm – 10mm.



CUFF & LINER DESIGN

- Lower rear cuff and liner height for shorter calves
- Front of cuff matches men's cuff height for added leverage, support, and pressure distribution over the front of the shin.

LINERS & SHELLS FITTING PROCEDURES

BOOT FITTING



LINER PROCEDURES:

For this process you will need the following equipment:

- K2 Liner-Heater (119°C)
- Toe caps
- 1 pair of thin ski socks or thin black Intuition stockings
- An additional pair of thin black Intuition stockings
- Adhesive pads (optional)
- Gloves

PROCEDURE:

1. Remove the insole. (Figure 1)
2. Insert liners into the ski boots. (Figure 2)
3. Place the ski boots on the liner heat stacks and set the timer for 10 minutes. (Figure 3)
4. While the liners are heating, prepare the foot with adhesive pads on prominent spots if needed. Place a toe cap over the customer's toes. (Figure 3)
5. Carefully put a ski sock over the prepared foot. Then, put on a thin black intuition stocking. No wrinkles! (Figure 4)
6. When the timer sounds, turn the timer on for an additional two minutes to keep the second boot warm.
7. Remove the first boot, put the insole into the liner and let the customer step into the boot. Close the buckles. (Figure 5)
8. Repeat step 7 for the second boot.
9. Have the customer stand for approximately 10 minutes with knees slightly bent.
10. When the liners have cooled, remove the boots, stockings, and toe caps. Have the customer put on their typical ski socks and assess fit.

EXTRA TIPS:

- Have customer try on boots before heat molding. If the liners feel tight, buckle the boot tight to compress foam and create more room. If the liner feels loose, buckle the boot somewhat loose to avoid compressing foam.
- Liners can be reheated and reformed if they do not take the proper shape during the first forming.
 - For extra toe room, use two toe caps on each foot.



SHELL PROCEDURES:

For this you will need the following equipment and materials:

- Hot Air Boot Oven (up to 119°C)*
- K2 Liner-Heater (119°C)
- K2 Ski-Boot
- Adhesive pads
- Gloves
- Toe caps


* Ovens used by Atomic, Salomon and Head oven have the correct temperature settings.

BOOT FITTING



PROCEDURES:



1. Fit test boots to identify problem areas. (Figure 1) Adjust cuff rack position and buckle micro adjustment as needed. After the boots are heated, the buckles will need to be loosely closed on the first hook.
2. Remove the bootboard from the shell. (Figure 2)
3. Place the shells in the hot air boot oven with the boots placed in a lying down position (Figure 3) and set the timer for 10min on a temperature setting of 119° degrees.
4. While the shells are heating, prepare the foot with adhesive pads on prominent spots (ankle, navicular bone, instep 6th toe) if needed (Figure 4a). In addition, you should use toe-caps during the molding process. Carefully put a thin black intuition stocking over the prepared foot. (Figure 4b).
5. After 10 minutes take the left shell out of the oven with gloves (attention: shell is hot and will burn skin!) (Figure 5). Set oven timer for an additional 1 minute to keep the right shell hot.
6. Insert the bootboard back into the shell then slide the liner into the shell (Figure 6)
7. Let customer step into the boot (Figure 7) and pull the liner up using the cords to ensure that the liner sits perfectly in the shell.
8. Close the buckles loosely with the buckle catch on the first hook (make sure not to tighten the buckles) (Figure 8).
9. Repeat the steps 5 through 8 with the right boot.
10. For the first 3 minutes during the cool down period the customer should stay in natural ski position on a flat surface without flexing the ski boot (knees slightly bent and hips forward). After 5 minutes the customer can move and walk around.
11. IMPORTANT! The shell needs to be cooled down to room temperature before taking off the boots. Wait at least 3 hours before using the boot on the snow. The boots may be removed once the shell has cooled down to room temperature. Take off the socks and remove pads and toe caps from the foot. Put ski socks back on and try on the boots again to ensure a comfortable fit.
12. Go Ski!



BOOT FITTING

WHY PLACING BOOTS LYING DOWN IN THE OVEN IS BETTER:

After investigating the performance of the standard ski boot molding oven, it was found that standing the boot in the oven does not provide the most efficient shell mold. The cuff is receiving most of the direct heat because the heat is coming directly from the fan in the back of the oven. To improve the efficiency of shell molding, the shells should be placed into the oven in a lying position so the heat from the oven is blowing directly onto the shell. This also prevents the front of the cuff from sagging from the direct heat. (NOTE: Sagging at the front of the cuff will NOT effect the performance of the ski boot or effect the plastic in any negative way.) The data from these tests can be seen below:



POLES

DISPATCH



DISPATCH

GRIP	Freetour
SHAFT	18mm 7075 Aluminum
BASKET	Articulating 2.0 Powder
SIZES (CM)	Adjustable: 115, 120, 125, 130
COLORS	Brown
KEY FEATURES	Freetour Grip w/ Emergency Release Strap

FREERIDE



FREERIDE FLIPJAW



FREERIDE 18



FREERIDE 16

GRIP	Freeride Dual Injection	Freeride Dual Injection	Freeride Dual Injection
SHAFT	Adjustable 7075 Aluminum	18mm 7075 Aluminum	16mm Aluminum
BASKET	70mm Freeride	70mm Freeride + 95mm Powder	70mm Freeride
SIZES (CM)	Adjustable: 100-120, 110-135	110, 115, 120, 125, 130	95, 100, 105, 110, 115, 120
COLORS	Brown	Gold, Green	Sea Foam
KEY FEATURES	Flipjaw Adjustable Mechanism	Velcro Adjustable Strap	Velcro Adjustable Strap

POLES

POWER



POWER CARBON



POWER COMPOSITE



POWER ALUMINUM

GRIP	Ripcord	Performance Rubber	Performance Rubber
SHAFT	14mm Carbon Web	16mm Composite	18mm Aluminum
BASKET	70mm Freeride	60mm All Mountain	60mm Performance
SIZES (CM)	110, 115, 120, 125, 130	110, 115, 120, 125, 130, 135	110, 115, 120, 125, 130, 135
COLORS	Orange, Red	Gunmetal, Yellow	Green, White
KEY FEATURES	Carbon Web	100% Composite	Nesting Baskets

STYLE



STYLE CARBON



STYLE COMPOSITE



STYLE ALUMINUM

GRIP	Ripcord	Performance Rubber	Performance Rubber
SHAFT	14mm Carbon Web	14mm Composite	16mm Aluminum
BASKET	60mm All Mountain	60mm All Mountain	60mm Performance
SIZES (CM)	105, 110, 115, 120	105, 110, 115, 120	105, 110, 115, 120
COLORS	Black	Burgandy, White	Black, Taupe
KEY FEATURES	Carbon Web	100% Composite	Nesting Baskets

POLES

LOCKJAW



LOCKJAW CARBON PLUS



LOCKJAW CARBON



LOCKJAW ALUMINUM

GRIP	Freetour Grip w/ Emergency Release Strap	Freetour Grip w/ Emergency Release Strap	Freetour Grip w/ Emergency Release Strap
SHAFT	Adjustable Carbon Web	Adjustable Carbon Upper / 7075 Aluminum Lower	Adjustable 7075 Aluminum
BASKET	Articulating 2.0 Power	Articulating 2.0 Power	Articulating 2.0 Power
SIZES (CM)	Adjustable: 105-145	Adjustable: 90-130, 105-145	Adjustable: 105-145
COLORS	Yellow	White	Eva, Grey
KEY FEATURES	Lockjaw 6000 Adjustment Mechanism, Freetour Grip w/ Emergency Release Strap	Lockjaw 6000 Adjustment Mechanism, Freetour Grip w/ Emergency Release Strap	Lockjaw Adjustment Mechanism, Freetour Grip w/ Emergency Release Strap

YOUTH



SWIFT STICK



DECOY / CHARM



SPROUT

GRIP	Freetour Grip w/ Emergency Release Strap	Rubber	Rubber
SHAFT	Adjustable 7075 Aluminum	16mm Aluminum	Adjustable 14mm Aluminum Upper / 16mm Aluminum Lower
BASKET	Articulating 2.0 Power	60mm Performance	50mm Performance
SIZES (CM)	Adjustable: 110-130	75, 80, 85, 90, 95, 100, 105	Adjustable: 75-105
COLORS	Grey	Sage, Purple	Sea Foam, Off-White
KEY FEATURES	Flipjaw Adjustable Mechanism, Freetour Grip w/ Emergency Release Strap	Nesting Baskets	Flipjaw Adjustable Mechanism, Nesting Baskets

TECHNOLOGY POLES

POLE CONSTRUCTION




Carbon Web - External carbon strands are precisely laminated onto the carbon shaft creating K2's lightest weight, most durable, and stiffest shaft offered.

100% Composite - Full composite construction for a great combination of weight, durability, and cost.

Aluminum 7075 or 6061 - High strength aircraft grade aluminum for a seamless, durable tubing shaft.

GRIP TECH



Rip Cord Grip System - Safety releasable strap mechanism integrated into grip top. Unique lightweight cored out grip design removes material where possible. Utilizing a slim, neoprene padded right/left strap for comfort and ease of entry. Push button hinging grip top allows for easy strap adjustment and removes the need for buckles and Velcro, creating the most comfortable and streamlined strap ever.

Utility hook - Stubborn boot buckles, heel risers and walk mode levers are no match for the utility hook grip. Flip your pole over and use the notch on the front of the grip to flip, clip, pull and buckle up your gear on the fly.

ADJUSTMENT TECH



LockJaw 6000 - Completely redesigned with a T6 6000 series aluminum lever and body linked together with Teflon bushings to optimize clamp force with minimum lever pressure. The minimalist design achieves a reduced weight of 25% from its plastic equivalent and is the most durable, non-slip adjustment mechanism in K2 poles.

LockJaw Adjustment Mechanism - Refined over several generations, the tried and true lockjaw system continues to define the standard for length adjustment mechanisms. Simple, lightweight and durable, the Lockjaw is the workhorse of the K2 pole line.

FlipJaw Adjustment Mechanism - Length adjustment mechanism connecting a smaller diameter upper shaft with larger diameter, more durable lower shaft.

GENERAL TECH



Bubble Inclinometer - Quick and accurate slope angle measurement in the palm of your hand.

All Season Kit - Change up the tips and baskets, without any tools, to make them compatible for backcountry exploration in the summer or winter.

Nesting Baskets - Notches in the basket to couple the pair of poles for easy carry or storage.

Backup Probe - Want to check the snowpack without having to take off your pack and dig for a probe? No problem, just screw the two lower pole segments together and you have a 200cm backup probe at the ready. With gear this versatile, you're always prepared for the unexpected.

Powder Basket - The newly redesigned powder basket has a 95mm diameter for float in deep snow and a smooth flex to conform to harder terrain during long skin tracks and traverses.

Articulating Powder Basket - The 80mm ball and socket articulating basket features 50 degrees of unhindered movement, allowing the basket to effortlessly match the snow's surface during traverses or when conditions turn hard.

HELMETS



Mips

BLACK



BROWN



GUNMETAL



BLACK



BROWN



GUNMETAL



BLACK



OLIVE DRAB



RUST



BLACK



DESERT



NAVY



OLIVE DRAB



SMOKE

DIVERSION MIPS

CONSTRUCTION	Hybrid
VENTILATION	Dual Active Matrix
LINER	Full Wrap
FIT SYSTEM	360 K2Dialed
WEIGHT	Medium-520g
SIZES	S, M, L/XL
FEATURES	MIPS, Removable Ear Pads
CERTIFICATIONS	Snow Safety (F2040 + EN1077) Bike Safety (CPSC + EN1078)

DIVERSION

CONSTRUCTION	Hybrid
VENTILATION	Dual Active Matrix
LINER	Tech Form Wrap
FIT SYSTEM	360 K2Dialed
WEIGHT	Medium-520g
SIZES	S, M, L/XL
FEATURES	Baseline Audio System Removable Ear Pads
CERTIFICATIONS	Snow Safety (F2040 + EN1077) Bike Safety (CPSC + EN1078)

ROUTE

CONSTRUCTION	In-Mold
VENTILATION	Passive Channel
LINER	Heat Sealed + Molded Ear Pads
FIT SYSTEM	BOA® FS360
WEIGHT	Medium-317g
SIZES	S, M, L/XL
FEATURES	Pow Fly Helmet Cover, Removable Goggle/Headlamp Clips, Removable Ear Pads
CERTIFICATIONS	Snow Safety (F2040 + EN1077) Bike Safety (CPSC + EN1078)

STASH

CONSTRUCTION	In-Mold
VENTILATION	Passive Channel
LINER	Convertible Full Wrap
FIT SYSTEM	360 K2Dialed
WEIGHT	Medium-360g
SIZES	S, M, L/XL
FEATURES	Magna Strap Goggle Clip
CERTIFICATIONS	Snow Safety (F2040 + EN1077) Bike Safety (CPSC + EN1078)

HELMETS



Mips

BLACK



BROWN



WHITE



BROWN



GUNMETAL



FOREST GREEN



WHITE

PHASE MIPS

CONSTRUCTION	Hard Shell
VENTILATION	Active Matrix
LINER	Full Wrap
FIT SYSTEM	K2Diald
WEIGHT	Medium-545g
SIZES	S, M, L/XL
FEATURES	MIPS

CERTIFICATIONS
Snow Safety (F2040 + EN1077)

PHASE PRO

CONSTRUCTION	Hard Shell
VENTILATION	Active Matrix
LINER	Full Wrap
FIT SYSTEM	K2Diald
WEIGHT	Medium-545g
SIZES	S, M, L/XL
FEATURES	Baseline Audio System

CERTIFICATIONS
Snow Safety (F2040 + EN1077)

EMPHASIS MIPS

CONSTRUCTION	Hard Shell
VENTILATION	Active Matrix
LINER	Full Wrap
FIT SYSTEM	K2Diald
WEIGHT	Medium-545g
SIZES	S, M, L/XL
FEATURES	Baseline Audio System

CERTIFICATIONS
Snow Safety (F2040 + EN1077)

EMPHASIS

CONSTRUCTION	Hard Shell
VENTILATION	Active Matrix
LINER	Full Wrap
FIT SYSTEM	K2Diald
WEIGHT	Medium-545g
SIZES	S, M
FEATURES	Baseline Audio System

CERTIFICATIONS
Snow Safety (F2040 + EN1077)

HELMETS



BLACK



DARK TEAL



WHITE



RUST



DARK GREY



OLIVE DRAB



WHITE

THRIVE

CONSTRUCTION	Hard Shell
VENTILATION	Passive Channel
LINER	Full Wrap
FIT SYSTEM	K2Diald
WEIGHT	Medium-500g
SIZES	S, M, L/XL
FEATURES	n/a

CERTIFICATIONS
Snow Safety (F2040 + EN1077)
Bike Safety (CPSC + EN1078)

VERDICT

CONSTRUCTION	Hard Shell
VENTILATION	Passive Channel
LINER	Full Wrap
FIT SYSTEM	K2Diald
WEIGHT	Medium-545g
SIZES	S, M, L/XL
FEATURES	n/a

CERTIFICATIONS
Snow Safety (F2040 + EN1077)
Bike Safety (CPSC + EN1078)

ILLUSION

CONSTRUCTION	In-Mold
VENTILATION	Passive Channel
LINER	Full Wrap
FIT SYSTEM	K2Diald
WEIGHT	XS-360g
SIZES	XS, S
FEATURES	n/a

CERTIFICATIONS
Snow Safety (F2040 + EN1077)



BLACK



BLACK



PINK

ENTITY

CONSTRUCTION	Hard Shell
VENTILATION	Passive Channel
LINER	Full Wrap
FIT SYSTEM	K2Diald
WEIGHT	XS-500g
SIZES	XS, S
FEATURES	n/a

CERTIFICATIONS
Snow Safety (F2040 + EN1077)
Bike Safety (CPSC + EN1078)



BLACK



CORAL



LIZARD TAIL

HELMETS



Mips

BLACK



TEAL



DUSTY ROSE

VIRTUE MIPS

CONSTRUCTION	Hybrid
VENTILATION	Dual Active Matrix
LINER	Full Wrap
FIT SYSTEM	360 K2Diald
WEIGHT	Medium-545g
SIZES	S, M
FEATURES	MIPS, Removable Ear Pads
CERTIFICATIONS	Snow Safety (F2040 + EN1077) Bike Safety (CPSC + EN1078)



BLACK



DEEP GREEN



MERLOT

VIRTUE

CONSTRUCTION	Hybrid
VENTILATION	Dual Active Matrix
LINER	Tech Form Wrap
FIT SYSTEM	360 K2Diald
WEIGHT	Medium-545g
SIZES	S, M
FEATURES	Baseline Audio System, Removable Ear Pads
CERTIFICATIONS	Snow Safety (F2040 + EN1077) Bike Safety (CPSC + EN1078)



BLACK



MATTE TAUPE



MATTE WHITE

MERIDIAN

CONSTRUCTION	In-Mold
VENTILATION	Passive Channel
LINER	Full Wrap
FIT SYSTEM	360 K2Diald
WEIGHT	Medium-360g
SIZES	S, M
FEATURES	n/a
CERTIFICATIONS	Snow Safety (F2040 + EN1077) Bike Safety (CPSC + EN1078)

TECHNOLOGY HELMETS

HELMET CONSTRUCTION



MIPS - The MIPS BPS System is designed to add protection against the rotational motion transmitted to the brain from angled impacts to the head. The rotational motion is a combination of rotational energy and rotational forces from angular acceleration that both affect the brain and increases the risk for minor and severe brain injuries. MIPS' added protection system has been proven to reduce the rotational motion when implemented in a helmet by absorbing and redirecting energies and forces otherwise transmitted to the brain.

Hybrid - This unique construction features the best of both In-Mold and Hard-Shell constructions. The primary In-Mold construction makes the helmet incredibly light, while the secondary Hard-Shell upper allows for more advanced Active Matrix Venting and increased durability.

In-Mold - In-Mold is the premium construction for ultra-lightweight performance and is characterized by an EPS liner that is molded directly to a lightweight poly-carbonate (PC) shell. The result is a construction so light you'll forget it's even there.

Hard Shell - Hard-Shell helmets are built to last and will look good no matter how many trips they make in and out of your gear bag. Hard-Shell helmets protect you from impact thanks to lightweight EPS foam bonded to an injection molded and durable ABS shell.

Dual Active - Perfect combination of user/switch regulated Active Matrix Venting and integrated Passive Channel Venting.

Passive Channel Venting - Channels on the inside surface of the EPS direct air-flow between your head and the helmet, removing moisture and excess heat for all day comfort.

Active Matrix - Climate control at the flip of a switch. Active Matrix Venting allows you to regulate the airflow of the helmet vent system with the push of a finger.

LINER SYSTEMS



Convertible Full Wrap Liner - Same coverage as a full-wrap but easily pops out, leaving the fit system and minimal padding to accommodate warm days and wearing a thin beanie under the helmet.

Full Wrap Liner - A comfortable, washable, full-coverage, breathable liner design that wicks away moisture to prevent overheating and seamlessly integrates fit and audio systems.

Tech Form Liner - Compression formed, precise fit liner with removable ear pad and neck roll for a convertible customized fit.

FIT SYSTEMS



Boa® - All the benefits of the 360 K2Diald Fit System with the precision and quality that you have come to expect from Boa® Technologies.

360 K2Diald - The 360 K2Diald Fit System is an evolution of the K2Diald Fit System, delivering unparalleled comfort around your entire head. An intricate web design results in 360 degrees of even pressure distribution for a secure and snug fit that you customize with the twist of a dial.

K2Diald - The K2Diald Fit System creates a custom-fitting helmet no matter what your head shape. An ergonomically inspired three-point adjustable interface maximizes fit and customization with the twist of a dial. This allows for the ultimate convenience of being able to make fit adjustments on the fly.

AUDIO TECH



Aftermarket Bluetooth Speaker Compatible - All K2 Helmets are now compatible with Outdoor Tech® Bluetooth audio systems, as well as other after-market audio options.

Baseline Audio systems - Pre-installed audio kit with a low-profile speaker that easily connects to your mobile device without hindering the fit or comfort. The on-cord controller is designed for on-the-go usability at your fingertips for talk or tunes.

GENERAL TECH



Bike Certified - Certified by North American bicycle helmet safety standard and European bicycle and skateboard helmet safety standard.

Magna Snap - Magnetic retention clip that easily flips up and over the goggle strap for a secure hold that you don't have to fumble for.

Removable Ear Pads - Ability to easily remove ear pads for reduced bulk while retaining the fit system.

Removable Goggle and Headlamp Clips - Customized fit for tool-free, on-the-go versatility.

PowFly - Waterproof breathable cover for Route adds protection against the elements of winter weather.



WWW.K2SNOW.COM