



RIDE
SNOWBOARD
CO.

DEALER BOOK

22/23


**MEN'S
BOARDS**





SPLITPIG

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Directional Extra Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Race Base
Performance™ Core — Slimewalls® — Double Impact Plates — Carbon Array 3™ — Hybrid Glass
Brushed Topsheet — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
SMALL	260	5.1 - 6.2	311 / 301	0	533	100-205 / 45-93
LARGE	270	5.6 - 6.9	321 / 311	0	559	140-220+ / 64-100+



COMMISSIONER

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Elliptical Progressive Sidecut
Sintered, Stone Ground Race Base
Paulownia Core — Slimewalls® — Carbon Slimewalls® — Carbon Array 5™ — Silencer 5™
Aluminum Carbon Topsheet — Carbon Infused Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
153	250	- 8.0 -	296 / 286	-19	533	100-180 / 45-82
155	254	- 9.0 -	300 / 290	-19	559	125-205 / 57-93
158	257	- 10.0 -	303 / 293	-19	559	130-210 / 59-95
162	261	- 11.0 -	307 / 297	-19	559	140-220+ / 64-100+
165	266	- 12.0 -	312 / 302	-19	584	150-220+ / 68-100+
157W	264	- 10.0 -	310 / 300	-19	559	140-220+ / 64-100+



MTNPIG

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE

CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Linear Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Carbon Slim Walls® — Double Impact Plates
Carbon Array 5™ — Carbon Infused Glass — Split Tail

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
155	250	9.8	6.4	-	299 / 293	-19	533	125-200 / 57-91
159	252	10.0	6.6	-	301 / 295	-19	559	130-205 / 59-93
162	257	10.5	6.7	-	308 / 302	-19	559	140-210 / 64-95
166W	261	10.1	6.6	-	310 / 304	-19	559	160-220+ / 73-100+
164W	264	10.7	6.7	-	316 / 310	-19	559	170-220+ / 77-100+



PEACE SEEKER

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE

CONSTRUCTION FEATURES


Directional Extra Camber — Tapered Bi-Radial Sidecut
Sintered, Stone Ground Race Base — Performance™ Core — Carbon Slim Walls
Double Impact Plates — Carbon Array 5™ — Glass Pedal — Hybrid Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
138	245	4.5	-	7.5	292 / 272	-19	457	60-160 / 27-73
142	250	4.6	-	7.6	296 / 278	-19	483	100-205 / 45-93
147	255	4.8	-	7.7	305 / 285	-19	508	130-210 / 59-95
151	260	4.9	-	7.8	311 / 291	-19	533	140-220+ / 64-100+
155	265	5.0	-	7.9	317 / 297	-19	559	170-220+ / 77-100+



ALGORITHM

DESIGN	SPECIALTY	RESPONSE
DIRECTIONAL TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Directional Twin Standard Camber — Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Slimewalls® — Carbon Slimewalls® — Double Impact Plates — Carbon Array 5™
Pre-Cured Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)		TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
NEW! 147	245	9.0	6.5	287 / 287	-19	508	75-165 / 34-75
151	248	9.1	6.6	291 / 291	-19	533	100-180 / 45-82
154	251	9.2	6.7	296 / 296	-19	559	115-195 / 52-88
157	254	9.3	6.8	300 / 300	-19	559	125-205 / 57-93
161	257	9.4	6.9	304 / 304	-19	559	130-210 / 59-95
155W	258	9.2	6.7	304 / 304	-19	559	125-205 / 57-93
160W	264	9.4	6.9	311 / 311	-19	559	160-220+ / 73-100+
164W	266	9.5	7.0	315 / 315	-19	584	170-220+ / 77-100+



SUPERPIG

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Directional Extra Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Race Base
Performance™ Core — Cleave Edge™ — Carbon Slim Walls® — Double Impact Plates
Carbon Array 5™ — Carbon Infused Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)		TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
X-SMALL	250	4.6	- 5.6	301 / 291	0	483	60-160 / 27-73
SMALL	260	5.1	- 6.2	311 / 301	0	533	100-205 / 45-93
MEDIUM	265	5.4	- 6.5	316 / 306	0	559	130-210 / 59-95
LARGE	270	5.6	- 6.9	321 / 311	0	559	140-220+ / 64-100+
X-LARGE	277	5.9	- 7.2	328 / 318	0	584	170-220+ / 77-100+



BURNOUT

DESIGN	SPECIALTY	RESPONSE
TWIN EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Twin Extra Camber — Linear Twin Sidecut — Sintered, Stone Ground Base — Performance™ Core
Cleave Edge™ — Slimewalls® — Carbon Slimewalls® — Double Impact Plates — Carbon Array 5™
Hybrid Glass — Flat Kick Tips — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
149	248	- 7.7 -	291 / 291	0	533	75-165 / 34-75
152	249	- 7.8 -	293 / 293	0	559	100-180 / 45-82
155	250	- 7.9 -	296 / 296	0	559	125-205 / 57-93
158	251	- 8.0 -	298 / 298	0	559	130-210 / 59-95
154W	258	- 7.9 -	303 / 303	0	559	130-210 / 59-95
157W	259	- 8.0 -	306 / 306	0	559	140-220+ / 64-100+



BERZERKER

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Carbon Slimerods® 2.0 — Slimewalls® — Double Impact Plates — Carbon Array 3™
Topless Construction — Hybrid Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
153	245	4.4 7.8 3.8	296 / 288	-19	533	100-180 / 45-82
156	247	4.7 7.8 4.1	298 / 290	-19	559	125-205 / 57-93
159	249	5.1 8.0 4.6	300 / 292	-19	559	130-200 / 59-91
162	251	5.7 8.2 5.2	302 / 294	-19	559	140-210 / 64-95
165	253	6.2 8.4 5.8	304 / 296	-19	559	160-220+ / 73-100+
NEW! 157W	255	4.6 7.8 4.0	306 / 298	-19	559	140-210 / 64-95
160W	257	5.1 8.0 4.6	308 / 300	-19	559	150-220+ / 68-100+
163W	259	5.7 8.2 5.2	310 / 302	-19	559	160-220+ / 73-100+
167W	261	6.8 8.4 6.5	312 / 304	-19	584	170-220+ / 77-100+



WARPIG

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL ZERO CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE

CONSTRUCTION FEATURES

Directional Zero Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Base — Performance™ Core
Cleave-Edge™ — Slim Walls® — Double Impact Plates — Carbon Array 3™ — Hybrid Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
X-SMALL	250	4.6 - 5.6	301 / 291	0	483	60-160 / 27-73
SMALL	260	5.1 - 6.2	311 / 301	0	533	100-205 / 45-93
MEDIUM	265	5.4 - 6.5	316 / 306	0	559	130-210 / 59-95
LARGE	270	5.6 - 6.9	321 / 311	0	559	140-220+ / 64-100+
X-LARGE	277	5.9 - 7.2	328 / 318	0	564	170-220+ / 77-100+

BENCHWARMER

DESIGN	SPECIALTY	RESPONSE
ASYMMETRICAL TWIN EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE

CONSTRUCTION FEATURES

Twin Extra Camber — Asymmetrical Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Cleave Edge™ — Carbon Slim Walls® — Double Impact Plates
Carbon Array 3™ — Hybrid Glass


SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
142	242	7.8 / 6.7	288 / 288	0	457	60-150 / 27-68
147	245	8.0 / 6.9	293 / 293	0	483	80-160 / 36-73
151	248	8.2 / 7.1	297 / 297	0	533	100-180 / 45-82
155	252	8.4 / 7.2	302 / 302	0	559	130-205 / 59-93
159	256	8.6 / 7.4	307 / 307	0	559	140-210 / 64-95
154W	258	8.4 / 7.2	308 / 308	0	559	125-205 / 57-93
157W	260	8.5 / 7.3	310 / 310	0	559	130-210 / 59-95
161W	262	8.8 / 7.5	314 / 314	0	559	140-220+ / 64-100+





PSYCHOCANDY

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL ZERO CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Directional Zero Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Base
WMNS Performance™ Core — Slimewalls® — Carbon Slimewalls® — Double Impact Plates — Carbon Array 5™
Carbon Infused Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
138	243	4.4 - 5.4	295 / 285	-19	457	60-130 / 27-59
142	250	4.7 - 5.7	302 / 292	-19	483	60-160 / 27-73
146	257	4.9 - 6.0	309 / 299	-19	508	100-205 / 45-93
150	264	5.2 - 6.3	316 / 306	-19	536	130-210 / 59-95
154	267	5.4 - 6.6	318 / 308	-19	533	140-220+ / 64-100+
158	269	5.7 - 6.9	320 / 310	-19	559	170-220+ / 77-100+



ZERO

DESIGN	SPECIALTY	RESPONSE
ASYMMETRICAL TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Cleave-Edge™ — Slim Walls® — Double Impact Plates — Carbon Array 3™
Biaxial Glass — Flat Kick Tips

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
142	242	7.8 / 6.7 6.8 / 5.7 7.8 / 6.7	288 / 288	0	457	60-150 / 27-68
147	245	8.0 / 6.9 7.0 / 5.9 8.0 / 6.9	293 / 293	0	483	80-160 / 36-73
151	248	8.2 / 7.1 7.2 / 6.1 8.2 / 7.1	297 / 297	0	533	100-180 / 45-82
155	252	8.4 / 7.2 7.4 / 6.2 8.4 / 7.2	302 / 302	0	559	130-205 / 59-93
159	256	8.6 / 7.4 7.6 / 6.4 8.6 / 7.4	307 / 307	0	559	140-210 / 64-95
154W	258	8.4 / 7.2 7.4 / 6.2 8.4 / 7.2	308 / 308	0	559	125-205 / 57-93
157W	260	8.5 / 7.3 7.5 / 6.3 8.5 / 7.3	310 / 310	0	559	130-210 / 59-95
161W	262	8.8 / 7.5 7.8 / 6.5 8.8 / 7.5	314 / 314	0	559	140-220+ / 64-100+




TWINPIG

DESIGN	SPECIALTY	RESPONSE
--------	-----------	----------

ASYMMETRICAL TWIN
STANDARD CAMBER

PARK
GROOMERS
POW

MELLOW
MEDIUM
AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Cleave Edge™ — Slim Walls® — Double Impact Plates — Hybrid Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
136	240	6.2 / 5.3	5.2 / 4.3	6.2 / 5.3	287 / 287	0	483	60-130 / 27-59
142	250	6.4 / 5.5	5.4 / 4.5	6.4 / 5.5	298 / 298	0	508	60-160 / 27-73
148	257	6.6 / 5.7	5.6 / 4.7	6.6 / 5.7	307 / 307	0	533	100-205 / 45-93
151	263	6.8 / 5.8	5.8 / 4.8	6.8 / 5.8	314 / 314	0	533	130-210 / 59-95
154	268	6.9 / 5.9	5.9 / 4.9	6.9 / 5.9	320 / 320	0	559	140-220+ / 64-100+
156W	275	6.9 / 5.9	5.9 / 4.9	6.9 / 5.9	328 / 328	0	559	170-220+ / 77-100+
157	270	7.0 / 6.0	6.0 / 5.0	7.0 / 6.0	323 / 323	0	559	160-220+ / 73-100+




SHADOWBAN

DESIGN	SPECIALTY	RESPONSE
--------	-----------	----------

DIRECTIONAL TWIN
STANDARD CAMBER

PARK
GROOMERS
POW

MELLOW
MEDIUM
AGGRESSIVE



CONSTRUCTION FEATURES


Directional Twin Standard Camber — Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Slimwalls® — Double Impact Plates — Carbon Array 3™
Pre-Cured Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
147	245	9.0	6.5	9.0	287 / 287	-19	508	75-165 / 34-75
151	248	9.1	6.6	9.1	291 / 291	-19	533	100-180 / 45-82
154	251	9.2	6.7	9.2	296 / 296	-19	559	115-195 / 52-88
157	254	9.3	6.8	9.3	300 / 300	-19	559	125-205 / 57-93
161	257	9.4	6.9	9.4	304 / 304	-19	559	130-210 / 59-95
156W	258	9.2	6.7	9.2	304 / 304	-19	559	125-205 / 57-93
160W	264	9.4	6.9	9.4	311 / 311	-19	559	160-220+ / 73-100+
164W	266	9.5	7.0	9.5	315 / 315	-19	584	170-220+ / 77-100+



SMOKESCREEN

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Directional Standard Camber — Tapered Elliptical Progressive Sidecut — Sintered, Stone Ground Base
Performance™ Core — Slimewalls® — Double Impact Plates — Carbon Array 3™
Topless Topsheet — Hybrid Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
153	250	- 8.0 -	296 / 286	-19	533	100-180 / 45-82
155	254	- 9.0 -	300 / 290	-19	559	125-205 / 57-93
158	257	- 10.0 -	303 / 293	-19	559	130-210 / 59-95
162	261	- 11.0 -	307 / 297	-19	559	140-220+ / 64-100+
165	266	- 12.0 -	312 / 302	-19	584	150-220+ / 68-100+
157W	264	- 10.0 -	310 / 300	-19	559	140-220+ / 64-100+



KINK

DESIGN	SPECIALTY	RESPONSE
TWIN EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Twin Extra Camber — Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Cleave Edge™ — Slimewalls® — Double Impact Plates — Flat Kick Tips
Biaxial Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
147	249	8.6 7.8 8.6	292 / 292	0	533	115-195 / 52-88
151	251	8.7 7.7 8.7	296 / 296	0	559	125-205 / 57-93
155	253	8.8 7.8 8.8	301 / 301	0	559	130-210 / 59-95
154W	260	8.8 7.8 8.8	305 / 305	0	559	140-210 / 64-95
158W	262	8.9 7.9 8.9	309 / 309	0	559	150-220+ / 68-100+



MANIC

DESIGN	SPECIALTY	RESPONSE
DIRECTIONAL STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Directional Standard Camber — Quadratic Sidecut — Extruded, Stone Ground Base
Foundation™ Core — Slimewalls® — Linear Carbon — Single Impact Plates
Biaxial Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
151	248	8.2	6.9	7.9	293 / 293	-19	533	100-180 / 45-82
154	250	8.3	7.0	8.0	296 / 296	-19	559	125-205 / 57-93
157	252	8.5	7.2	8.2	299 / 299	-19	559	130-210 / 59-95
160	254	8.6	7.3	8.3	301 / 301	-19	559	140-220 / 64-100
163	257	8.8	7.5	8.5	305 / 305	-19	559	160-220+ / 73-100+
159W	263	8.4	7.1	8.1	310 / 310	-19	559	150-220+ / 68-100+
161W	266	8.6	7.3	8.3	313 / 313	-19	559	160-220+ / 73-100+



AGENDA

DESIGN	SPECIALTY	RESPONSE
TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Quadratic Sidecut
Extruded, Stone Ground Base — Foundation™ Core — Slimewalls®
Single Impact Plates — Biaxial Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
149	250	9.2	7.7	9.2	291 / 291	0	533	75-165 / 34-75
152	251	9.3	7.8	9.3	293 / 293	0	559	100-180 / 45-82
155	252	9.4	7.9	9.4	296 / 296	0	559	125-205 / 57-93
158	253	9.5	8.0	9.5	298 / 298	0	559	130-210 / 59-95
154W	260	9.4	7.9	9.4	303 / 303	0	559	130-210 / 59-95
157W	262	9.5	8.0	9.5	306 / 306	0	559	140-220+ / 64-100+
161W	263	9.7	8.2	9.7	309 / 309	0	559	150-220+ / 68-100+

**WOMEN'S
BOARDS**






SUPERPIG

DESIGN	SPECIALTY	RESPONSE
--------	-----------	----------

TAPERED DIRECTIONAL
EXTRA CAMBER

PARK
GROOMERS
POW

MELLOW
MEDIUM
AGGRESSIVE



CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Race Base
Performance™ Core — Cleave Edge™ — Carbon Slim Walls® — Double Impact Plates
Carbon Array 5™ — Carbon Infused Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
X-SMALL	250	4.6 - 5.6	301 / 291	0	483	60-160 / 27-73
SMALL	260	5.1 - 6.2	311 / 301	0	533	100-205 / 45-93
MEDIUM	265	5.4 - 6.5	316 / 306	0	559	130-210 / 59-95
LARGE	270	5.6 - 6.9	321 / 311	0	559	140-220+ / 64-100+
X-LARGE	277	5.9 - 7.2	328 / 318	0	584	170-220+ / 77-100+




WARPIG

DESIGN	SPECIALTY	RESPONSE
--------	-----------	----------

TAPERED DIRECTIONAL
ZERO CAMBER

PARK
GROOMERS
POW

MELLOW
MEDIUM
AGGRESSIVE



CONSTRUCTION FEATURES

Directional Zero Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Base — Performance™ Core
Cleave-Edge™ — Slim Walls® — Double Impact Plates — Carbon Array 3™ — Hybrid Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
X-SMALL	250	4.6 - 5.6	301 / 291	0	483	60-160 / 27-73
SMALL	260	5.1 - 6.2	311 / 301	0	533	100-205 / 45-93
MEDIUM	265	5.4 - 6.5	316 / 306	0	559	130-210 / 59-95
LARGE	270	5.6 - 6.9	321 / 311	0	559	140-220+ / 64-100+
X-LARGE	277	5.9 - 7.2	328 / 318	0	584	170-220+ / 77-100+




BENCHWARMER

DESIGN	SPECIALTY	RESPONSE
--------	-----------	----------

ASYMMETRICAL TWIN
EXTRA CAMBER

PARK
GROOMERS
POW

MELLOW
MEDIUM
AGGRESSIVE



CONSTRUCTION FEATURES

Twin Extra Camber — Asymmetrical Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Cleave Edge™ — Carbon Slim Walls® — Double Impact Plates
Carbon Array 3™ — Hybrid Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
142	242	7.8 / 6.7	6.8 / 5.7	7.8 / 6.7	288 / 288	0	457	60-150 / 27-68
147	245	8.0 / 6.9	7.0 / 5.9	8.0 / 6.9	293 / 293	0	483	80-160 / 36-73
151	248	8.2 / 7.1	7.2 / 6.1	8.2 / 7.1	297 / 297	0	533	100-180 / 45-82
155	252	8.4 / 7.2	7.4 / 6.2	8.4 / 7.2	302 / 302	0	559	130-205 / 59-93
159	256	8.6 / 7.4	7.6 / 6.4	8.6 / 7.4	307 / 307	0	559	140-210 / 64-95
154W	258	8.4 / 7.2	7.4 / 6.2	8.4 / 7.2	308 / 308	0	559	125-205 / 57-93
157W	260	8.5 / 7.3	7.5 / 6.3	8.5 / 7.3	310 / 310	0	559	130-210 / 59-95
161W	262	8.8 / 7.5	7.8 / 6.5	8.8 / 7.5	314 / 314	0	559	140-220+ / 64-100+




ZERO

DESIGN	SPECIALTY	RESPONSE
--------	-----------	----------

ASYMMETRICAL TWIN
STANDARD CAMBER

PARK
GROOMERS
POW

MELLOW
MEDIUM
AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Cleave-Edge™ — Slim Walls® — Double Impact Plates — Carbon Array 3™
Biaxial Glass — Flat Kick Tips

SIZE (CM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
142	242	7.8 / 6.7	6.8 / 5.7	7.8 / 6.7	288 / 288	0	457	60-150 / 27-68
147	245	8.0 / 6.9	7.0 / 5.9	8.0 / 6.9	293 / 293	0	483	80-160 / 36-73
151	248	8.2 / 7.1	7.2 / 6.1	8.2 / 7.1	297 / 297	0	533	100-180 / 45-82
155	252	8.4 / 7.2	7.4 / 6.2	8.4 / 7.2	302 / 302	0	559	130-205 / 59-93
159	256	8.6 / 7.4	7.6 / 6.4	8.6 / 7.4	307 / 307	0	559	140-210 / 64-95
154W	258	8.4 / 7.2	7.4 / 6.2	8.4 / 7.2	308 / 308	0	559	125-205 / 57-93
157W	260	8.5 / 7.3	7.5 / 6.3	8.5 / 7.3	310 / 310	0	559	130-210 / 59-95
161W	262	8.8 / 7.5	7.8 / 6.5	8.8 / 7.5	314 / 314	0	559	140-220+ / 64-100+



TWINPIG

DESIGN	SPECIALTY	RESPONSE
ASYMMETRICAL TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE

CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Cleave Edge™ — Slim Walls® — Double Impact Plates — Hybrid Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)		TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
136	240	6.2 / 5.3	5.2 / 4.3	6.2 / 5.3	287 / 287	0	483 60-130 / 27-59
142	250	6.4 / 5.5	5.4 / 4.5	6.4 / 5.5	298 / 298	0	508 60-160 / 27-73
148	257	6.6 / 5.7	5.6 / 4.7	6.6 / 5.7	307 / 307	0	533 100-205 / 45-93
151	263	6.8 / 5.8	5.8 / 4.8	6.8 / 5.8	314 / 314	0	533 130-210 / 59-95
154	268	6.9 / 5.9	5.9 / 4.9	6.9 / 5.9	320 / 320	0	559 140-220+ / 64-100+
156W	275	6.9 / 5.9	5.9 / 4.9	6.9 / 5.9	328 / 328	0	559 170-220+ / 77-100+
157	270	7.0 / 6.0	6.0 / 5.0	7.0 / 6.0	323 / 323	0	559 160-220+ / 73-100+



PSYCHOCANDY

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL ZERO CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE

CONSTRUCTION FEATURES


Directional Zero Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Base
WMNS Performance™ Core — Slimewalls® — Carbon Slimewalls® — Double Impact Plates — Carbon Array 5™
Carbon Infused Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)		TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
138	243	4.4	- 5.4	295 / 285	-19	483	60-130 / 27-59
142	250	4.7	- 5.7	302 / 292	-19	483	60-160 / 27-73
146	257	4.9	- 6.0	309 / 299	-19	508	100-205 / 45-93
150	264	5.2	- 6.3	316 / 306	-19	508	130-210 / 59-95
154	267	5.4	- 6.6	318 / 308	-19	533	140-220+ / 64-100+
158	269	5.7	- 6.9	320 / 310	-19	559	170-220+ / 77-100+



MAGIC STICK


DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Directional Extra Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Base
WMNS Performance™ Core — Cleave Edge™ — Slimewalls® — Linear Carbon — Single Impact Plates
Carbon Array 3™ — Hybrid Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
143	240	4.7 - 5.8	291 / 281	-19	457	60-100 / 27-45
147	242	5.2 - 6.4	293 / 283	-19	483	85-130 / 39-59
151	244	5.4 - 6.6	296 / 286	-19	508	100-150 / 45-68
154	248	5.7 - 7.1	299 / 289	-19	533	115-160+ / 52-73+



SATURDAY


DESIGN	SPECIALTY	RESPONSE
TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Twin Standard Camber — Quadratic Sidecut — Sintered, Stone Ground Base — WMNS Performance™ Core
Cleave Edge™ — Slimewalls® — Linear Carbon — Single Impact Plates — Carbon Array 3™
Topless Topsheet — Hybrid Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
142	240	9.2 6.7 9.2	283 / 283	0	457	60-100 / 27-45
146	242	9.3 6.8 9.3	287 / 287	0	483	85-130 / 39-59
150	244	9.4 6.9 9.4	292 / 292	0	508	100-150 / 45-68
154	246	9.5 7.0 9.5	295 / 295	0	533	115-160+ / 52-73+



COMPACT

DESIGN	SPECIALTY	RESPONSE
DIRECTIONAL STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Directional Standard Camber — Quadratic Sidecut
Extruded, Stone Ground Base — WMNS Performance™ Core — Slimewalls®
Single Impact Plates — Biaxial glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
138	236	9.2	6.7	9.2	272 / 272	0	457	60-100 / 27-45
142	238	9.3	6.8	9.3	275 / 275	0	483	70-100 / 32-50
146	240	9.4	6.9	9.4	279 / 279	0	508	85-130 / 39-59
150	242	9.5	7.0	9.5	283 / 283	0	533	100-150 / 45-68
154	244	9.6	7.1	9.6	286 / 286	0	559	115-160+ / 52-73+



HEARTBREAKER

DESIGN	SPECIALTY	RESPONSE
TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Quadratic Sidecut
Extruded, Stone Ground Base — WMNS Performance™ Core
Slimewalls® — Single Impact Plates — Biaxial Glass


SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
139	234	9.3	6.8	9.3	274 / 274	0	432	60-100 / 27-45
143	236	9.4	6.9	9.4	277 / 277	0	457	70-100 / 32-50
147	238	9.5	7.0	9.5	281 / 281	0	483	85-130 / 39-59
150	240	9.6	7.1	9.6	285 / 285	0	508	100-150 / 45-68

KIDS
BOARDS





ZERO JR




CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Extruded Base
Foundation™ Core — Cleave Edge™ — Slim Walls®
Single Impact Plates — Biaxial Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
135	238	7.3 / 6.3	6.3 / 5.3	7.3 / 6.3	281 / 281	0	432	50-100 / 23-45
142	242	7.8 / 6.7	6.8 / 5.7	7.8 / 6.7	288 / 288	0	457	80-130 / 36-59
147	245	8.0 / 6.9	7.0 / 5.9	8.0 / 6.9	293 / 293	0	483	80-130 / 36-59



LOWRIDE



CONSTRUCTION FEATURES

Twin Zero Camber – Quadratic Sidecut
Extruded Base – Foundation™ Core – Biaxial Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
75	180	-	6.5	-	200 / 200	0	305	<90 / <41
90	180	-	7.1	-	202 / 202	0	330	<100 / <45
100	190	-	7.5	-	219 / 219	0	356	<110 / <50
110	200	-	7.9	-	230 / 230	0	406	<120 / <54
120	215	-	8.5	-	248 / 248	0	406	<120 / <54
130	230	-	9.1	-	265 / 265	0	432	<130 / <59

MEN'S
BOOTS





BLACK

TRIDENT

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil
- TPU Toe Cap, Rebound Heel Counter™, Fiber Reinforced Flex Slime Tongue™
- Michelin® Hybrid Traverse Sole, +Slime Midsole,
- H4 BOA® Focus Fit System, Tongue Tied™ Hybrid Harness, BOA® TX3 Lace, The Closer™

Liner:

- NEW! Slip/Grip top closure, Internal/External J Bars with Cored Pockets
- Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh
- NEW! Impacto Elite Insole



BLACK

THE 92

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff, Adjustable Power Strap
- Heat Reflective Foil, Floating Tongue, HDR Premium Synthetics™
- NEW! TPU Toe Cap, Rebound Heel Counter™, Flex Slime Tongue™
- Michelin® Hybrid Fiberlite Sole, +Slime Midsole
- H4 BOA® Tongue Tied™ Focus Fit System, BOA® TX3 Lace, The Closer™

Liner:

- NEW! Slip/Grip top closure, Wrap Liner, Black Gold™ Liner Mesh
- Internal/External J Bars with Cored Pockets
- Intuition™ Mobile Liner
- NEW! Impacto Elite Insole

INSANO



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 ⑩

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15, 16, 17

CONSTRUCTION FEATURES:

- Shell:
 - 1:1 Lasting, Sliver Last, IN2GRATED™, Articulated Cuff
 - Heat Reflective Foil, HDR Premium Synthetics™
 - TPU Toe Cap, Rebound Heel Counter™, Fiber Reinforced Flex Slime Tongue™
 - Michelin® Hybrid Traverse Sole, + Slime Midsole
- Liner:
 - H4 BOA® Focus Fit System, BOA® TX3 Lace, The Closer™
 - NEW! Slip/Grip top closure, Center Tongue Liner
 - Internal/External J Bars with Cored Pockets, Lock Down™ Turbo, Tallboy Harness
 - Intuition™ Dream Liner, Black Gold™ Liner Mesh, NEW! Impacto Elite Insole



TAN

LASSO PRO



BLACK

FEEL: 1 2 3 4 5 6 7 ⑧ 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- Shell:
 - 1:1 Lasting, Black Last/Wide Last, IN2GRATED™, Articulated Cuff
 - Heat Reflective Foil, HDR Premium Synthetics™
 - Rubber Toe, Rebound Heel Counter™
 - Michelin® Hybrid Fiberlite Sole, +Slime Midsole
- Liner:
 - H4 BOA® Coiler Fit System, Tongue Tied™ Hybrid Harness, BOA® TX3 Lace, The Closer™
 - NEW! Slip/Grip top closure, Internal/External J Bars with Cored Pockets
 - Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh
 - NEW! Impacto Elite Insole



BONE



BLACK

LASSO PRO WIDE

PRICING: Wholesale US\$240.00

FEEL: 1 2 3 4 5 6 7 **(8)** 9 10

SIZES: 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Black Last/Wide Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™
- Rubber Toe, Rebound Heel Counter™
- Michelin® Hybrid Fiberlite Sole, +Slime Midsole
- H4 BOA® Coiler Fit System, Tongue Tied™ Hybrid Harness, BOA® TX3 Lace, The Closer™

Liner:

- NEW! Slip/Grip top closure, Internal/External J Bars with Cored Pockets
- Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh
- NEW! Impacto Elite Insole



BLACK

DEADBOLT ZONAL

PRICING: Wholesale US\$228.00

FEEL: 1 2 3 4 5 6 **(7)** 8 9 10

SIZES: 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™
- Michelin® Hybrid Summit Sole
- BOA® Zonal Fit System, BOA® TX3 Lace, The Closer™

Liner:

- Center Tongue Liner, Internal/External J Bars
- Intuition™ Support Foam Liner, Black Gold™ Liner Mesh
- NEW! Impacto Ultra Insole



GREY

FUSE

PRICING: Wholesale US\$216.00

FEEL: 1 2 3 4 5 6 7 **8** 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- | | |
|---|--|
| <p>Shell:</p> <ul style="list-style-type: none"> - 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff - Heat Reflective Foil, HDR Premium Synthetics™ - Rebound Heel Counter™, Flex Slime Tongue®, NEW! TPU Toe Cap | <ul style="list-style-type: none"> - Michelin® Hybrid Fiberlite Sole, +Slime Midsole - Traditional Lace, Tongue Tied™ Hybrid Harness <p>Liner:</p> <ul style="list-style-type: none"> - NEW! Slip/Grip top closure, Internal/External J Bars with Cored Pockets |
|---|--|



BLACK



SHOEBURT NAVY

LASSO

PRICING: Wholesale US\$198.00

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

- | | |
|---|--|
| <p>Shell:</p> <ul style="list-style-type: none"> - 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff - Heat Reflective Foil, HDR Premium Synthetics™ - Zig-Zag Flex, +Slime Midsole - H4 BOA® Coiler Fit System, BOA® Tongue Tied™ Fit System, BOA® TX3 Lace, The Closer™ | <p>Liner:</p> <ul style="list-style-type: none"> - Center Tongue Liner, Internal/External J Bars - Intuition™ Support Liner, Black Gold™ Liner Mesh, Lock Down™ Turbo - NEW! Impacto Ultra Insole |
|---|--|



BLACK



GREY



WHITE



DRIP

ANCHOR



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- Shell:
- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
 - Heat Reflective Foil
 - Rubber Toe, HDR Premium Synthetics™, Rebound Heel Counter
 - Zig-Zag Flex Sole, +Slime Midsole
 - Traditional Lacing, BOA® Tongue Tied™ Fit System
- Liner:
- NEW! Slip/Grip top closure, Wrap Liner, Internal/External J Bars with Cored Pockets
 - Intuition™ Mobile Liner, Black Gold™ Liner Mesh
 - NEW! Impacto Ultra Insole



KHAKI

JACKSON



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

- Shell:
- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff, Heat Reflective Foil
 - Flex Lite 2.0 Sole, +Slime Midsole
 - Manual Tongue Tied™ System, H4 BOA® Coiler Fit System, BOA® TX3 Lace, The Closer™
- Liner:
- Center Tongue Liner, Internal J Bars
 - Intuition™ Support Liner
 - NEW! Impacto Primo Insole



GREY



DIGI



BLACK

TRIAD

FEEL: 1 2 3 4 (5) 6 7 8 9 10

SIZES: 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil
- Flex Lite 2.0 Sole, +Slime Midsole
- Manual Tongue Tied™ System, Traditional Lace

Liner:

- Center Tongue Liner, Internal/External J Bars
- Intuition™ Mobile Liner
- NEW! Impacto Primo Insole



SAND



BLACK

ANTHEM

FEEL: 1 2 3 4 (5) 6 7 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil
- Grip Lite Sole, +Slime Midsole
- H4 BOA® Coiler Fit System, BOA®, The Closer™

Liner:

- Center Tongue Liner, Internal J Bars

- Intuition™ Plush Liner
- Lock Down™ Turbo
- Die Cut EVA Insole



GREY



OLIVE



BLACK

ROOK

FEEL: 1 2 3 (4) 5 6 7 8 9 10

SIZES: 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff
- Grip Lite Sole, +Slime Midsole
- H4 BOA® Fit System

Liner:

- Center Tongue Liner, Internal J Bars
- Intuition™ Plush Liner
- Lock Down™ Turbo
- Die Cut EVA Insole



BLACK

ORION

FEEL: 1 2 3 (4) 5 6 7 8 9 10

SIZES: 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff
- Grip Lite Sole, +Slime Midsole
- Traditional Lace

Liner:

- Center Tongue Liner, Internal J Bars
- Intuition™ Plush Liner
- Lock Down™ Turbo
- Die Cut EVA Insole

WOMEN'S
BOOTS



CADENCE



BLACK

FEEL: 1 2 3 4 5 6 7 **8** 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff
- C.A.T. System, Heat Reflective Foil
- HDR Premium Synthetics™
- Michelin® Hybrid Traverse Sole, +Slime Midsole
- Rebound Heel Counter™
- H4 BOA® Focus Fit System, BOA® TX3 Lace, The Closer™

Liner:

- NEW! Slip/Grip top closure, Center Tongue Liner, Internal/External J Bars with Cored Pockets
- Intuition™ Dream Liner, Black Gold™ Liner Mesh
- Lock Down™ Turbo, Transition Wrap Harness
- NEW! Impacto Elite Insole

HERA PRO



BLACK

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
- C.A.T. System, Heat Reflective Foil
- HDR Premium Synthetics™, Rebound Heel Counter™
- Michelin® Hybrid Summit Sole, +Slime Midsole
- H4 BOA® Coiler Fit System, Tongue Tied™ Hybrid Harness, BOA® TX3 Lace, The Closer™

Liner:

- NEW! Slip/Grip top closure, Internal/External J Bars with Cored Pockets
- Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh
- NEW! Impacto Elite Insole

KARMYN ZONAL



BLACK

PRICING: Wholesale US\$216.00

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10

CONSTRUCTION FEATURES:

- | | |
|--|---|
| <p>Shell:</p> <ul style="list-style-type: none"> - 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff - C.A.T. System, Heat Reflective Foil - HDR Premium Synthetics™ - Michelin® Hybrid Summit Sole - BOA® Zonal Fit System, BOA® TX3 Lace, The Closer™ | <p>Liner:</p> <ul style="list-style-type: none"> - Center Tongue Liner, Internal J Bars - Intuition™ Support Foam Liner, Black Gold™ Liner Mesh - NEW! Impacto Ultra Insole |
|--|---|



ASYM

HERA

PRICING: Wholesale US\$198.00

FEEL: 1 2 3 4 **5** 6 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- | | |
|---|--|
| <p>Shell:</p> <ul style="list-style-type: none"> - 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff - C.A.T. System, Heat Reflective Foil - Jade Plus Sole, +Slime Midsole - H4 BOA® Coiler Fit System, BOA® Tongue Tied™ Fit System, BOA® TX3 Lace, The Closer™ | <p>Liner:</p> <ul style="list-style-type: none"> - Center Tongue Liner, Internal J Bars - Intuition™ Support Liner, Black Gold™ Liner Mesh - Lock Down™ Turbo - NEW! Impacto Primo Insole |
|---|--|



BLACK



UNBLEACHED



FLORAL



BLACK

CONTEXT

PRICING: Wholesale US\$180.00

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- | | |
|--|--|
| <p>Shell:</p> <ul style="list-style-type: none"> - 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff - C.A.T. System, Heat Reflective Foil - HDR Premium Synthetics™, Rebound Heel Counter, Rubber Toe - Zig-Zag Flex Sole, +Slime Midsole | <p>Liner:</p> <ul style="list-style-type: none"> - Traditional Lacing, BOA® Tongue Tied™ Fit System - NEW! Slip/Grip top closure, Wrap Liner, Internal J Bars with Cored Pockets - Intuition™ Mobile Liner, Black Gold™ Liner Mesh - NEW! Impacto Ultra Insole |
|--|--|



KHAKI

SAGE

PRICING: Wholesale US\$150.00

FEEL: 1 2 3 **4** 5 6 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- | | |
|---|--|
| <p>Shell:</p> <ul style="list-style-type: none"> - 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff - C.A.T. System, Heat Reflective Foil - Grip Lite Sole, +Slime Midsole - H4 BOA® Coiler Fit System, The Closer™ | <p>Liner:</p> <ul style="list-style-type: none"> - Intuition™ Plush Liner - Lock Down™ Turbo - Die Cut EVA Insole |
|---|--|



GREY



ICE



BLACK



BLACK

HARPER

FEEL: 1 2 ③ 4 5 6 7 8 9 10

SIZES: 5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff
- Grip Lite Sole, +Slime Midsole
- H4 BOA® Fit System

Liner:

- Center Tongue Liner, Internal J Bars
- Intuition™ Plush Liner
- Lock Down™ Turbo
- Die Cut EVA Insole

KIDS
BOOTS





BLACK

LESSO JR

FEEL: 1 2 ③ 4 5 6 7 8 9 10

SIZES: 2, 3, 4, 5, 6, 7

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff
- Grip Lite Sole, +Slime Midsole
- Kid's BOA® Fit System

Liner:

- Intuition™ Plush Liner, Internal J Bars
- Die Cut EVA Insole with Size Shims



BLACK

NORRIS

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: 9K, 10K, 11K, 12K, 13K, 1, 2, 3, 4, 5

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Grey Last, IN2GRATED™
- Track Lite Sole
- Kid's BOA® Fit System with Adjustable Play Mode

Liner:

- Internal J Bars
- Die Cut EVA Insole with Size Shims

UNISEX
BINDINGS



A-10

FEEL: 1 2 3 4 5 6 7 8 9 ⑩

SIZES: S, M, L

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Carbon Slimeback™ Highback
- Three-Piece Ankle Strap
- Minimalist Toe Strap with Overmold
- A-Series TPU Basepad
- Canted Footbed with PODS
- Aluminum and Plastic Discs
- Linkage Ratchet



BLACK



COPPER

C-10

FEEL: 1 2 3 4 5 6 7 8 9 ⑩

SIZES: S, M, L

CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Carbon Slimeback™ Highback
- Three-Piece Ankle Strap
- Minimalist Toe Strap with Overmold
- C-Series EVA Basepad
- Canted Footbed with PODS
- Aluminum and Plastic Discs
- Linkage Ratchet



BLACK



SAND

A-9

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: S, M, L

CONSTRUCTION FEATURES:

- A-Series TPU Basepad
- Minimalist Toe Strap with Overmold
- Nylon Highback
- Aluminum and Plastic Discs
- Canted Footbed with PODS
- Linkage Ratchet
- A-Series Aluminum Chassis
- Three-Piece Ankle Strap



BLACK



BONE

C-9

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: S, M, L

CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Nylon Highback
- Three-Piece Ankle Strap
- Minimalist Toe Strap with Overmold
- C-Series EVA Basepad
- Canted Footbed with PODS
- Aluminum and Plastic Discs
- Linkage Ratchet



BLACK



FADED

MEN'S
BINDINGS



A-8

FEEL: 1 2 3 4 5 6 7 **8** 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Cored Nylon Highback
- Reversible Ankle Strap
- Minimalist Toe Strap with Overmold
- A-Series TPU Basepad
- Canted Footbed with PODS
- Aluminum Discs
- Linkage Ratchet



BLACK



COPPER



PURPS

C-8

FEEL: 1 2 3 4 5 6 7 **8** 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Slimeback™ Highback
- Reversible Ankle Strap
- Minimalist Toe Strap with Overmold
- C-Series EVA Basepad
- Canted Footbed with PODS
- Plastic Discs
- Linkage Ratchet



BLACK



GREY



FIRE

A-6

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Slimeback™ Highback
- Two-Piece Ankle Strap
- Minimalist Toe Strap
- A-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



BLACK



TAN



LIME



SEE SEE

C-6

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Slimeback™ Highback
- Two-Piece Ankle Strap
- Minimalist Toe Strap
- C-Series EVA Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



BLACK



DIGITAL VIOLET



FIRE



DAGGER

A-4

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Cored Nylon Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- A-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



BLACK



ARCTIC



BONE

C-4

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- C-Series Composite Chassis
- Cored Nylon Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



BLACK



OLIVE



GREY

C-2

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- C-Series Composite Chassis
- Nylon Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



BLACK



KHAKI



WOMEN'S
BINDINGS



AL-6

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Slimeback™ Highback
- Reversible Ankle Strap
- Minimalist Toe Strap
- A-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



BLACK



LIME

CL-6

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Slimeback™ Highback
- Reversible Ankle Strap
- Minimalist Toe Strap
- C-Series EVA Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



BLACK



ICE

CL-4

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Slimeback™ Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



BLACK



DIGITAL VIOLET

CL-2

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Slimeback™ Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



BLACK

KIDS
BINDINGS



K-1

FEEL: ① 2 3 4 5 6 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Nylon Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



BLACK

MICRO

FEEL: ① 2 3 4 5 6 7 8 9 10

SIZES: XS, S

CONSTRUCTION FEATURES:

- Single Strap Entry
- Adjustable Sizes



BLACK

BAGS



THE PERFECT SNOWBOARD BAG

SIZES: 1SZ

CONSTRUCTION FEATURES:

- Board bags go through hell, and we like the things inside them way too much to compromise. The perfect size, the perfect shape and the perfect material will assure your board boots binders and the rest of your stuff makes it to the destination unscathed. Water resistant outer will keep your gear dry and ready to ride when you get to your destination.



BLACK

RIDE DUFFLE

SIZES: 1SZ

CONSTRUCTION FEATURES:

- When the homies come to pick you up, or more realistically, when you go to pick up the homies and take them to the mountain, having your gear all dialed in one spot is a game changer. The duffel holds the boots in the bottom, the outerwear up top, hats gloves goggles on the side and your tool up front. With a couple of back pack straps you are sure to be organized, ready and first to the lift line WITH time to stop and grab a coffee. The simple things. Pair the duffel with the perfect board bag, and you've got a luggage kit that will take you and all your gear, just about anywhere in the world.



BLACK



BLACK

RIDE EVERYDAY PACK

SIZES: 1SZ

CONSTRUCTION FEATURES:

- The name says it all. When you leave the house, this is the bag you take. Straps for your board, pockets for your stuff. We live in the rain and snow, so this thing was designed to handle a bit of both.

BLACKENED BOARD BAG

SIZES: 157, 172

CONSTRUCTION FEATURES:

- Trains, Planes and automobiles. Chuck your gear into this bag and get it from A to B safe and sound. Don't over think it. A bag that fits your board, and a strap that will keep your life simple and organized.



BLACK

UNFORGIVEN BOARD SLEEVE

SIZES: 157, 172

CONSTRUCTION FEATURES:

- Bag it up. Perfect for storing the board in the off season or assuring no damage during a travel day. The unforgiven bag is a no BS bag that is lightweight and easy to own.



BLACK


RENTAL





MANIC RENTAL

DESIGN	SPECIALTY	RESPONSE
DIRECTIONAL STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES


Directional Standard Camber — Quadratic Sidecut — Extruded Base
Scratch Resistant Topsheet — Foundation™ Core — Slimewalls® — Single Impact Plates
Biaxial Glass — Roll-In Construction

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
154	250	8.3	7.0	8.0	296 / 296	-19	559	125-205 / 57-93
157	252	8.5	7.2	8.2	299 / 299	-19	559	130-210 / 59-95
160	254	8.6	7.3	8.3	301 / 301	-19	559	140-220 / 64-100
163	257	8.9	7.5	8.5	305 / 305	-19	559	160-220+ / 73-100+
156W	263	8.4	7.1	8.1	310 / 310	-19	559	150-220+ / 68-100+
161W	266	8.6	7.3	8.3	313 / 313	-19	559	160-220+ / 73-100+



AGENDA RENTAL

DESIGN	SPECIALTY	RESPONSE
TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Quadratic Sidecut
Extruded Base — Scratch Resistant Topsheet — Foundation™ Core
Slimewalls® — Single Impact Plates — Biaxial Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)			TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
152	251	9.3	7.8	9.3	293 / 293	0	559	100-180 / 45-82
155	252	9.4	7.9	9.4	296 / 296	0	559	125-205 / 57-93
158	253	9.5	8.0	9.5	298 / 298	0	559	130-210 / 59-95
154W	260	9.4	7.9	9.4	303 / 303	0	559	130-210 / 59-95
157W	262	9.5	8.0	9.5	306 / 306	0	559	140-220+ / 64-100+
161W	263	9.7	8.2	9.7	309 / 309	0	559	150-220+ / 68-100+



BLACK

LASO RENTAL

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™
- Rental Rubber Toe Cap, Rental Rubber Heel Cap, Rental High Durability Rubber Outsole, +Slime Midsole
- H4 BOA® Coiler Fit System, BOA® Tongue Tied™ Fit System, The Closer™

Liner:

- Center Tongue Liner, Internal/External J Bars
- Black Gold™ Liner Mesh
- 3D Formed Dual Density EVA Insole



BLACK

ANTHEM RENTAL

FEEL: 1 2 3 4 **5** 6 7 8 9 10

SIZES: 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™
- Rental Rubber Toe Cap, Rental Rubber Heel Cap, Rental High Durability Rubber Outsole, +Slime Midsole
- H4 BOA® Coiler Fit System, The Closer™

Liner:

- Center Tongue Liner, Internal/External J Bars
- Die Cut EVA Insole

MEN'S BOARDS



WOMEN'S BOARDS



UNISEX



A-10



C-10



A-9



C-9



MEN'S



A-8



A-6



C-6



A-4



C-4



C-2



WOMEN'S



AL-6



CL-6



CL-4



CL-2



MEN'S



TRIDENT



'92



INSANO



LASSO PRO / WIDE



DEADBOLT



FUSE



LASSO



ANCHOR



JACKSON



TRIAD



ANTHEM



ROOK



ORION

WOMEN'S



CADENCE



HERA PRO



KARMYN ZONAL



HERA



CONTEXT



SAGE



HARPER

KIDS



ZERO JR



LOWRIDE



K-1



MICRO



LASO JR



NORRIS

RENTAL



MANIC RENTAL



AGENDA RENTAL



LASSO RENTAL



ANTHEM RENTAL

PACKS & BAGS



DUFFEL



EVERYDAY PACK



PERFECT BOARD BAG



BLACKENED BOARD BAG



UNFORGIVEN BOARD SLEEVE

RIDE USA:
413 Pine St. 3rd Floor
Seattle, WA 98101
T: 800 757 5806
F: 800 972 4066

RIDE CANADA:
1 Westside Drive Unit #7
Toronto, ON M9C 1B2,
Canada
T: 888 249 7433
F: 416 679 1218

RIDE EUROPE:
Seehaupter Strasse 62,
Penzberg 82377, Germany
T: 49 8856 901 0
F: 49 8856 901 101
E: info@k2sports.de

RIDE JAPAN:
TMM Bldg.6F,
1-10-5, Iwamoto-Cho, Chiyoda-Ku,
Tokyo, Japan 101-0032
T: 81 3 6858 2311