

# VÖLKL

SHINING BRIGHT FOR 100 YEARS.

COLLECTION  
2023 / 2024



ENGLISH

[VOELKL.COM](https://voelkl.com)

# 100 YEARS MADE IN GERMANY

**Here we are.**

**100 years** of creating, developing, testing, producing, marketing, selling fun, adrenaline, joy, unforgettable moments, irreplaceable time with family and friends, excitement, Olympic medals, World Championships, durable products, sustainable initiatives and most of all: **smiles.**

As a team we will continue to do what we do best:  
continue to create good times for skiers  
around the world.

**We hope that you enjoy this catalogue,  
full of facts & impressions of 100 Years of Völkl!  
Keep on racing, shredding, jumping, touring,  
and of course: smiling!**

Yours: Völkl Team!



RACE

COMMERCIAL



RACETIGER GS MASTER



RACETIGER GS



RACETIGER SL MASTER



RACETIGER SL



RACETIGER RC BLACK **NEW**



RACETIGER RC RED **NEW**



RACETIGER SC BLACK **NEW**



RACETIGER SC YELLOW **NEW**



RACETIGER SC WHITE **NEW**

ALL MNT PISTE

HARD SNOW



DEACON 76 MASTER



DEACON 72 MASTER



DEACON 76



DEACON 76 BLACK



DEACON 72



DEACON 72 BLACK



DEACON 75

MIXED SNOW



DEACON V.WERKS



DEACON 84



DEACON 80



DEACON 79



DEACON XTD



DEACON XT



DEACON X

ALL MNT FREERIDE

SPEED



KATANA V.WERKS



KATANA 108



MANTRA 102



M6 MANTRA



KENDO 88



KANJO 84



MANTRA JR

LIGHT



BLAZE 114



BLAZE 106



BLAZE 94



BLAZE 86



BLAZE 82 **NEW**



BLAZE JR **NEW**

TOURING

ALPINISM



BMT 90



RISE BEYOND 96



RISE HIGH 88



RISE ABOVE 88



RISE UP 82



RISE JR

FREESTYLE



REVOLT 121



REVOLT 114 **NEW**



REVOLT 104



REVOLT 96 **NEW**



REVOLT 90



REVOLT 84



REVOLT 86 SCORPION



REVOLT 86 CROWN



REVOLT 81



FLAIR SC CARBON **NEW**



FLAIR SC **NEW**



FLAIR 75



FLAIR 79



FLAIR 76 ELITE



FLAIR 76



FLAIR 72



SECRET 102 **NEW**



SECRET 96



KENJA 88



YUMI 84



YUMI 80



BLAZE 106 W




BLAZE 94 W



BLAZE 86 W



BLAZE 82 W **NEW**



BLAZE W JR **NEW**



RISE BEYOND 96 W




RISE ABOVE 88 W



RISE UP 82 W


# TAILORED TECHNOLOGIES




SCAN ME



WHAT IS A »TAILORED TITANAL FRAME«?



SCAN ME



## TAILORED FIBER PLACEMENT

One of our latest technologies is Tailored Fibre Placement. In this innovative manufacturing process the Tailored Carbon Tips are produced by embroidering the individual carbon fibers onto a carrier material.

This allows them to be positioned exactly along the stress lines, opening up plenty of possibilities, for performance at the front of the ski, which has a decisive influence on the handling of the ski. The stiffness, torsion and thus the skiing characteristics can be specifically adjusted via the fiber thickness and millimeter-precise alignment. In this way, the fibers guide the dynamics to the areas of the ski where they are needed. The visibly integrated Tailored Carbon Tips are light, allow an agile shovel reaction with less effort and quickly build up energy. The Tailored Carbon Tips thus reach a next level of precision, direct tip response and active skiing pleasure.


## TAILORED TITANAL FRAME

In this technology the width of the titanal frame is adapted exactly to each individual ski length.




This results in Tailored Titanal Frames, which are positioned above the sidewall along the tip and tail area of the ski to provide the desired damping and torsional stiffness. The size of the frames is tailored to the skier's height, skiing ability and power. This means that longer ski models have a higher titanal content for more stiffness, more direct power transmission and stronger dampening. The shorter the length, the lower the titanal content, which makes the ski more agile, so that smaller, lighter and less powerful skiers can use the full potential performance of the ski. In addition to the Tailored Titanal Frames, a second, thinner titanal layer is located in the binding area, which gives the ski the necessary strength, but also agility. The result: the Tailored Titanal Frame technology provides an incomparable combination of agility and high speed control.

## 3D RADIUS SIDECUT

Three radii in one ski for maximum turning & speed versatility in all mountain skiing



# WOODCORES

| CHARACTERISTICS                                                                    | MATERIAL BENEFIT                                                                                                                                                                                                                                                                                                                                        | MULTILAYER WOODCORE | MULTILAYER WOODCORE LIGHT | HYBRID MULTILAYER WOODCORE | WORLD CUP ASH WOODCORE | WORLD CUP WOODCORE |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------------------|----------------------------|------------------------|--------------------|
|    | <b>MULTILAYER WOODS</b><br>A combination of lighter, softer poplar wood and heavier, stronger beech wood provides a target group specific combination between light weight, strength, durability and damping: The beech typically concentrates where the most power is needed in the ski - like under the binding or alongside the edges and sidewalls. | X                   | X                         | X                          |                        | X                  |
|    | <b>ISOCORE</b><br>The addition of ISOCORE to the wood core helps to save weight and support dynamics, pop and agility.                                                                                                                                                                                                                                  |                     |                           | X                          |                        |                    |
|   | <b>SLOTTED</b><br>Slots that get milled into the wood cores - with the number of slots varying according to the target group of the ski - helps to save weight and optimize the flex pattern towards a softer characterisitc.                                                                                                                           |                     | X                         | X                          |                        |                    |
|  | <b>ASH (%)</b><br>Ash - the wood of the gods in ancient times - provides the best dynamic properties of any woods in skiing. At the prcie of heavier weight, a aximum of power transmission and dynamics can be found in skis with ash cores.                                                                                                           |                     |                           |                            | 100%                   | 50%                |

# ROCKER CONSTRUCTION

*Our rocker construction is directly integrated into the production cycle, so the rocker shape doesn't need to be bent afterwards, which makes the matching between the rocker and the other components much more harmonized and precise:*

- // easier turn initiation
- // effective edge length extends when putting the ski onto the edge
- // additional uplift for off-piste skiing



**Full Rocker**  
Character: The ski is bent at a constant curvature along its entire length



**Tip & Tail Rocker**  
Character: Bends up only in the shovel and tail zones, with a camber shape in the middle



**Tip Rocker**  
Character: Only bends upwards in the shovel area, while the middle and tail of the ski feature a camber shape

# ASH WOOD CORE

*The high-quality core made of solid ash, which extends over the entire length of the ski, is a technical highlight that has great impact on the skiing characteristics.*

The particularly elastic hardwood has only been used in racing skis for World Cup athletes and acts as an energy accumulator: while the ski flexes when initiating the turn, the fibers stretch and absorb the tension energy. At the exit of the turn, this accumulated energy is released, giving the ski enormous dynamics. Due to the specific stretching behavior of ash, the ski also adapts optimally to the surface. This results in the greatest possible stability and reliability, which makes the ski particularly smooth.



# RMOTION 3 GW

*Exclusive Marker Völkl plate-binding system for our new on-piste skis*

- BENEFITS**
- // Smooth & consistent drifting at moderate speed
  - // Tighter turns with less efforts at higher speeds



# DEDICATED BASE STRUCTURES

Vökl invests millions in a new base structure machine. Why?

## POLISHED SKI BASES ENHANCE ...

... greatest gliding characteristics  
... optimal base treatment options  
... long lasting effects


## DEDICATED SKI BASE STRUCTURES HAVE A STRONG EFFECT ON ...

... agile, precise & reliable turn initiation  
... tighter turns with less efforts  
... smooth drifting

After one year of intense testing we defined the following dedicated base structure for the relevant target groups / areas of use:


### ZEBRA STRUCTURE

on system / premounted skis with  
**narrower widths**



### BRUSHED STRUCTURE

on flat skis with  
**wider widths**



### STRUCTURE DEPTH

superficial —●— pronounced

Very pronounced & deep structure to offer the best possible precision & steering characteristics for an on-piste ski.

superficial ●— pronounced

Superficial & shallow structure matches with wide skis and their bigger bearing face  
> optimum agility & turning characteristics.



SCAN ME





NEW GRAPHIC  
NEW LENGTH



NEW GRAPHIC



NEW GRAPHIC  
NEW LENGTH



NEW GRAPHIC

RACETIGER  
GS MASTER



ART. NO.  
V2310001

- TECHNOLOGY**
- Tailored Carbon Tip
  - WC Ash Woodcore
  - 3D.Glass
  - Full Titanal
  - Full Sidewall
  - Base: P-Tex 4505
  - Base structure: Zebra structure
  - Plate System: WC Plate 10 mm

**SIDECUT**  
115\_67\_98


**LENGTH (RADIUS)**  
168 cm (15.4 m)  
173 cm (16.4 m)  
178 cm (17.5 m)  
183 cm (18.6 m)

**WEIGHT**  
2330g @178cm (w/plate)

MADE IN GERMANY

**CORE**  
Worldcup Ash Woodcore  
Ash 100%

**REC. BINDING**  
Marker Xcomp 16 GW  
MASTER



RACETIGER  
GS



ART. NO.  
V2310002

- TECHNOLOGY**
- Tailored Carbon Tips
  - Multilayer Woodcore
  - 3D.Glass
  - Full Titanal
  - Full Sidewall
  - Base: P-Tex 4504
  - Base structure: Zebra structure
  - Plate System: rMotion 3

**SIDECUT**  
115\_67\_98


**LENGTH (RADIUS)**  
168 cm (15.4 m)  
173 cm (16.4 m)  
178 cm (17.5 m)  
183 cm (18.6 m)

**WEIGHT**  
3100 g @ 178cm (w/Binding)

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
33% Poplar / 67% Beech

**REC. BINDING**  
rMotion 3 12 GW



RACETIGER  
SL MASTER



ART. NO.  
V2310003

- TECHNOLOGY**
- Tailored Carbon Tip
  - WC Ash Woodcore
  - 3D.Glass
  - Full Titanal
  - Full Sidewall
  - Base: P-Tex 4504
  - Base structure: Zebra structure
  - Marker WC Plate 10 mm

**SIDECUT**  
126\_67\_102


**LENGTH (RADIUS)**  
155 cm (11.0 m)  
165 cm (12.6 m)

**WEIGHT**  
2200g 165cm (w/plate)

MADE IN GERMANY

**CORE**  
Worldcup Ash Woodcore  
Ash 100%

**REC. BINDING**  
Marker Xcomp 16 GW  
MASTER



RACETIGER  
SL



ART. NO.  
V2310004

- TECHNOLOGY**
- Tailored Carbon Tips
  - Multilayer Woodcore
  - 3D.Glass
  - Full Titanal
  - Full Sidewall
  - Base: P-Tex 4504
  - Base structure: Zebra structure
  - Plate System: rMotion 3

**SIDECUT**  
126\_67\_102


**LENGTH (RADIUS)**  
150 cm (10.2 m)  
155 cm (11.0 m)  
160 cm (11.8 m)  
165 cm (12.6 m)  
170 cm (13.4 m)

**WEIGHT**  
3010 g @ 165cm (w/Binding)

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
33% Poplar / 67% Beech

**REC. BINDING**  
rMotion 3 12 GW





NEW



NEW



NEW



NEW



NEW

RACETIGER  
RC BLACK



ART. NO.  
V2310005

TECHNOLOGY

- Tailored Carbon Tip
- 3D.Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Plate System: vMotion 3
- Base: P-Tex 2100
- Base structure: Zebra structure

**SIDECUT** 123\_68\_102    **LENGTH (RADIUS)** 158 cm (11.8 m)

**SIDECUT** 122\_69\_100    **LENGTH (RADIUS)** 165 cm (13.9 m)  
172 cm (15.3 m)  
179 cm (16.8 m)

**WEIGHT**  
2960g @172cm (w/binding)


MADE IN GERMANY

CORE

Multilayer Woodcore  
Poplar / Beech

REC. BINDING

vMotion 3 12 GW  
vMotion 3 11 GW



RACETIGER  
RC RED



ART. NO.  
V2310006

TECHNOLOGY

- Tailored Carbon Tip
- 3D.Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Plate System: vMotion 3
- Base: P-Tex 2100
- Base structure: Zebra structure

**SIDECUT** 123\_68\_102    **LENGTH (RADIUS)** 158 cm (11.8 m)

**SIDECUT** 122\_69\_100    **LENGTH (RADIUS)** 165 cm (13.9 m)  
172 cm (15.3 m)  
179 cm (16.8 m)

**WEIGHT**  
2960g @172cm (w/binding)


MADE IN GERMANY

CORE

Multilayer Woodcore  
Poplar / Beech

REC. BINDING

vMotion 3 12 GW  
vMotion 3 11 GW



RACETIGER  
SC BLACK



ART. NO.  
V2310007

TECHNOLOGY

- Tailored Carbon Tip
- 3D.Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Plate System: vMotion 3
- Base: P-Tex 2100
- Base structure: Zebra structure

**SIDECUT** 123\_70\_103    **LENGTH (RADIUS)** 148 cm (10.2 m)  
153 cm (11.0 m)  
158 cm (11.8 m)  
165 cm (13.1 m)

**SIDECUT** 122\_69\_100    **LENGTH (RADIUS)** 172 cm (15.3 m)

**WEIGHT**  
2850g @165cm (w/binding)


MADE IN GERMANY

CORE

Multilayer Woodcore  
Poplar / Beech

REC. BINDING

vMotion 3 12 GW  
vMotion 3 11 GW



RACETIGER  
SC YELLOW



ART. NO.  
V2310008

TECHNOLOGY

- Tailored Carbon Tip
- 3D.Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Plate System: vMotion 3
- Base: P-Tex 2100
- Base structure: Zebra structure

**SIDECUT** 123\_70\_103    **LENGTH (RADIUS)** 148 cm (10.2 m)  
153 cm (11.0 m)  
158 cm (11.8 m)  
165 cm (13.1 m)

**SIDECUT** 122\_69\_100    **LENGTH (RADIUS)** 172 cm (15.3 m)

**WEIGHT**  
2850g @165cm (w/binding)


MADE IN GERMANY

CORE

Multilayer Woodcore  
Poplar / Beech

REC. BINDING

vMotion 3 12 GW  
vMotion 3 11 GW



RACETIGER  
SC WHITE



ART. NO.  
V2310011

TECHNOLOGY

- Tailored Carbon Tip
- 3D.Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Plate System: vMotion 3
- Base: P-Tex 2100
- Base structure: Zebra structure

**SIDECUT** 123\_70\_103    **LENGTH (RADIUS)** 148 cm (10.2 m)  
153 cm (11.0 m)  
158 cm (11.8 m)  
165 cm (13.1 m)

**SIDECUT** 122\_69\_100    **LENGTH (RADIUS)** 172 cm (15.3 m)

**WEIGHT**  
2850g @165cm (w/binding)


MADE IN GERMANY

CORE

Multilayer Woodcore  
Poplar / Beech

REC. BINDING

vMotion 3 12 GW  
vMotion 3 11 GW



\* Weight can vary slightly due to the production cycles.



RACETIGER SL R FIS

**ART. NO.**  
V2310840 (FLAT)  
V2310841 (w/Plate & UVO @155,157)  
V2310841 (w/Plate)

**TECHNOLOGY**

- UVO 3D WC (V2310841 @155, 157)
- Tailored Carbon Tip (165)
- Full Sidewall ABS
- Full Titanal
- Torsional Soft Tip 155
- Race Finish SL 0,7° / 87,6°
- Base: P-Tex 4504 / Zebra structure

| SIDECUT        | LENGTH (RADIUS)                 |
|----------------|---------------------------------|
| 113_65_98.5    | 155 cm (12 m)<br>10 mm WC Plate |
| SIDECUT        | LENGTH (RADIUS)                 |
| 116_65_100     | 157 cm (12 m)<br>10 mm WC Plate |
| SIDECUT        | LENGTH (RADIUS)                 |
| 118.5-64.5-101 | 165 cm (12 m)<br>14 mm WC Plate |
| WEIGHT         | 2070 g* @ 155 cm (w/plate)      |

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
Beech / Poplar 70/30 (165cm)  
Beech / Poplar 66/33 (155cm, 157cm)

**REC. BINDING**  
Marker Xcomp 24, 18, 16

For recommended use & complying FIS check out our MDV race folder



RACETIGER SL R WC FIS

**ART. NO.**  
V2310850 (FLAT)  
V2310851 (w/plate & UVO @155, 157)  
V2310851 (w/plate @165)

**TECHNOLOGY**

- UVO 3D WC (V2310851 @155, 157)
- Tailored Carbon Tip (165)
- Full Sidewall ABS 155, 157
- Full Sidewall Phenol 165
- Full Titanal
- Torsional Soft Tip 155
- Race Finish SL 0,7° / 87,6° (V2310851)
- Base: P-Tex 2510
- Zebra structure (V2310851)

| SIDECUT        | LENGTH (RADIUS)                 |
|----------------|---------------------------------|
| 113_65_98.5    | 155 cm (12 m)<br>10 mm WC Plate |
| SIDECUT        | LENGTH (RADIUS)                 |
| 116_65.2_102   | 157 cm (12 m)<br>10 mm WC Plate |
| SIDECUT        | LENGTH (RADIUS)                 |
| 118.5-64.5-101 | 165 cm (12 m)<br>14 mm WC Plate |
| WEIGHT         | 2060 g* @ 155 cm (w/plate)      |

MADE IN GERMANY

**CORE**  
Worldcup Woodcore  
Ash/Poplar 50/50

**REC. BINDING**  
Marker Xcomp 24, 18, 16

For recommended use & complying FIS check out our MDV race folder



RACETIGER SL R JR

**ART. NO.**  
V2310800

**TECHNOLOGY**

- Full Sidewall ABS
- Torsional Soft Tip
- Full Titanal
- Grown Layup
- Base: P-Tex 4504/ Zebra structure

| SIDECUT     | LENGTH (RADIUS)                                        |
|-------------|--------------------------------------------------------|
| 113_64.5_93 | 122 cm (7 m) - JR Plate S<br>129 cm (9 m) - JR Plate S |

| SIDECUT     | LENGTH (RADIUS)       |
|-------------|-----------------------|
| 113_64.5_93 | 136 (10) - JR Plate L |

| SIDECUT     | LENGTH (RADIUS)                                          |
|-------------|----------------------------------------------------------|
| 115_64.5_96 | 143 cm (10 m) - JR Plate L<br>150 cm (12 m) - JR Plate L |

| WEIGHT                     |
|----------------------------|
| 1180 g* @ 122 cm (w/plate) |

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
Beech / Poplar 50 / 50 (122cm-129cm)  
Beech Poplar 66/33 (136cm-150cm)

**REC. BINDING**  
Marker Race JR 8  
Marker Race 10 XTD  
Marker Xcomp 12

For recommended use & complying FIS check out our MDV race folder



RACETIGER GSL R JR

**ART. NO.**  
V2310801

**TECHNOLOGY**

- Full Sidewall ABS
- Base: P-Tex 4504/ Zebra structure

| SIDECUT     | LENGTH (RADIUS)             |
|-------------|-----------------------------|
| 111_64.5_91 | 118 cm (7.5 m) - JR Plate S |


| WEIGHT                     |
|----------------------------|
| 1050 g* @ 118 cm (w/plate) |

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
Beech / Poplar 50 / 50

**REC. BINDING**  
Marker Race JR 8

For recommended use & complying FIS check out our MDV race folder



RACETIGER GS R WC FIS

**ART. NO.**  
V2310860 (FLAT)  
V2310861 (w/plate)

**TECHNOLOGY**

- Tailored Carbon Tip
- Full Sidewall ABS 188
- Full Sidewall Phenol 193
- Full Titanal
- Race Finish GS 1,1° / 87,6° (V2310861)
- Base: P-Tex 2510
- Zebra structure (V2310861)

| SIDECUT      | LENGTH (RADIUS) |
|--------------|-----------------|
| TBA          | 188 cm (30 m)   |
| 99.5_65_84.3 | 193 cm (30 m)   |

| WEIGHT                     |
|----------------------------|
| 2706 g* @ 193 cm (w/plate) |

MADE IN GERMANY

**CORE**  
Worldcup Ash Woodcore  
100% Ash

**REC. BINDING**  
Marker Xcomp 24, 18, 16

For recommended use & complying FIS check out our MDV race folder



RACETIGER GS R

**ART. NO.**  
V2310820 (w/plate)

**TECHNOLOGY**

- Tailored Carbon Tip
- Full Sidewall ABS
- Full Titanal
- Race Finish GS 1,1° / 87,6°
- Base: P-Tex 4504
- Zebra structure

| SIDECUT     | LENGTH (RADIUS) |
|-------------|-----------------|
| 104_64.5_87 | 174 cm (21 m)   |
| 104_64.5_86 | 178 cm (23 m)   |
| 102_64.5_86 | 183 cm (25 m)   |
| 101_64.5_85 | 188 cm (27.5 m) |

| WEIGHT                     |
|----------------------------|
| 2329 g* @ 183 cm (w/plate) |

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
Beech / Poplar 70/30

**REC. BINDING**  
Marker Xcomp 16, 12

For recommended use & complying FIS check out our MDV race folder



RACETIGER GS R JR

**ART. NO.**  
V2310810

**TECHNOLOGY**

- Full Sidewall ABS
- Full Titanal
- Grown Layup
- Base: P-Tex 4504/ Zebra structure

| SIDECUT   | LENGTH (RADIUS)            |
|-----------|----------------------------|
| 102_65_84 | 130 cm (12 m) - JR Plate S |
| 102_65_84 | 137 cm (14 m) - JR Plate L |
| 102_65_84 | 144 cm (15 m) - JR Plate L |
| 102_65_84 | 151 cm (17 m) - JR Plate L |
| 104_65_86 | 158 cm (17 m) - JR Plate L |
| 106_64_87 | 165 cm (18 m) - JR Plate L |
| 106_64_87 | 170 cm (19 m) - JR Plate L |

| WEIGHT                     |
|----------------------------|
| 1750 g* @ 170 cm (w/plate) |

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
Beech / Poplar 50 / 50 (130 cm - 151 cm)  
Beech / Poplar 70 / 30 (158 cm - 170 cm)

**REC. BINDING**  
Marker Xcomp 12  
Marker Race 10 TCX  
Marker Race JR 8

For recommended use & complying FIS check out our MDV race folder



ALL MOUNTAIN PISTE

ALL MOUNTAIN PISTE



## DEACON 76 MASTER



ART. NO.  
V2310020

- TECHNOLOGY**
- Tailored Carbon Tips
  - 3D.Glass
  - Full Titanal
  - Full Sidewall
  - Base: P-Tex 4505
  - Base structure: Zebra structure
  - Plate System: WC Plate 10 mm

**SIDECUT**  
124\_76\_104


**LENGTH (RADIUS)**  
176 cm (17.6 m)  
181 cm (18.7 m)

**WEIGHT**  
2420g @176cm (w/plate)

MADE IN GERMANY

**CORE**  
Worldcup Ash Woodcore  
Ash 100%

**REC. BINDING**  
Marker Xcomp 16 GW



SKIER LEVEL: <BEGINNER | PROFESSIONAL>

## DEACON 76 BLACK



ART. NO.  
V2310021

- TECHNOLOGY**
- Tailored Carbon Tips
  - 3D.Glass
  - Full Titanal
  - Full Sidewall
  - Base: P-Tex 4504
  - Base structure: Zebra structure
  - Plate System: rMotion 3

**SIDECUT**  
124\_76\_104


**LENGTH (RADIUS)**  
171 cm (16.5 m)  
176 cm (17.6 m)  
181 cm (18.7 m)

**WEIGHT**  
3280 g @ 176cm (w/Binding)

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
Beech 67% / Poplar 33%

**REC. BINDING**  
rMotion 3 12 GW



SKIER LEVEL: <BEGINNER | PROFESSIONAL>

## DEACON 76



ART. NO.  
V2310022

- TECHNOLOGY**
- Tailored Carbon Tip
  - 3D.Glass
  - Full Titanal
  - Full Sidewall
  - Base: P-Tex 4504
  - Base structure: Zebra structure
  - Plate System: rMotion 3

**SIDECUT**  
124\_76\_104


**LENGTH (RADIUS)**  
171cm (16.5 m)  
176cm (17.6 m)  
181cm (18.7 m)

**WEIGHT**  
3280 g @ 176cm (w/Binding)

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
Beech 67% / Poplar 33%

**REC. BINDING**  
rMotion 3 12 GW



SKIER LEVEL: <BEGINNER | PROFESSIONAL>

## DEACON 72 MASTER



ART. NO.  
V2310023

- TECHNOLOGY**
- Tailored Carbon Tips
  - 3D.Glass
  - Full Titanal
  - Full Sidewall
  - Base: P-Tex 4504
  - Base structure: Zebra structure
  - Plate System: WC Plate 10 mm

**SIDECUT**  
125\_72\_103


**LENGTH (RADIUS)**  
168 cm (14.5 m)  
173 cm (15.4 m)  
178 cm (16.4 m)

**WEIGHT**  
2440g @173cm (w/plate)

MADE IN GERMANY

**CORE**  
Worldcup Ash Woodcore  
Ash 100%

**REC. BINDING**  
Marker Xcomp 16 GW Pink  
Marker Xcomp 12 GW Black



SKIER LEVEL: <BEGINNER | PROFESSIONAL>

## DEACON 72 BLACK



ART. NO.  
V2310024

- TECHNOLOGY**
- Tailored Carbon Tips
  - 3D.Glass
  - Full Titanal
  - Full Sidewall
  - Base: P-Tex 4504
  - Base structure: Zebra structure
  - Plate System: Rmotion 3

**SIDECUT**  
125\_72\_103


**LENGTH (RADIUS)**  
158 cm (12.7 m)  
163 cm (13.5 m)  
168 cm (14.5 m)  
173 cm (15.4 m)  
178 cm (16.4 m)

**WEIGHT**  
3190 g @ 173cm (w/Binding)

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
Beech 67% / Poplar 33%

**REC. BINDING**  
rMotion 3 12 GW



SKIER LEVEL: <BEGINNER | PROFESSIONAL>

## DEACON 72



ART. NO.  
V2310025

- TECHNOLOGY**
- Tailored Carbon Tips
  - 3D.Glass
  - Full Titanal
  - Full Sidewall
  - Base: P-Tex 4504
  - Base structure: Zebra structure
  - Plate System: Rmotion 3

**SIDECUT**  
125\_72\_103


**LENGTH (RADIUS)**  
158 cm (12.7 m)  
163 cm (13.5 m)  
168 cm (14.5 m)  
173 cm (15.4 m)  
178 cm (16.4 m)

**WEIGHT**  
3190 g @ 173cm (w/Binding)

MADE IN GERMANY

**CORE**  
Multilayer Woodcore  
Beech 67% / Poplar 33%

**REC. BINDING**  
rMotion 3 12 GW



SKIER LEVEL: <BEGINNER | PROFESSIONAL>

\* Weight can vary slightly due to the production cycles.



NEW GRAPHIC

DEACON 75



ART. NO. V2310026

- TECHNOLOGY
- Full Sidewall / Mini Cap
  - Steel Band
  - Base: P-Tex 2100
  - Base structure: Zebra structure

SIDECUT 126\_75\_105


LENGTH (RADIUS)  
154 cm (12.2 m)  
161 cm (13.5 m)  
168 cm (15.0 m)  
175 cm (16.5 m)

WEIGHT 2513 g\* @ 154 cm (w/binding)

MADE IN GERMANY

CORE Woodcore

REC. BINDING vMotion 3 12 GW



NEW GRAPHIC

DEACON XTD



ART. NO. V2310027

- TECHNOLOGY
- Center Sidewall
  - Plate System vMotion2
  - Base: P-Tex 2100
  - Base structure: Zebra structure

SIDECUT 124\_76\_105


LENGTH (RADIUS)  
154 cm (12.7 m)  
161 cm (14.2 m)  
168 cm (15.7 m)  
175 cm (17.3 m)

WEIGHT 2473 g\* @ 154 cm (w/binding)

MADE IN GERMANY

CORE Dual Woodcore

REC. BINDING vMotion 10 GW



NEW GRAPHIC

DEACON XT



ART. NO. V2310028

- TECHNOLOGY
- Center Sidewall
  - Plate System vMotion1
  - Base: P-Tex 2100
  - Base structure: Zebra structure

SIDECUT 124\_76\_105


LENGTH (RADIUS)  
154 cm (12.7 m)  
161 cm (14.2 m)  
168 cm (15.7 m)  
175 cm (17.3 m)

WEIGHT 2362 g\* @ 154 cm (w/binding)

MADE IN GERMANY

CORE Woodcore

REC. BINDING vMotion 10 GW



NEW GRAPHIC

DEACON X



ART. NO. V2310029

- TECHNOLOGY
- Center Sidewall
  - Plate System vMotion1
  - Base: P-Tex 2100
  - Base structure: Zebra structure

SIDECUT 123\_72\_105


LENGTH (RADIUS)  
151 cm (11.4 m)  
158 cm (12.7 m)  
165 cm (14.0 m)  
172 cm (15.5 m)

WEIGHT 2342 g\* @ 151 cm (w/binding)

MADE IN GERMANY

CORE Composite Core

REC. BINDING vMotion 10 GW



DEACON V.WERKS



ART. NO. 120215

- TECHNOLOGY
- Tailored Carbon Tips & Tails
  - 3D.Ridge
  - 3D.Glass
  - Full Sidewall
  - 3D Radius Sidecut
  - Titanal Frame
  - Binding System Lowride XL
  - Base: P-Tex 4504
  - Base structure: Diagonal structure

SIDECUT 132\_84\_115

LENGTH (3D RADIUS)


|    | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R1 | 167 cm (21 m) | 13 m | 18 m |    |
| R2 | 172 cm (23 m) | 14 m | 19 m |    |
|    | 177 cm (24 m) | 15 m | 21 m |    |
| R3 | 182 cm (25 m) | 16 m | 22 m |    |

WEIGHT 2880 g\* @ 177 cm (w/binding)

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore

REC. BINDING Lowride XL 13 FR VWerks Demo GW



NEW GRAPHIC

DEACON 84



ART. NO. V2310041

- TECHNOLOGY
- 3D.Ridge
  - 3D.Glass
  - Full Sidewall
  - 3D Radius Sidecut
  - Titanal Frame
  - Binding System Lowride XL
  - Base: P-Tex 4504
  - Base structure: Zebra structure

SIDECUT 132\_84\_115

LENGTH (3D RADIUS)


|    | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R1 | 162 cm (20 m) | 12 m | 17 m |    |
| R2 | 167 cm (21 m) | 13 m | 18 m |    |
|    | 172 cm (23 m) | 14 m | 19 m |    |
|    | 177 cm (24 m) | 15 m | 21 m |    |
| R3 | 182 cm (26 m) | 16 m | 22 m |    |

WEIGHT 3140 g\* @ 177 cm (w/binding)

MADE IN GERMANY

CORE Multilayer Woodcore

REC. BINDING Lowride XL 13 FR Demo GW



NEW GRAPHIC

DEACON 80



ART. NO. V2310042

- TECHNOLOGY
- 3D.Ridge
  - 3D.Glass
  - Full Sidewall
  - 3D Radius Sidecut
  - Glass Frame
  - Binding System Lowride XL
  - Powered by Steel
  - Base: P-Tex 2100
  - Base structure: Zebra structure

SIDECUT 128\_80\_111

LENGTH (3D RADIUS)


|    | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R1 | 162 cm (20 m) | 12 m | 17 m |    |
| R2 | 167 cm (21 m) | 13 m | 18 m |    |
|    | 172 cm (23 m) | 14 m | 19 m |    |
|    | 177 cm (24 m) | 15 m | 21 m |    |
| R3 | 182 cm (26 m) | 16 m | 22 m |    |

WEIGHT 3080 g\* @ 177 cm (w/binding)

MADE IN GERMANY

CORE Multilayer Woodcore

REC. BINDING Lowride XL 13 FR Demo GW



NEW GRAPHIC

DEACON 79



ART. NO. V2310043

- TECHNOLOGY
- 3D.Ridge
  - Center Sidewall
  - 3D Radius Sidecut
  - Glass Frame
  - Binding System Wideride XL
  - Powered by Steel
  - Base: P-Tex 2100
  - Base structure: Zebra structure

SIDECUT 129\_79\_109


LENGTH (3D RADIUS)  
156 cm (12.7 m)  
163 cm (14.1 m)  
170 cm (15.6 m)  
177 cm (17.1 m)

WEIGHT 3080 g\* @ 177 cm (w/binding)

MADE IN GERMANY

CORE Dual Woodcore

REC. BINDING iPT WR XL 12 TCX GW







**TIP & TAIL  
ROCKER**

**ART. NO.**  
V2310114

- ### TECHNOLOGY
- 3D Radius Sidecut
  - Full Sidewall
  - Glass Frame
  - Titanal Binding Platform
  - Base: P-Tex 2100
  - Base structure: Brushed structure

**SIDECUT**  
125\_84\_107

**LENGTH (3D RADIUS)**


| R1 | Length | R1    | R2   | R3    |
|----|--------|-------|------|-------|
| R2 | 161 cm | (19 m | 14 m | 17 m) |
|    | 168 cm | (21 m | 15 m | 19 m) |
|    | 175 cm | (25 m | 17 m | 20 m) |
| R3 | 182 cm | (26 m | 19 m | 24 m) |

**WEIGHT**  
1420 g\* @ 161 cm

**MADE IN GERMANY**

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Griffon 90  
Squire 11 ID; 90 mm



SKIER LEVEL  <BEGINNER PROFESSIONAL>



SECRET 102

ART. NO.  
V2310115

- TECHNOLOGY**
- 3D Radius Sidecut
  - Full Sidewall
  - Tailored Titanal Frame
  - Tailored Carbon Tips
  - Base: P-Tex 2100
  - Base structure: Brushed structure

**SIDECUT**  
142\_102\_124

LENGTH (RADIUS)


| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 156 cm (20 m) | 13 m | 19 m |    |
|    | 163 cm (23 m) | 14 m | 21 m |    |
|    | 170 cm (26 m) | 16 m | 23 m |    |
| R3 | 177 cm (28 m) | 18 m | 26 m |    |

**WEIGHT**  
TBA

MADE IN GERMANY

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Griffon 13 ID; 110 mm



SECRET 96

ART. NO.  
V2310116

- TECHNOLOGY**
- 3D Radius Sidecut
  - Full Sidewall
  - Tailored Titanal Frame
  - Tailored Carbon Tips
  - Base: P-Tex 2100
  - Base structure: Brushed structure

**SIDECUT**  
135\_96\_119

LENGTH (RADIUS)


| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 149 cm (19 m) | 11 m | 16 m |    |
|    | 156 cm (21 m) | 13 m | 18 m |    |
|    | 163 cm (24 m) | 14 m | 20 m |    |
|    | 170 cm (27 m) | 16 m | 22 m |    |
| R3 | 177 cm (30 m) | 18 m | 24 m |    |

**WEIGHT**  
1723 g\* @ 156

MADE IN GERMANY

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Griffon 100  
Squire 11 ID



KENJA 88

ART. NO.  
V2310117

- TECHNOLOGY**
- Tailored Carbon Tips
  - Tailored Titanal Frame
  - 3D Radius Sidecut
  - Full Sidewall
  - Base: P-Tex 2100
  - Base structure: Brushed structure

**SIDECUT**  
129\_88\_113

LENGTH (RADIUS)


| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 149 cm (20 m) | 11 m | 16 m |    |
|    | 156 cm (21 m) | 12 m | 19 m |    |
|    | 163 cm (23 m) | 13 m | 21 m |    |
| R3 | 170 cm (26 m) | 15 m | 23 m |    |

**WEIGHT**  
1701 g\* @ 163 cm

MADE IN GERMANY

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Griffon 90  
Squire 11 ID; 90 mm



YUMI 84

ART. NO.  
V2310118

- TECHNOLOGY**
- 3D Radius Sidecut
  - Full Sidewall
  - Glass Frame
  - Titanal Binding Platform
  - Base: P-Tex 2100
  - Base structure: Brushed structure

**SIDECUT**  
125\_84\_107

LENGTH (RADIUS)


| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 147 cm (16 m) | 11 m | 14 m |    |
|    | 154 cm (18 m) | 13 m | 16 m |    |
|    | 161 cm (19 m) | 14 m | 17 m |    |
| R3 | 168 cm (21 m) | 15 m | 19 m |    |

**WEIGHT**  
1290 g\* @ 147 cm

MADE IN GERMANY

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Squire 11 ID; 90 mm



YUMI 80

ART. NO.  
V2310119

- TECHNOLOGY**
- 3D Radius Sidecut
  - Full Sidewall
  - Glass Frame
  - Base: P-Tex 2100
  - Base structure: Brushed structure

**SIDECUT**  
121\_80\_103

LENGTH (RADIUS)


| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 147 cm (16 m) | 11 m | 14 m |    |
|    | 154 cm (18 m) | 13 m | 16 m |    |
|    | 161 cm (19 m) | 14 m | 17 m |    |
| R3 | 168 cm (21 m) | 15 m | 19 m |    |

**WEIGHT**  
1240 g\* @ 147 cm

MADE IN GERMANY

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Squire 11 ID; 90 mm



\* Weight can vary slightly due to the production cycles.



ALL MOUNTAIN FREERIDE



NEW

BLAZE 114



ART. NO. V2310131

- TECHNOLOGY
- 3D Radius Sidecut
  - Full Sidewall
  - Titanal Binding Platform
  - Suspension Tips & Tails
  - Base: P-Tex 2100
  - Base structure: Brushed structure

SIDECUT 154\_114\_136

LENGTH (3D RADIUS)

| R1 | Length | R1    | R2   | R3    |
|----|--------|-------|------|-------|
| R2 | 176 cm | (35 m | 17 m | 27 m) |
|    | 184 cm | (39 m | 18 m | 29 m) |
|    | 192 cm | (43 m | 20 m | 32 m) |


WEIGHT 1995g\* @184cm

OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore Green Core

REC. BINDING MARKER Jester 120 / Griffon 120 / Duke PT / KINGPIN / KINGPIN MWorks



NEW GRAPHIC

BLAZE 106



ART. NO. V2310132

- TECHNOLOGY
- 3D Radius Sidecut
  - Full Sidewall
  - Titanal Binding Platform
  - Suspension Tips & Tails
  - Base: P-Tex 2100
  - Base structure: Brushed structure

SIDECUT 146\_106\_128

LENGTH (3D RADIUS)

| R1 | Length | R1    | R2   | R3    |
|----|--------|-------|------|-------|
| R2 | 165 cm | (29 m | 14 m | 23 m) |
|    | 172 cm | (33 m | 16 m | 25 m) |
|    | 179 cm | (36 m | 17 m | 28 m) |


WEIGHT 1593 g\* @ 165 cm

OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore

REC. BINDING MARKER Jester 120 / Griffon 120 / Duke PT / KINGPIN / KINGPIN MWorks



NEW GRAPHIC

BLAZE 106 W



ART. NO. V2310133

- TECHNOLOGY
- 3D Radius Sidecut
  - Full Sidewall
  - Titanal Binding Platform
  - Suspension Tips & Tails
  - Base: P-Tex 2100
  - Base structure: Brushed structure

SIDECUT 146\_106\_128

LENGTH (3D RADIUS)

| R1 | Length | R1    | R2   | R3    |
|----|--------|-------|------|-------|
| R2 | 158 cm | (27 m | 13 m | 21 m) |
|    | 165 cm | (29 m | 14 m | 23 m) |
|    | 172 cm | (33 m | 16 m | 25 m) |

WEIGHT 1592 g\* @ 165 cm

OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore

REC. BINDING MARKER Griffon 120 / Duke PT / KINGPIN / KINGPIN MWorks



NEW GRAPHIC

BLAZE 94



ART. NO. V2310134

- TECHNOLOGY
- 3D Radius Sidecut
  - Full Sidewall
  - Titanal Binding Platform
  - Suspension Tips & Tails
  - Base: P-Tex 2100
  - Base structure: Brushed structure

SIDECUT 134\_94\_116

LENGTH (3D RADIUS)

| R1 | Length | R1    | R2   | R3    |
|----|--------|-------|------|-------|
| R2 | 158 cm | (31 m | 13 m | 23 m) |
|    | 165 cm | (33 m | 14 m | 25 m) |
|    | 172 cm | (37 m | 15 m | 27 m) |


WEIGHT 1455 g\* @ 165 cm

OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore

REC. BINDING Jester 100 / Griffon 100 / Duke PT / KINGPIN / KINGPIN MWorks



NEW GRAPHIC

BLAZE 94 W



ART. NO. V2310135

- TECHNOLOGY
- 3D Radius Sidecut
  - Full Sidewall
  - Titanal Binding Platform
  - Suspension Tips & Tails
  - Base: P-Tex 2100
  - Base structure: Brushed structure

SIDECUT 134\_94\_116

LENGTH (3D RADIUS)

| R1 | Length | R1    | R2   | R3    |
|----|--------|-------|------|-------|
| R2 | 158 cm | (31 m | 13 m | 23 m) |
|    | 165 cm | (33 m | 14 m | 25 m) |
|    | 172 cm | (37 m | 15 m | 27 m) |


WEIGHT 1455 g\* @ 165 cm

OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore

REC. BINDING Griffon 100 / Duke PT / KINGPIN / KINGPIN MWorks



\* Weight can vary slightly due to the production cycles.



NEW GRAPHIC



NEW GRAPHIC



NEW



NEW

BLAZE 86



ART. NO. V2310136

- TECHNOLOGY
- 3D Radius Sidecut
  - Full Sidewall
  - Suspension Tips & Tails
  - Base: P-Tex 2100
  - Base structure: Brushed structure

SIDECUT 129\_86\_111

LENGTH (3D RADIUS)


| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 159 cm (22 m) | 12 m | 19 m |    |
|    | 166 cm (25 m) | 13 m | 21 m |    |
|    | 173 cm (28 m) | 15 m | 23 m |    |
| R3 | 180 cm (30 m) | 16 m | 25 m |    |

WEIGHT 1430 g\* @ 173 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Multilayer Woodcore Light

REC. BINDING MARKER Griffon 90 / SQUIRE 90 / KINGPIN / KINGPIN MWorks



\* Weight can vary slightly due to the production cycles.

BLAZE 86 W



ART. NO. V2310137

- TECHNOLOGY
- 3D Radius Sidecut
  - Full Sidewall
  - Suspension Tips & Tails
  - Base: P-Tex 2100
  - Base structure: Brushed structure

SIDECUT 129\_86\_111

LENGTH (3D RADIUS)


| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 146 cm (18 m) | 10 m | 15 m |    |
|    | 152 cm (20 m) | 11 m | 17 m |    |
|    | 159 cm (22 m) | 12 m | 19 m |    |
| R3 | 166 cm (25 m) | 13 m | 21 m |    |

WEIGHT 1290 g\* @ 154 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Multilayer Woodcore Light

REC. BINDING MARKER Griffon 90 / SQUIRE 90 / KINGPIN / KINGPIN MWorks



BLAZE 82



ART. NO. V2310138

- TECHNOLOGY
- 3D Radius Sidecut
  - Full Sidewall
  - Suspension Tips & Tails
  - Base: P-Tex 2100
  - Base structure: Brushed structure

SIDECUT 125\_82\_107

LENGTH (3D RADIUS)


| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 159 cm (22 m) | 12 m | 19 m |    |
|    | 166 cm (25 m) | 13 m | 21 m |    |
|    | 173 cm (28 m) | 15 m | 23 m |    |
| R3 | 180 cm (30 m) | 16 m | 25 m |    |

WEIGHT 1455 g\* @ 173 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Multilayer Woodcore Light

REC. BINDING MARKER Griffon 90 / SQUIRE 90 / KINGPIN / KINGPIN MWorks



BLAZE 82 W



ART. NO. V2310139

- TECHNOLOGY
- 3D Radius Sidecut
  - Full Sidewall
  - Suspension Tips & Tails
  - Base: P-Tex 2100
  - Base structure: Brushed structure

SIDECUT 125\_82\_107

LENGTH (3D RADIUS)


| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 146 cm (18 m) | 10 m | 15 m |    |
|    | 152 cm (20 m) | 11 m | 17 m |    |
|    | 159 cm (22 m) | 12 m | 19 m |    |
| R3 | 166 cm (25 m) | 13 m | 21 m |    |

WEIGHT 1378 g\* @ 166 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Multilayer Woodcore Light

REC. BINDING MARKER Griffon 90 / SQUIRE 90 / KINGPIN / KINGPIN MWorks





BMT 90

ART. NO. 122384

- TECHNOLOGY
- 3D Ridge Carbon
  - Center Sidewall
  - ICE OFF Topsheet
  - Full Carbon Jacket
  - Base: P-Tex 4504
  - Base structure: Brushed structure



SIDECUT

127\_90\_109


LENGTH (RADIUS)  
163 cm (15.6 m)  
170 cm (17.6 m)  
177 cm (19.6 m)  
184 cm (21.8 m)

WEIGHT 1250 g\* @ 163 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Multilayer Woodcore Light

REC. BINDING Marker Kingpin Marker Duke PT



RISE BEYOND 96

ART. NO. 122370


- TECHNOLOGY
- 3D Radius Sidecut
  - Smart Skinclip
  - Base: P-Tex 2100
  - Base structure: Brushed structure



SIDECUT

138\_96\_119

LENGTH (3D RADIUS)




WEIGHT 1262 g\* @ 170 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Multilayer Woodcore Light

REC. BINDING Marker Kingpin Marker Alpinist



RISE BEYOND 96 W

ART. NO. 122371


- TECHNOLOGY
- 3D Radius Sidecut
  - Smart Skinclip
  - Base: P-Tex 2100
  - Base structure: Brushed structure



SIDECUT

138\_96\_119

LENGTH (3D RADIUS)




WEIGHT 1122 g\* @ 156 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Multilayer Woodcore Light

REC. BINDING Marker Kingpin Marker Alpinist



RISE HIGH 88

ART. NO. 122372

- TECHNOLOGY
- Full Carbon Jacket
  - Smart Skinclip
  - Base: P-Tex 2100
  - Base structure: Brushed structure



SIDECUT

127\_88\_106


LENGTH (RADIUS)  
160 cm (16.3 m)  
170 cm (18.9 m)  
180 cm (21.6 m)

WEIGHT 1005 g\* @ 160 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore

REC. BINDING Marker Alpinist



RISE ABOVE 88

ART. NO. 122374


- TECHNOLOGY
- 3D Radius Sidecut
  - Smart Skinclip
  - Full Sidewall
  - Base: P-Tex 2100
  - Base structure: Brushed structure



SIDECUT

130\_6\_88\_111.4

LENGTH (3D RADIUS)




WEIGHT 1187 g\* @ 177 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore

REC. BINDING Marker Alpinist



RISE ABOVE 88 W

ART. NO. 122376


- TECHNOLOGY
- 3D Radius Sidecut
  - Smart Skinclip
  - Full Sidewall
  - Base: P-Tex 2100
  - Base structure: Brushed structure



SIDECUT

130\_6\_88\_111.4

LENGTH (3D RADIUS)




WEIGHT 1187 g\* @ 170 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore

REC. BINDING Marker Alpinist



RISE UP 82

ART. NO. 122378


- TECHNOLOGY
- 3D Radius Sidecut
  - Smart Skinclip
  - Full Sidewall
  - Base: P-Tex 2100
  - Base structure: Brushed structure



SIDECUT

124\_6\_82\_105.4

LENGTH (3D RADIUS)




WEIGHT 1081 g\* @ 163 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore

REC. BINDING Marker Alpinist



RISE UP 82 W

ART. NO. 122380


- TECHNOLOGY
- 3D Radius Sidecut
  - Smart Skinclip
  - Full Sidewall
  - Base: P-Tex 2100
  - Base structure: Brushed structure



SIDECUT

124\_6\_82\_105.4

LENGTH (3D RADIUS)




WEIGHT 1081 g\* @ 163 cm      OPTIONAL Pre-cut skin avail.

MADE IN GERMANY

CORE Hybrid Multilayer Woodcore

REC. BINDING Marker Alpinist



\* Weight can vary slightly due to the production cycles.

\* Weight can vary slightly due to the production cycles.



FREE



NEW



NEW

REVOLT 114



ART. NO. V2310151

- TECHNOLOGY**
- 3D Radius Sidecut
  - Full Sidewall / Mini Cap
  - Twin Tip
  - Base: P-Tex 3000
  - Base structure: Brushed structure

**SIDECUT** 146\_114\_128

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 177 cm (22 m) | 18 m | 21 m |    |
|    | 184 cm (25 m) | 19 m | 22 m |    |
| R3 | 191 cm (28 m) | 21 m | 25 m |    |

**WEIGHT** 2251 g\* @ 177 cm

**CORE** Multilayer Woodcore

**REC. BINDING** Marker rec. Royal Family



REVOLT 96



ART. NO. V2310153

- TECHNOLOGY**
- 3D Radius Sidecut
  - Full Sidewall / Mini Cap
  - Twin Tip
  - Base: P-Tex 3000
  - Base structure: Brushed structure

**SIDECUT** 126\_96\_117



**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 157 cm (16 m) | 13 m | 14 m |    |
|    | 165 cm (18 m) | 15 m | 17 m |    |
|    | 173 cm (20 m) | 17 m | 19 m |    |
| R3 | 181 cm (23 m) | 20 m | 22 m |    |

**WEIGHT** 1920 g\* @ 173 cm

**CORE** Multilayer Woodcore

**REC. BINDING** Marker rec. Royal Family



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC

REVOLT 121



ART. NO. V2310150

- TECHNOLOGY**
- 3D Radius Sidecut
  - Full Sidewall / Mini Cap
  - Twin Tip
  - Base: P-Tex 3000
  - Base structure: Brushed structure

**SIDECUT** 143\_121\_135

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 177 cm (19 m) | 17 m | 18 m |    |
|    | 184 cm (20 m) | 19 m | 20 m |    |
| R3 | 191 cm (23 m) | 22 m | 22 m |    |

**WEIGHT** 2220 g\* @ 177 cm

**CORE** Multilayer Woodcore

**REC. BINDING** Marker rec. Royal Family



REVOLT 104



ART. NO. V2310152

- TECHNOLOGY**
- 3D Radius Sidecut
  - Full Sidewall / Mini Cap
  - Twin Tip
  - Base: P-Tex 2100
  - Base structure: Brushed structure

**SIDECUT** 132\_104\_122

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 172 cm (22 m) | 17 m | 19 m |    |
|    | 180 cm (24 m) | 19 m | 22 m |    |
| R3 | 188 cm (27 m) | 21 m | 25 m |    |

**WEIGHT** 2030 g\* @ 180 cm

**CORE** Multilayer Woodcore

**REC. BINDING** Marker rec. Royal Family



REVOLT 90



ART. NO. V2310154

- TECHNOLOGY**
- Cap Sidewall
  - Tough Sidewall construction
  - Twin Tip
  - Base: P-Tex 4504
  - Base structure: Brushed structure

**SIDECUT** 118\_90\_118


**LENGTH (RADIUS)**

|                 |
|-----------------|
| 168 cm (18.2 m) |
| 174 cm (19.5 m) |
| 180 cm (21.5 m) |
| 186 cm (23.0 m) |

**WEIGHT**

**CORE** Light Swingweight Woodcore

**REC. BINDING** Marker rec. Royal Family



\* Weight can vary slightly due to the production cycles.



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC

REVOLT 84



**ART. NO.**  
V2310155

**TECHNOLOGY**

- Full Sidewall mini Cap
- Twin Tip
- Base: P-Tex 4504
- Base structure: Brushed structure

**SIDECUT**  
110\_84\_110

**LENGTH (RADIUS)**  
174 cm (21.0 m)  
180 cm (23.2 m)  
186 cm (24.7 m)

WEIGHT

REVOLT 86 SCORPION



**ART. NO.**  
V2310160

**TECHNOLOGY**

- Cap Sidewall
- Twin Tip
- Base: P-Tex 3000
- Base structure: Brushed structure

**SIDECUT**  
120\_86\_110

**LENGTH (RADIUS)**  
148 cm (14.8 m)  
156 cm (16.6 m)  
164 cm (18.5 m)  
172 cm (21.2 m)  
180 cm (23.3 m)

**WEIGHT**  
1860 g\* @ 180 cm

MADE IN GERMANY

**CORE**  
Light Swingweight Woodcore

**REC. BINDING**  
Marker rec. Royal Family



REVOLT 86 CROWN



**ART. NO.**  
V2310161

**TECHNOLOGY**

- Cap Sidewall
- Twin Tip
- Base: P-Tex 3000
- Base structure: Brushed structure

**SIDECUT**  
120\_86\_110


**LENGTH (RADIUS)**  
148 cm (14.8 m)  
156 cm (16.6 m)  
164 cm (18.5 m)  
172 cm (21.2 m)  
180 cm (23.3 m)

**WEIGHT**  
1860 g\* @ 180 cm

MADE IN GERMANY

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker rec. Royal Family



REVOLT 81



**ART. NO.**  
V2310162

**TECHNOLOGY**

- Full Cap
- Twin Tip
- Base: DS F7501
- Base structure: Brushed structure


**SIDECUT**  
111\_81\_104

**LENGTH (RADIUS)**  
148 cm (13.9 m)  
158 cm (16.3 m)  
168 cm (18.9 m)  
178 cm (21.8 m)

**WEIGHT**  
1650 g\* @ 168 cm

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker rec. Royal Family



\* Weight can vary slightly due to the production cycles.





NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC

### RACETIGER JR RED



**ART. NO.**  
V2310200 (FLAT)  
**SIDECUT** 93\_67\_76 **LENGTH (RADIUS)**  
70 cm (4.7 m)

**ART. NO.**  
V2310205 (VMOTION)  
**SIDECUT** 93\_67\_76 **LENGTH (RADIUS)**  
80 cm (6.6 m)  
90 cm (8.8 m)

**ART. NO.**  
V2310206 (VMOTION)  
**SIDECUT** 100\_68\_82 **LENGTH (RADIUS)**  
100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)


**ART. NO.**  
V2310207 (VMOTION)  
**SIDECUT** 109\_69\_88 **LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)

**TECHNOLOGY**  
Power Shell • Plate System:  
JR VMOTION S (80-110cm)  
JR VMOTION L (120-160cm)

**WEIGHT**  
1183 g @ 80 cm (w/binding)  
540 g @ 80 cm (FLAT)

**CORE**  
Composite Core

**REC. BINDING**  
Flat: Marker 4.5; Marker 7.0  
vMotion: vMotion JR 4.5 GW;  
vMotion 7.0 GW



### RACETIGER JR YELLOW



**ART. NO.**  
V2310210 (FLAT)  
**SIDECUT** 93\_67\_76 **LENGTH (RADIUS)**  
70 cm (4.7 m)

**ART. NO.**  
V2310215 (VMOTION)  
**SIDECUT** 93\_67\_76 **LENGTH (RADIUS)**  
80 cm (6.6 m)  
90 cm (8.8 m)

**ART. NO.**  
V2310216 (VMOTION)  
**SIDECUT** 100\_68\_82 **LENGTH (RADIUS)**  
100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)


**ART. NO.**  
V2310217 (VMOTION)  
**SIDECUT** 109\_69\_88 **LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)

**TECHNOLOGY**  
Power Shell • Plate System:  
JR VMOTION S (80-110cm)  
JR VMOTION L (120-160cm)

**WEIGHT**  
1183 g @ 80 cm (w/binding)  
540 g @ 80 cm (FLAT)

**CORE**  
Composite Core

**REC. BINDING**  
Flat: Marker 4.5; Marker 7.0  
vMotion: vMotion JR 4.5 GW;  
vMotion 7.0 GW



### RACETIGER JR PRO



**ART. NO.**  
V2310220  
**SIDECUT** 117\_70\_98 **LENGTH (RADIUS)**  
120 cm (7.5 m)  
130 cm (9.0 m)


**SIDECUT** 121\_70\_102 **LENGTH (RADIUS)**  
140 cm (9.7 m)  
150 cm (11.2 m)  
160 cm (13.0 m)

**TECHNOLOGY**  
Full Sidewall • Vmotion JR L

**WEIGHT**  
1641 g @ 120 cm (w/binding)

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
7.0 vMotion JR



### DEACON JR



**ART. NO.**  
V2310230 (FLAT)  
**SIDECUT** 93\_67\_76 **LENGTH (RADIUS)**  
70 cm (4.7 m)

**ART. NO.**  
V2310235 (VMOTION)  
**SIDECUT** 93\_67\_76 **LENGTH (RADIUS)**  
80 cm (6.6 m)  
90 cm (8.8 m)

**ART. NO.**  
V2310236 (VMOTION)  
**SIDECUT** 100\_68\_82 **LENGTH (RADIUS)**  
100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)


**ART. NO.**  
V2310237 (VMOTION)  
**SIDECUT** 109\_69\_88 **LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)

**TECHNOLOGY**  
Power Shell • Plate System:  
JR VMOTION S (80-110cm)  
JR VMOTION L (120-160cm)

**WEIGHT**  
1183 g @ 80 cm (w/binding)  
540 g @ 80 cm (FLAT)

**CORE**  
Composite Core

**REC. BINDING**  
Flat: Marker 4.5; Marker 7.0  
vMotion: vMotion JR 4.5 GW;  
vMotion 7.0 GW



### DEACON JR PRO



**ART. NO.**  
V2310240 (VMOTION)  
**SIDECUT** 117\_70\_98 **LENGTH (RADIUS)**  
120 cm (7.5 m)  
130 cm (9.0 m)


**SIDECUT** 121\_70\_102 **LENGTH (RADIUS)**  
140 cm (9.7 m)  
150 cm (11.2 m)  
160 cm (13.0 m)

**TECHNOLOGY**  
Full Sidewall • Vmotion JR L

**WEIGHT**  
1641 g @ 120 cm (w/binding)

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
7.0 vMotion JR



### FLAIR JR



**ART. NO.**  
V2310250 (FLAT)  
**SIDECUT** 93\_67\_76 **LENGTH (RADIUS)**  
70 cm (4.7 m)

**ART. NO.**  
V2310255 (VMOTION)  
**SIDECUT** 93\_67\_76 **LENGTH (RADIUS)**  
80 cm (6.6 m)  
90 cm (8.8 m)

**ART. NO.**  
V2310256 (VMOTION)  
**SIDECUT** 100\_68\_82 **LENGTH (RADIUS)**  
100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)


**ART. NO.**  
V2310257 (VMOTION)  
**SIDECUT** 109\_69\_88 **LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)

**TECHNOLOGY**  
Power Shell • Plate System:  
JR VMOTION S (80-110cm)  
JR VMOTION L (120-160cm)

**WEIGHT**  
1183 g @ 80 cm (w/binding)  
540 g @ 80 cm (FLAT)

**CORE**  
Composite Core

**REC. BINDING**  
Flat: Marker 4.5; Marker 7.0  
vMotion: vMotion JR 4.5 GW;  
vMotion 7.0 GW





NEW

BLAZE JR



ART. NO.  
V2310265 (VMOTION)  
V2310260 (FLAT)

LENGTH (3D RADIUS)

| R1 | Length | R1    | R2   | R3    |
|----|--------|-------|------|-------|
|    | 118 cm | (9 m  | 7 m  | 7 m)  |
|    | 128 cm | (12 m | 8 m  | 9 m)  |
| R2 | 138 cm | (13 m | 10 m | 12 m) |
|    | 148 cm | (18 m | 10 m | 14 m) |
| R3 | 158 cm | (21 m | 11 m | 17 m) |



NEW

BLAZE W JR



ART. NO.  
V2310275 (VMOTION)

LENGTH (3D RADIUS)

| R1 | Length | R1    | R2   | R3    |
|----|--------|-------|------|-------|
|    | 118 cm | (9 m  | 7 m  | 7 m)  |
|    | 128 cm | (12 m | 8 m  | 9 m)  |
| R2 | 138 cm | (13 m | 10 m | 12 m) |
|    | 148 cm | (18 m | 10 m | 14 m) |
| R3 | 158 cm | (21 m | 11 m | 17 m) |



NEW GRAPHIC

MANTRA JR



ART. NO.  
V2310276

SIDECUT

118\_86\_111

LENGTH (RADIUS)

118 cm (8.3 m)  
128 cm (10.2 m)  
138 cm (12.3 m)  
148 cm (14.5 m)  
158 cm (16.9 m)



NEW

RISE JR



ART. NO.  
V2310280

LENGTH (3D RADIUS)

| R1 | Length | R1    | R2   | R3    |
|----|--------|-------|------|-------|
|    | 118 cm | (9 m  | 7 m  | 7 m)  |
|    | 128 cm | (12 m | 8 m  | 9 m)  |
| R2 | 138 cm | (13 m | 10 m | 12 m) |
|    | 148 cm | (18 m | 10 m | 14 m) |
| R3 | 158 cm | (21 m | 11 m | 17 m) |



NEW GRAPHIC

REVOLT 100 JR



ART. NO.  
V2310290

SIDECUT

132\_100\_116

LENGTH (RADIUS)

143 cm (14.9 m)  
153 cm (17.5 m)  
163 cm (20.3 m)



NEW GRAPHIC

REVOLT JR WASP



ART. NO.  
V2310295 (VMOTION)

LENGTH (RADIUS)

118 cm (8.9 m)  
128 cm (10.8 m)  
138 cm (13.0 m)  
148 cm (15.3 m)

ART. NO.

V2310298 (FLAT)

LENGTH (RADIUS)

138 cm (13.0 m)  
148 cm (15.3 m)



NEW GRAPHIC

REVOLT JR HOPPER



ART. NO.  
V2310296 (VMOTION)

LENGTH (RADIUS)

118 cm (8.9 m)  
128 cm (10.8 m)  
138 cm (13.0 m)  
148 cm (15.3 m)

ART. NO.

V2310299 (FLAT)

LENGTH (RADIUS)

138 cm (13.0 m)  
148 cm (15.3 m)



NEW GRAPHIC

MINI REVOLT JR



ART. NO.  
V2310297

SIDECUT

96\_66\_89

LENGTH (RADIUS)

88 cm (4.6 m)  
98 cm (6.0 m)  
108 cm (7.7 m)


TECHNOLOGY  
Full Sidewall • 3D Radius Sidecut

WEIGHT  
TBA

CORE  
Multilayer Woodcore

REC. BINDING

vMotion Jr7  
Marker Free 7  
Free TEN




TECHNOLOGY  
Full Sidewall • 3D Radius Sidecut

WEIGHT  
TBA

CORE  
Multilayer Woodcore

REC. BINDING

vMotion Jr7  
Marker Free 7  
Free TEN




TECHNOLOGY  
Full Sidewall

WEIGHT  
980 g @ 118 cm

CORE  
Full Sensor Woodcore

REC. BINDING

Marker Free 7; 95 mm  
Free TEN ID; 85 mm (+ screw kit)




TECHNOLOGY  
Full Sidewall • 3D Radius Sidecut

WEIGHT  
TBA

CORE  
Multilayer Woodcore

REC. BINDING





RENTAL



NEW GRAPHIC

DEACON  
7.2 RED

ART. NO.  
V2310360

- TECHNOLOGY**
- Barcode
  - Protected Sticker Area
  - Fully Structured Rental
  - Topsheet
  - FDT plate pre-mounted
  - Base: P-Tex 2100
  - Base structure: Zebra structure

**SIDECUT**  
123\_72\_104


**LENGTH (RADIUS)**  
130 cm (8.2 m)  
137 cm (9.4 m)  
144 cm (10.5 m)  
151 cm (11.8 m)  
158 cm (12.7 m)  
165 cm (14.0 m)  
172 cm (15.5 m)  
179 cm (17.0 m)

**WEIGHT**  
1360 g @ 130 cm (w/binding)

MADE IN GERMANY

**CORE**  
Full Sensor Woodcore

**REC. BINDING**  
Marker FDT TPX 12, FDT TP 10;  
80 mm, FDT TLT 10; 80 mm



NEW GRAPHIC

DEACON  
7.6 GOLD

ART. NO.  
V2310361

- TECHNOLOGY**
- Barcode
  - Protected Sticker Area
  - Fully Structured Rental
  - Topsheet
  - FDT plate pre-mounted
  - Base: P-Tex 2100
  - Base structure: Zebra structure

**SIDECUT**  
125\_76\_105


**LENGTH (RADIUS)**  
133 cm (9.2 m)  
140 cm (10.4 m)  
147 cm (11.7 m)  
154 cm (13.1 m)  
161 cm (14.1 m)  
168 cm (15.5 m)  
175 cm (17.1 m)

**WEIGHT**  
1450 g @ 133 cm (w/binding)

MADE IN GERMANY

**CORE**  
Woodcore

**REC. BINDING**  
Marker FDT TPX 12, FDT TP 10;  
80 mm, FDT TLT 10; 80 mm



NEW GRAPHIC

DEACON  
7.6 ORANGE

ART. NO.  
V2310362

- TECHNOLOGY**
- Barcode
  - Protected Sticker Area
  - Fully Structured Rental
  - Topsheet
  - FDT FREE plate pre-mounted
  - Base: P-Tex 2100
  - Base structure: Zebra structure

**SIDECUT**  
125\_76\_105


**LENGTH (RADIUS)**  
140 cm (10.4 m)  
147 cm (11.7 m)  
154 cm (13.1 m)  
161 cm (14.1 m)  
168 cm (15.5 m)  
175 cm (17.1 m)

**WEIGHT**  
1450 g @ 133 cm (w/binding)

MADE IN GERMANY

**CORE**  
Woodcore

**REC. BINDING**  
Marker FDT TPX 12, FDT TP 10;  
80 mm, FDT TLT 10; 80 mm



NEW GRAPHIC

DEACON  
8.0 GREEN

ART. NO.  
V2310363 (W. PLATE)  
V2310364 (W/O PLATE)

- TECHNOLOGY**
- Barcode
  - Protected Sticker Area
  - FDT plate pre-mounted (121367)
  - Fully Structured Rental
  - Topsheet
  - Base: P-Tex 2100
  - Base structure: Zebra structure

**SIDECUT**  
125\_80\_109


**LENGTH (RADIUS)**  
130 cm (9.0 m) (V2310363 ONLY)  
137 cm (10.2 m)  
144 cm (11.5 m)  
151 cm (12.5 m)  
158 cm (13.9 m)  
165 cm (15.4 m)  
172 cm (17 m)  
179 cm (18.7 m) (V2310363 ONLY)

**WEIGHT**  
1510 g @ 130 cm (w/binding)

MADE IN GERMANY

**CORE**  
Woodcore

**REC. BINDING**  
Marker FDT TPX 12, FDT TP 10;  
80 mm, FDT TLT 10; 80 mm



\* Weight can vary slightly due to the production cycles.



NEW GRAPHIC

M6 MANTRA DEMO

ART. NO.  
V2310350

**TECHNOLOGY**  
3D Radius Sidecut • Fully Structured Rental Topsheet • Full Sidewall • FDT FREE plate pre-mounted • Tailored Titanal Frame • Tailored Carbon Tips • Metal Tip Protector • Base: P-TeX 2100

**SIDECUT**  
135\_96\_119


| LENGTH (RADIUS) |        |       |      |       |
|-----------------|--------|-------|------|-------|
| R1              | Length | R1    | R2   | R3    |
| R2              | 170 cm | (27 m | 16 m | 22 m) |
|                 | 177 cm | (30 m | 18 m | 24 m) |
|                 | 184 cm | (32 m | 19 m | 26 m) |
| R3              | 191 cm | (35 m | 21 m | 28 m) |

**WEIGHT**  
2310 g\* @ 177 cm

MADE IN GERMANY

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Griffon 13 D;  
110 mm (w/O plate)



NEW GRAPHIC

KENDO 88 DEMO

ART. NO.  
V2310351

**TECHNOLOGY**  
3D Radius Sidecut • Fully Structured Rental Topsheet • Full Sidewall • FDT FREE plate pre-mounted • Titanal Frame • Carbon Tips • Metal Tip Protector • Base: P-TeX 2100

**SIDECUT**  
129\_88\_113


| LENGTH (3D RADIUS) |        |       |      |       |
|--------------------|--------|-------|------|-------|
| R1                 | Length | R1    | R2   | R3    |
| R2                 | 163 cm | (23 m | 13 m | 21 m) |
|                    | 170 cm | (26 m | 15 m | 23 m) |
|                    | 177 cm | (29 m | 16 m | 25 m) |
| R3                 | 184 cm | (31 m | 17 m | 26 m) |

**WEIGHT**  
1910 g @ 177 cm

MADE IN GERMANY

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Griffon 13 D;  
90 mm (w/o plate)



NEW GRAPHIC

KANJO 84 DEMO

ART. NO.  
V2310352

**TECHNOLOGY**  
3D Radius Sidecut • Fully Structured Rental Topsheet • Full Sidewall • FDT FREE plate pre-mounted • Glass Frame • Titanal Binding Platform • Metal Tip Protector • Base: P-TeX 2100

**SIDECUT**  
125\_84\_107


| LENGTH (3D RADIUS) |        |       |      |       |
|--------------------|--------|-------|------|-------|
| R1                 | Length | R1    | R2   | R3    |
| R2                 | 161 cm | (19 m | 14 m | 17 m) |
|                    | 168 cm | (21 m | 15 m | 19 m) |
|                    | 175 cm | (24 m | 17 m | 20 m) |
| R3                 | 182 cm | (26 m | 19 m | 24 m) |

**WEIGHT**  
1810 g @ 175 cm

MADE IN GERMANY

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Squire 11 TCX D;  
90 mm (w/o plate)



NEW GRAPHIC

KANJO 80 DEMO

ART. NO.  
V2310353

**TECHNOLOGY**  
Fully Structured Demo • Full Sidewall • FDT plate pre-mounted • Topsheet • Glass Frame • Metal Tip Protector • Base: P-TeX 2100

**SIDECUT**  
121\_80\_103


| LENGTH (3D RADIUS) |        |       |      |       |
|--------------------|--------|-------|------|-------|
| R1                 | Length | R1    | R2   | R3    |
| R2                 | 147 cm | (16 m | 11 m | 14 m) |
|                    | 154 cm | (18 m | 13 m | 16 m) |
|                    | 161 cm | (19 m | 14 m | 17 m) |
| R3                 | 168 cm | (21 m | 15 m | 19 m) |
|                    | 175 cm | (25 m | 17 m | 20 m) |
|                    | 182 cm | (26 m | 19 m | 24 m) |

**WEIGHT**  
1690 g\* @ 168 cm

MADE IN GERMANY

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Squire 11 TCX D;  
90 mm (w/o plate)



NEW GRAPHIC

BLAZE 86 DEMO

ART. NO.  
V2310354

**TECHNOLOGY**  
3D Radius Sidecut • Fully Structured Demo Topsheet • FDT plate pre-mounted • Full Sidewall • Suspension Tip & Tail • Metal Tip Protector • Base: P-TeX 2100

**SIDECUT**  
129\_86\_111


| LENGTH (3D RADIUS) |        |       |      |       |
|--------------------|--------|-------|------|-------|
| R1                 | Length | R1    | R2   | R3    |
| R2                 | 146 cm | (18 m | 10 m | 15 m) |
|                    | 152 cm | (20 m | 11 m | 17 m) |
|                    | 159 cm | (22 m | 12 m | 19 m) |
| R3                 | 166 cm | (25 m | 13 m | 21 m) |
|                    | 173 cm | (28 m | 15 m | 23 m) |
|                    | 180 cm | (30 m | 16 m | 25 m) |

**WEIGHT**  
1770 g\* @ 173 cm      **OPTIONAL**  
Pre-cut skin avail.

MADE IN GERMANY

**CORE**  
Light Multilayer Woodcore

**REC. BINDING**  
Marker Squire 11TCX D 90 mm (w/o plate)



NEW GRAPHIC

BLAZE 82 DEMO

ART. NO.  
V2310355

**TECHNOLOGY**  
3D Radius Sidecut • Fully Structured Demo Topsheet • FDT plate pre-mounted • Full Sidewall • Suspension Tip & Tail • Metal Tip Protector • Base: P-TeX 2100

**SIDECUT**  
125\_82\_107

| LENGTH (3D RADIUS) |        |       |      |       |
|--------------------|--------|-------|------|-------|
| R1                 | Length | R1    | R2   | R3    |
| R2                 | 146 cm | (18 m | 10 m | 15 m) |
|                    | 152 cm | (20 m | 11 m | 17 m) |
|                    | 159 cm | (22 m | 12 m | 19 m) |
| R3                 | 166 cm | (25 m | 13 m | 21 m) |
|                    | 173 cm | (28 m | 15 m | 23 m) |
|                    | 180 cm | (30 m | 16 m | 25 m) |

**WEIGHT**  
1480 g\* @ 173 cm

MADE IN GERMANY

**CORE**  
Light Multilayer Woodcore

**REC. BINDING**  
Marker Squire 11TCX D 90 mm (w/o plate)



NEW GRAPHIC

REVOLT 81 DEMO

ART. NO.  
V2310356

**TECHNOLOGY**  
• Tough Box Construction  
• Multilayer Woodcore  
• Fully Structured Demo Topsheet


**SIDECUT**  
111\_81\_104

**LENGTH (RADIUS)**  
148 cm (13.9 m)  
158 cm (16.3 m)  
168 cm (18.9 m)  
178 cm (21.8 m)

**WEIGHT**  
1520 g @ 158 cm

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Griffon 13 D;  
110 mm (w/O plate)



VMOTION GW (FDT / FDT HP)

|                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| <b>VMOTION 12 GW</b>                                                             | <b>VMOTION 12 GW RED</b>                                                          | <b>VMOTION 12 GW YELLOW</b>                                                       | <b>VMOTION 12 ALU GW</b>                                                          | <b>VMOTION 11 TCX GW</b>                                                          | <b>VMOTION 11 ALU GW LADY JADE</b>                                                  | <b>VMOTION 11 ALU GW LADY SILVER</b>                                                |
| <b>ART. NO.</b><br>6862U1VA                                                      | <b>ART. NO.</b><br>6862U1VB                                                       | <b>ART. NO.</b><br>6862U1VC                                                       | <b>ART. NO.</b><br>6862U1VD                                                       | <b>ART. NO.</b><br>6762X1VT                                                       | <b>ART. NO.</b><br>6762V1VJ                                                         | <b>ART. NO.</b><br>6762V1VF                                                         |
| <b>COLOR</b><br>Black                                                            | <b>COLOR</b><br>Black - Red                                                       | <b>COLOR</b><br>Black - Yellow                                                    | <b>COLOR</b><br>Black                                                             | <b>COLOR</b><br>Black                                                             | <b>COLOR</b><br>Back - Jade-green                                                   | <b>COLOR</b><br>Back - Fuchsia                                                      |
| <b>DIN RANGE</b><br>4.0 - 12.0                                                   | <b>DIN RANGE</b><br>4.0 - 12.0                                                    | <b>DIN RANGE</b><br>4.0 - 12.0                                                    | <b>DIN RANGE</b><br>4.0 - 12.0                                                    | <b>DIN RANGE</b><br>3.0 - 11.0                                                    | <b>DIN RANGE</b><br>3.0 - 11.0                                                      | <b>DIN RANGE</b><br>3.0 - 11.0                                                      |

|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>VMOTION 11 ALU GW LADY CORAL</b>                                               | <b>VMOTION 11 GW</b>                                                              | <b>VMOTION 11 GW RED</b>                                                          | <b>VMOTION 10 GW</b>                                                              | <b>VMOTION 10 GW LADY BLACK</b>                                                     | <b>VMOTION 10 GW LADY BLUE</b>                                                      |
| <b>ART. NO.</b><br>6762V1VC                                                       | <b>ART. NO.</b><br>6662U1VA                                                       | <b>ART. NO.</b><br>6662W1VR                                                       | <b>ART. NO.</b><br>6562U1VA                                                       | <b>ART. NO.</b><br>6562U1VL                                                         | <b>ART. NO.</b><br>6562V1VB                                                         |
| <b>COLOR</b><br>Back - Coral                                                      | <b>COLOR</b><br>Black                                                             | <b>COLOR</b><br>Black - Flo-Red                                                   | <b>COLOR</b><br>Black                                                             | <b>COLOR</b><br>Black                                                               | <b>COLOR</b><br>Black - Blue                                                        |
| <b>DIN RANGE</b><br>3.0 - 11.0                                                    | <b>DIN RANGE</b><br>3.0 - 11.0                                                    | <b>DIN RANGE</b><br>3.0 - 11.0                                                    | <b>DIN RANGE</b><br>3.0 - 10.0                                                    | <b>DIN RANGE</b><br>3.0 - 10.0                                                      | <b>DIN RANGE</b><br>3.0 - 10.0                                                      |

COMPETITION RACE

|                                                                                     |                                                                                     |                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |
| <b>VMOTION 10 GW LADY FUCHSIA</b>                                                   | <b>VMOTION 9 GW LADY</b>                                                            | <b>XCOMP 16 GW MASTER RED</b>                                                       | <b>XCOMP 16 GW MASTER PINK</b>                                                        |
| <b>ART. NO.</b><br>6562V1VS                                                         | <b>ART. NO.</b><br>6462U1VL                                                         | <b>ART. NO.</b><br>6920V1MM                                                         | <b>ART. NO.</b><br>6920X1MP                                                           |
| <b>COLOR</b><br>Black - Fuchsia                                                     | <b>COLOR</b><br>Black                                                               | <b>COLOR</b><br>Black - Flo-red                                                     | <b>COLOR</b><br>Black - Pink                                                          |
| <b>DIN RANGE</b><br>3.0 - 10.0                                                      | <b>DIN RANGE</b><br>2.5 - 9.0                                                       | <b>DIN RANGE</b><br>6.0 - 16.0                                                      | <b>DIN RANGE</b><br>6.0 - 16.0                                                        |

VMOTION JUNIOR

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>7.0 VMOTION JR R</b>                                                             | <b>7.0 VMOTION JR R LADY</b>                                                        | <b>4.5 VMOTION JR</b>                                                               | <b>4.5 VMOTION JR LADY</b>                                                          | <b>7.0 VMOTION JR R; 86MM</b>                                                         | <b>4.5 VMOTION JR; 86MM</b>                                                           |
| <b>ART. NO.</b><br>6262T1VA                                                         | <b>ART. NO.</b><br>6262T1VB                                                         | <b>ART. NO.</b><br>6162T1VA                                                         | <b>ART. NO.</b><br>6162T1VB                                                         | <b>ART. NO.</b><br>6262X1VC                                                           | <b>ART. NO.</b><br>6162X1VC                                                           |
| <b>COLOR</b><br>Black - Anthracite                                                  | <b>COLOR</b><br>White                                                               | <b>COLOR</b><br>Black - Anthracite                                                  | <b>COLOR</b><br>White                                                               | <b>COLOR</b><br>Black - Anthracite                                                    | <b>COLOR</b><br>Black - Anthracite                                                    |
| <b>DIN RANGE</b><br>2.0 - 7.0                                                       | <b>DIN RANGE</b><br>2.0 - 7.0                                                       | <b>DIN RANGE</b><br>0.75 - 4.5                                                      | <b>DIN RANGE</b><br>0.75 - 4.5                                                      | <b>DIN RANGE</b><br>2.0 - 7.0                                                         | <b>DIN RANGE</b><br>0.75 - 4.5                                                        |

LR XL FR DEMO GW

|                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |
| <b>LOWRIDE XL 13 FR DEMO GW</b>                                                     | <b>LOWRIDE XL 13 FR DEMO GW</b>                                                     | <b>LOWRIDE XL 13 FR VWERKS DEMO GW</b>                                              |
| <b>ART. NO.</b><br>7535X1VP                                                         | <b>ART. NO.</b><br>7535U1VF                                                         | <b>ART. NO.</b><br>7535U1VV                                                         |
| <b>COLOR</b><br>Black - Petrol                                                      | <b>COLOR</b><br>Black - Flo-red                                                     | <b>COLOR</b><br>Black                                                               |
| <b>DIN RANGE</b><br>4.0 - 13.0                                                      | <b>DIN RANGE</b><br>4.0 - 13.0                                                      | <b>DIN RANGE</b><br>4.0 - 13.0                                                      |

WR XL TCX DEMO GW

|                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |
| <b>IPT WR XL 12 TCX GW</b>                                                          | <b>IPT WR XL 11 TCX GW LADY</b>                                                     |
| <b>ART. NO.</b><br>6835U1VG                                                         | <b>ART. NO.</b><br>6735V1VO                                                         |
| <b>COLOR</b><br>Black - Green                                                       | <b>COLOR</b><br>Black - Orange                                                      |
| <b>DIN RANGE</b><br>4.0 - 12.0                                                      | <b>DIN RANGE</b><br>3.0 - 11.0                                                      |

RMOTION3 GW

|                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |
| <b>RMOTION3 12 GW</b>                                                                 | <b>RMOTION3 12 GW</b>                                                                 |
| <b>ART. NO.</b><br>6877W1VR                                                           | <b>ART. NO.</b><br>6877W1VB                                                           |
| <b>COLOR</b><br>Black - red                                                           | <b>COLOR</b><br>Black                                                                 |
| <b>DIN RANGE</b><br>4.0 - 12.0                                                        | <b>DIN RANGE</b><br>4.0 - 12.0                                                        |

SPECIAL EDITION

|                                    |                                |                                    |                                |
|------------------------------------|--------------------------------|------------------------------------|--------------------------------|
| <b>FDT TP 10</b>                   | <b>VMOTION 10 GW</b>           | <b>VMOTION 10 GW</b>               | <b>VMOTION 11 GW</b>           |
| <b>ART. NO.</b><br>6562V1MW        | <b>ART. NO.</b><br>6562V1VW    | <b>ART. NO.</b><br>6562W1VS        | <b>ART. NO.</b><br>6662W1VW    |
| <b>COLOR</b><br>Black - Anthracite | <b>COLOR</b><br>Black          | <b>COLOR</b><br>White - Anthracite | <b>COLOR</b><br>Black          |
| <b>DIN RANGE</b><br>3.0 - 10.0     | <b>DIN RANGE</b><br>3.0 - 10.0 | <b>DIN RANGE</b><br>3.0 - 10.0     | <b>DIN RANGE</b><br>3.0 - 10.0 |
| <b>BRAKE WIDTH</b><br>90 mm        | <b>BRAKE WIDTH</b><br>90 mm    | <b>BRAKE WIDTH</b><br>90 mm        | <b>BRAKE WIDTH</b><br>90 mm    |

RENTAL / DEMO

|                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>FDT TPX 12</b>                                                                     | <b>FDT TPX 12</b>                                                                     | <b>FDT TP 10</b>                                                                      | <b>FDT TLT 10</b>                                                                     | <b>GRIFFON 13 D</b>                                                                   | <b>SQUIRE 11 TCX D</b>                                                                |
| <b>ART. NO.</b><br>6862U1MC                                                           | <b>ART. NO.</b><br>6862U1MW                                                           | <b>ART. NO.</b><br>6562U1MC                                                           | <b>ART. NO.</b><br>6562U1MT                                                           | <b>ART. NO.</b><br>7560U1GA (90mm w/plate)<br>7560W1GD (100mm w/plate)                | <b>ART. NO.</b><br>6760V1MA (90 mm w/plate)<br>6760W1MB (100 mm w/plate)              |
| <b>COLOR</b><br>Black - Anthracite                                                    | <b>COLOR</b><br>Black - Anthracite                                                    | <b>COLOR</b><br>Black - Anthracite                                                    | <b>COLOR</b><br>Black - Anthracite)                                                   | <b>COLOR</b><br>Black                                                                 | <b>COLOR</b><br>Black                                                                 |
| <b>DIN RANGE</b><br>4.0 - 12.0                                                        | <b>DIN RANGE</b><br>4.0 - 12.0                                                        | <b>DIN RANGE</b><br>3.0 - 10.0                                                        | <b>DIN RANGE</b><br>3.0 - 10.0                                                        | <b>DIN RANGE</b><br>4.0 - 13.0                                                        | <b>DIN RANGE</b><br>3.0 - 11.0                                                        |
| <b>BRAKE WIDTH</b><br>90 mm                                                           | <b>BRAKE WIDTH</b><br>110 mm                                                          | <b>BRAKE WIDTH</b><br>80 mm                                                           | <b>BRAKE WIDTH</b><br>80 mm                                                           | <b>BRAKE WIDTH</b><br>90; 100 mm                                                      | <b>BRAKE WIDTH</b><br>90; 100 mm                                                      |

100  
YEARS  
MADE IN GERMANY  
VÖLKL SKIS  SINCE 1923



|                                              |                                              |
|----------------------------------------------|----------------------------------------------|
| <b>RMOTION3 14 GW</b>                        | <b>RMOTION3 PLATE; BULK</b>                  |
| <b>ART. NO.</b><br>6977X1VL                  | <b>ART. NO.</b><br>2084X1VL                  |
| <b>COLOR</b><br>Black - Anthracite - Flo-red | <b>COLOR</b><br>Black - Anthracite - Flo-red |
| <b>DIN RANGE</b><br>5.0 - 14.0               |                                              |

TOURING

|                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| <b>CRUISE 12</b>                                                                 | <b>CRUISE 10</b>                                                                  | <b>KINGPIN M-WERKS 12</b>                                                         | <b>KINGPIN 13</b>                                                                 | <b>KINGPIN 10</b>                                                                  | <b>KINGPIN 13 DEMO</b>                                                              | <b>KINGPIN 10 DEMO</b>                                                              |
| <b>ART. NO.</b><br>7810X1MS (90 mm)<br>7810X1MW (105 mm)                         | <b>ART. NO.</b><br>7610X1MS (90 mm)<br>7610X1MW (105 mm)                          | <b>ART. NO.</b><br>7831W1CS (75-100 mm)<br>7831W1CW (100-125 mm)                  | <b>ART. NO.</b><br>7933W1MA (75-100 mm)<br>7933W1MB (100-125 mm)                  | <b>ART. NO.</b><br>7733W1MA (75-100 mm)<br>7733W1MB (100-125 mm)                   | <b>ART. NO.</b><br>7934W1MB                                                         | <b>ART. NO.</b><br>7734W1MA                                                         |
| <b>COLOR</b><br>Black - Green                                                    | <b>COLOR</b><br>Black - Green                                                     | <b>COLOR</b><br>Black - Red                                                       | <b>COLOR</b><br>Black - Red                                                       | <b>COLOR</b><br>Black - Red                                                        | <b>COLOR</b><br>Black - Red                                                         | <b>COLOR</b><br>Black - Red                                                         |
| <b>DIN RANGE</b><br>6.0 - 12.0                                                   | <b>DIN RANGE</b><br>4.0 - 10.0                                                    | <b>DIN RANGE</b><br>5.0 - 12.0                                                    | <b>DIN RANGE</b><br>6.0 - 13.0                                                    | <b>DIN RANGE</b><br>5.0 - 10.0                                                     | <b>DIN RANGE</b><br>6.0 - 13.0                                                      | <b>DIN RANGE</b><br>5.0 - 10.0                                                      |
|                                                                                  |                                                                                   | <b>SIZE / BRAKE WIDTH</b><br>75 - 100 mm<br>100-125 mm                            | <b>SIZE / BRAKE WIDTH</b><br>75 - 100 mm<br>100-125 mm                            | <b>SIZE / BRAKE WIDTH</b><br>75 - 100 mm<br>100-125 mm                             | <b>SIZE / BRAKE WIDTH</b><br>100 - 125 mm                                           | <b>SIZE / BRAKE WIDTH</b><br>75 - 100 mm                                            |

|                                                                                  |                                                                                   |                                                                                                 |                                                                                   |                                                                                    |                                                                                     |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |                |  |  |  |
| <b>MARKER ALPINIST 12</b>                                                        | <b>MARKER ALPINIST 10</b>                                                         | <b>MARKER ALPINIST 8</b>                                                                        | <b>MARKER ALPINIST 12 LONG TRAVEL</b>                                             | <b>MARKER ALPINIST 10 LONG TRAVEL</b>                                              | <b>MARKER ALPINIST JR LONG TRAVEL</b>                                               |
| <b>ART. NO.</b><br>7833W1MS (w.o. brake)<br>7832W1MS (90mm)                      | <b>ART. NO.</b><br>7733W1MS (w.o. brake)<br>7732W1MS (90mm)                       | <b>ART. NO.</b><br>7433W1MV (C2)<br>7432W1MV (C2; 90mm)<br>7433W1MS (C1)<br>7432W1MS (C1; 90mm) | <b>ART. NO.</b><br>7834W1ML (w.o. brake)                                          | <b>ART. NO.</b><br>7734W1ML (w.o. brake)                                           | <b>ART. NO.</b><br>7232X1MJ                                                         |
| <b>COLOR</b><br>Black                                                            | <b>COLOR</b><br>Black                                                             | <b>COLOR</b><br>Black (C1)<br>Black - Purple (C2)                                               | <b>COLOR</b><br>Black                                                             | <b>COLOR</b><br>Black                                                              | <b>COLOR</b><br>Anthracite - White                                                  |
| <b>DIN RANGE</b><br>6.0 - 12.0                                                   | <b>DIN RANGE</b><br>4.0 - 10.0                                                    | <b>DIN RANGE</b><br>3.0 - 8.0                                                                   | <b>DIN RANGE</b><br>6.0 - 12.0                                                    | <b>DIN RANGE</b><br>4.0 - 10.0                                                     | <b>DIN RANGE</b><br>2.0 - 6.0                                                       |
| <b>SIZE / BRAKE WIDTH</b><br>90 mm, 105 mm,<br>115 mm (optional)                 | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 105 mm,<br>115 mm (optional)                  | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 105 mm,<br>115 mm (optional)                                | <b>SIZE / BRAKE WIDTH</b><br>90; 105 mm (optional)                                | <b>SIZE / BRAKE WIDTH</b><br>90; 105 mm (optional)                                 | <b>SIZE / BRAKE WIDTH</b><br>90 mm                                                  |

|                                                                                    |                                                                                     |                                                                                                     |                                                                                                   |                                                                                                                                     |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
|  |  |                  |               |                                                |
| <b>MARKER ALPINIST DEMO 10</b>                                                     | <b>MARKER ALPINIST DEMO 8</b>                                                       | <b>F12 TOUR EPF</b>                                                                                 | <b>F10 TOUR</b>                                                                                   | <b>F10 TOUR</b>                                                                                                                     |
| <b>ART. NO.</b><br>7735W1MS (90 mm)<br>7735W1MW (105 mm)S                          | <b>ART. NO.</b><br>7435W1MS (90 mm)                                                 | <b>ART. NO.</b><br>7816W1SS (100 mm)<br>7816W1LS (100 mm)<br>7816W1SE (110 mm)<br>7816W1LE (110 mm) | <b>ART. NO.</b><br>7716W1TC (90 mm)<br>7716W1TD (90 mm)<br>7716W1TS (100 mm)<br>7716W1TL (100 mm) | <b>ART. NO.</b><br>7831W1CS (75 - 100mm)<br>7831W1CW (100 -125 mm)<br><b>COLOR</b><br>Black - Red<br><b>DIN RANGE</b><br>5.0 - 12.0 |
| <b>COLOR</b><br>Black                                                              | <b>COLOR</b><br>Black                                                               | <b>COLOR</b><br>Black - Anthracite<br><b>DIN RANGE</b><br>4.0 - 12.0                                | <b>COLOR</b><br>Black - White<br><b>DIN RANGE</b><br>3.0 - 10.0                                   | <b>COLOR</b><br>Black - Red<br><b>DIN RANGE</b><br>5.0 - 12.0                                                                       |
| <b>DIN RANGE</b><br>4.0 - 10.0                                                     | <b>DIN RANGE</b><br>3.0 - 8.0                                                       | <b>SIZE / BRAKE WIDTH</b><br>S 265 - 325 mm<br>L 305 - 365 mm                                       | <b>SIZE / BRAKE WIDTH</b><br>S 265 - 325 mm<br>L 305 - 365 mm                                     | <b>SIZE / BRAKE WIDTH</b><br>S 265 - 325 mm<br>L 305 - 365 mm                                                                       |

PISTE / ALL MOUNTAIN

|                                                                                     |                                                                                                                           |                                                                                     |                                                                                     |                                                                                             |                                                                                           |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
|  |                                        |  |  |          |        |
| <b>12.0 TPX</b>                                                                     | <b>11.0 TP</b>                                                                                                            | <b>10.0 TP</b>                                                                      | <b>FREE 7</b>                                                                       | <b>7.0</b>                                                                                  | <b>4.5</b>                                                                                |
| <b>ART. NO.</b><br>6820T1.MA                                                        | <b>ART. NO.</b><br>6720T1.MA (C1 - 90 mm)<br>6720S1.MB (C2 - 90 mm)<br>6720T1.MC (C1 - 110 mm)<br>6720S1.MD (C2 - 110 mm) | <b>ART. NO.</b><br>6520T1.MA                                                        | <b>ART. NO.</b><br>6224U1MS (C1)<br>6224U1MW (C2)                                   | <b>ART. NO.</b><br>6120T1MA (C1 - 70 mm)<br>6220T1MB (C2 - 70 mm)<br>6220U1MC) (C2 - 85 mm) | <b>ART. NO.</b><br>6120T1MA (C1 - 70 mm)<br>6120T1MB (C2- 70 mm)<br>6120T1MC (C1 - 85 mm) |
| <b>COLOR</b><br>Black - Anthracite                                                  | <b>COLOR</b><br>Black - Anthracite (C1)<br>White (C2)                                                                     | <b>COLOR</b><br>Black - Anthracite                                                  | <b>COLOR</b><br>Black (C1)<br>White - Silver (C2)                                   | <b>COLOR</b><br>Black - Anthracite (C1)<br>White (C2)                                       | <b>COLOR</b><br>Black - Anthracite (C1)<br>White (C2)                                     |
| <b>DIN RANGE</b><br>4.0 - 12.0                                                      | <b>DIN RANGE</b><br>3.0 - 11.0                                                                                            | <b>DIN RANGE</b><br>3.0 - 10.0                                                      | <b>DIN RANGE</b><br>2.0 - 7.0                                                       | <b>DIN RANGE</b><br>2.0 - 7.0                                                               | <b>DIN RANGE</b><br>0.75 - 4.5                                                            |
| <b>SIZE / BRAKE WIDTH</b><br>90 mm                                                  | <b>SIZE / BRAKE WIDTH</b><br>90; 110 mm                                                                                   | <b>SIZE / BRAKE WIDTH</b><br>85 mm                                                  | <b>BRAKE WIDTH</b><br>95 mm                                                         | <b>BRAKE WIDTH</b><br>70 mm, 85 mm                                                          | <b>BRAKE WIDTH</b><br>70 mm, 85 mm                                                        |

ROYAL FAMILY

|                                                                                                        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                                    |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
|                     |  |  |  |  |  |                 |
| <b>BARON EPF 13</b>                                                                                    | <b>DUKE PT 16</b>                                                                   | <b>DUKE PT 16</b>                                                                   | <b>DUKE PT 13</b>                                                                   | <b>DUKE PT 11</b>                                                                   | <b>JESTER 18 PRO</b>                                                                | <b>JESTER 16</b>                                                                                   |
| <b>ART. NO.</b><br>7516U1.LS (100 mm)<br>7516U1.SS (100mm)<br>7516U1.LA (110 mm)<br>7516U1.SA (110 mm) | <b>ART. NO.</b><br>7650X1ES (100 mm)<br>7650X1EB (125 mm)                           | <b>ART. NO.</b><br>7650X1BS (100 mm)<br>7650X1BB (125 mm)                           | <b>ART. NO.</b><br>7550X1RS (100 mm)<br>7550X1RB (125 mm)                           | <b>ART. NO.</b><br>7450X1AS (100 mm)<br>7450X1AB (125 mm)                           | <b>ART. NO.</b><br>7924W1JS (90 mm)<br>7924W1JV (110 mm)<br>7924W1JB (120 mm)       | <b>ART. NO.</b><br>7624X1JA (90 mm)<br>7624X1JB (100 mm)<br>7624X1JC (110 mm)<br>7624X1JD (120 mm) |
| <b>COLOR</b><br>Black                                                                                  | <b>COLOR</b><br>Green - Black                                                       | <b>COLOR</b><br>Tan - Black                                                         | <b>COLOR</b><br>Black - Red                                                         | <b>COLOR</b><br>Anthracite - Gray                                                   | <b>COLOR</b><br>Tan                                                                 | <b>COLOR</b><br>Anthracite - Black                                                                 |
| <b>DIN RANGE</b><br>4.0 - 13.0                                                                         | <b>DIN RANGE</b><br>6.0 - 16.0                                                      | <b>DIN RANGE</b><br>6.0 - 16.0                                                      | <b>DIN RANGE</b><br>4.0 - 13.0                                                      | <b>DIN RANGE</b><br>3.0 - 11.0                                                      | <b>DIN RANGE</b><br>8.0 - 18.0                                                      | <b>DIN RANGE</b><br>6.0 - 16.0                                                                     |
| <b>SIZE / BRAKE WIDTH</b><br>S 265 -325; 100, 110 mm<br>L 305 - 365; 100, 110 mm                       | <b>SIZE / BRAKE WIDTH</b><br>100 mm<br>125 mm                                       | <b>SIZE / BRAKE WIDTH</b><br>100 mm<br>125 mm                                       | <b>SIZE / BRAKE WIDTH</b><br>100 mm<br>125 mm                                       | <b>SIZE / BRAKE WIDTH</b><br>100 mm<br>125 mm                                       | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 110 mm<br>120 mm                                | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm, 120 mm                                      |

|                                                                                                    |                                                                                                    |                                                                                                    |                                                                                                    |                                                                                                    |                                                                                                    |                                                                                                    |
|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
|               |               |               |               |               |               |               |
| <b>JESTER 16</b>                                                                                   | <b>JESTER 16</b>                                                                                   | <b>GRIFFON 13</b>                                                                                  | <b>GRIFFON 13</b>                                                                                  | <b>GRIFFON 13</b>                                                                                  | <b>GRIFFON 13</b>                                                                                  | <b>GRIFFON 13</b>                                                                                  |
| <b>ART. NO.</b><br>7624X1JE (90 mm)<br>7624X1JF (100 mm)<br>7624X1JG (110 mm)<br>7624X1JH (120 mm) | <b>ART. NO.</b><br>7624X1JJ (90 mm)<br>7624X1JK (100 mm)<br>7624X1JL (110 mm)<br>7624X1JM (120 mm) | <b>ART. NO.</b><br>7524X1GG (90 mm)<br>7524X1GH (100 mm)<br>7524X1GJ (110 mm)<br>7524X1GO (120 mm) | <b>ART. NO.</b><br>7524X1GS (90 mm)<br>7524X1GT (100 mm)<br>7524X1GU (110 mm)<br>7524X1GV (120 mm) | <b>ART. NO.</b><br>7524X1GW (90 mm)<br>7524X1GX (100 mm)<br>7524X1GY (110 mm)<br>7524X1GZ (120 mm) | <b>ART. NO.</b><br>7524U1GA (90 mm)<br>7524U1GB (100 mm)<br>7524U1GC (110 mm)<br>7524U1GD (120 mm) | <b>ART. NO.</b><br>7524U1GE (90 mm)<br>7524U1GF (100 mm)<br>7524U1GP (110 mm)<br>7524U1GR (120 mm) |
| <b>COLOR</b><br>Green - Black                                                                      | <b>COLOR</b><br>Blue - White - Red                                                                 | <b>COLOR</b><br>Grey - Silver                                                                      | <b>COLOR</b><br>Green - Brown                                                                      | <b>COLOR</b><br>Black - Yellow                                                                     | <b>COLOR</b><br>Black                                                                              | <b>COLOR</b><br>White                                                                              |
| <b>DIN RANGE</b><br>6.0 - 16.0                                                                     | <b>DIN RANGE</b><br>6.0 - 16.0                                                                     | <b>DIN RANGE</b><br>4.0 - 13.0                                                                     | <b>DIN RANGE</b><br>4.0 - 13.0                                                                     | <b>DIN RANGE</b><br>4.0 - 13.0                                                                     | <b>DIN RANGE</b><br>4.0 - 13.0                                                                     | <b>DIN RANGE</b><br>4.0 - 13.0                                                                     |
| <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm, 120 mm                                      | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm, 120 mm                                      | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm, 120 mm                                      | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm, 120 mm                                      | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm, 120 mm                                      | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm, 120 mm                                      | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm, 120 mm                                      |

|                                                                                                        |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                   |  |  |  |  |  |  |
| <b>GRIFFON 13</b>                                                                                      | <b>SQUIRE 11</b>                                                                      | <b>SQUIRE 11</b>                                                                      | <b>SQUIRE 11</b>                                                                      | <b>SQUIRE 11</b>                                                                      | <b>SQUIRE 11</b>                                                                      | <b>SQUIRE 10</b>                                                                      |
| <b>ART. NO.</b><br>7524W1.GK (90 mm)<br>7524W1.GL (100 mm)<br>7524W1.GM (110 mm)<br>7524W1.GN (120 mm) | <b>ART. NO.</b><br>7424X1MG (90 mm)<br>7424X1MH (100 mm)<br>7424X1MJ (110 mm)         | <b>ART. NO.</b><br>7424X1MK (90 mm)<br>7424X1ML (100 mm)<br>7424X1MM (110 mm)         | <b>ART. NO.</b><br>7424X1MR (90 mm)<br>7424X1MS (100 mm)<br>7424X1MT (110 mm)         | <b>ART. NO.</b><br>7424X1MU (90 mm)<br>7424X1MV (100 mm)<br>7424X1MW (110 mm)         | <b>ART. NO.</b><br>7424V1MA (90 mm)<br>7424V1ME (100 mm)<br>7424V1MC (110 mm)         | <b>ART. NO.</b><br>7424V1MD (90 mm)<br>7424V1MF (110 mm)                              |
| <b>COLOR</b><br>Tan                                                                                    | <b>COLOR</b><br>Black - Green                                                         | <b>COLOR</b><br>Tan - Ivory                                                           | <b>COLOR</b><br>Green - Petrol                                                        | <b>COLOR</b><br>Black - Purple                                                        | <b>COLOR</b><br>Black                                                                 | <b>COLOR</b><br>White                                                                 |
| <b>DIN RANGE</b><br>4.0 - 13.0                                                                         | <b>DIN RANGE</b><br>3.0 - 11.0                                                        | <b>DIN RANGE</b><br>3.0 - 11.0                                                        | <b>DIN RANGE</b><br>3.0 - 11.0                                                        | <b>DIN RANGE</b><br>3.0 - 11.0                                                        | <b>DIN RANGE</b><br>3.0 - 11.0                                                        | <b>DIN RANGE</b><br>3.0 - 11.0                                                        |
| <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm, 120 mm                                          | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm                                 | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm                                 | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm                                 | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm                                 | <b>SIZE / BRAKE WIDTH</b><br>90 mm, 100 mm,<br>110 mm                                 | <b>SIZE / BRAKE WIDTH</b><br>85 mm, 100 mm                                            |

INTERFACE



WORLD CUP PC  
INTERFACE; BULK

**SIZE**  
10mm; 14 mm

**ART. NO.**  
2020R1SA (10 mm, Werk lang)  
2020R1SK (10 mm, Werk kurz)  
2022W1SK (14 mm, Werk kurz)

**COLOR**  
Black



ALU PRO PLATE

**SIZE**  
10mm

**ART. NO.**  
2030S1MP

**COLOR**  
Silver



JUNIOR RACE INTERFACE  
PIVOT; BULK

**ART. NO.**  
2027U1JL (26 pair)

**COLOR**  
Black



JUNIOR RACE INTERFACE  
SHORT; BULK

**ART. NO.**  
2027U1JS (26 pair)

**COLOR**  
Black



RMOTION3 PLATE;  
BULK

**ART. NO.**  
2084W1VS (25 pair)

**COLOR**  
Black - Anthracite



VMOTION 3 PLATE;  
BULK

(FDT HP flat, Torx)

**ART. NO.**  
2065U1VE (20 pair)

**COLOR**  
Black - Anthracite



VMOTION 2 PLATE;  
BULK

(FDT HP, Torx)

**ART. NO.**  
2065U1VD (20 pair)

**COLOR**  
Black - Anthracite



VMOTION 1 PLATE;  
BULK

(FDT zweiteilig, Torx)

**ART. NO.**  
2065R1VC (25 pair)

**COLOR**  
Black



FDT HP FREE PLATE;  
BULK

**ART. NO.**  
2066U1MG (5 pair)

**COLOR**  
Black



FDT Q6 PLATE;  
BULK

(Torx)

**ART. NO.**  
2065W1VA (25 pair)

**COLOR**  
Black



FDT Q6 JUNIOR  
PLATE LARGE; BULK

(Torx)

**ART. NO.**  
2071W1SL (50 pair)

**COLOR**  
Black



FDT Q6 JUNIOR  
PLATE SMALL; BULK

(Torx)

**ART. NO.**  
2070W1SS (50 pair)

**COLOR**  
Black



FDT Q6 JUNIOR  
PLATE LARGE; BULK

(Torx)

**ART. NO.**  
2071W1WL (50 pair)

**COLOR**  
White



FDT Q6 JUNIOR  
PLATE SMALL; BULK

(Torx)

**ART. NO.**  
2070W1WS (50 pair)

**COLOR**  
White



FDT Q6 JUNIOR  
PLATE LARGE; BULK

**ART. NO.**  
2071W1WL

**COLOR**  
White



FDT Q6 JUNIOR  
PLATE SMALL; BULK

**ART. NO.**  
2070W1WSV

**COLOR**  
White

CRAMPONS



CRAMPON KP /  
ALPINIST / CRUISE

**ART. NO.**  
H005S1A (80 mm)  
H001P1P (90 mm)  
H002P1P (105 mm)  
H003P1P (120 mm)

**SKI WIDTH**  
66 - 80 mm  
75 - 90 mm  
90 - 105 mm  
105 - 120 mm



CRAMPON DUKE PT

**ART. NO.**  
H006U1R (105 mm)  
H007U1R (125 mm)

**SKI WIDTH**  
90 - 105 mm  
105 - 125 mm



CRAMPON

**ART. NO.**  
H003K1A (82 mm)  
H001M1A (92 mm)  
H002N1A (105 mm)  
H004M1A (120 mm)

**SKI WIDTH**  
< 74 mm  
74 - 84 mm  
90 - 105 mm  
106 - 120 mm



WC UVO.3D;  
BULK

**ART. NO.**  
V001S1SB (24 pair)

SMART  
SKINCLIP

*The innovative Smart Skinclip system allows the ski tourer to decide for himself, depending on the situation, in which direction he should pull the skin on and off.*

A standard snap hook at the tail end of the ski allows the skin to be attached and detached from behind. The skin can, however, also be pulled on and off quickly and easily from the front. This new flexibility is made possible by an elastic snap hook, which is also easy to grip with gloves. A subtle depression in the ski tip gives the hook lateral guidance and prevents it from unintentionally releasing the skin while walking.



RISE - MIX MOHAIR SKINS

|        | RISE MIX MOHAIR SKINS | 149 | 150 | 156 | 158 | 160 | 163 | 165 | 170 | 172 | 175 | 177 | 180 | 184 | 186 | 191 |
|--------|-----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 159752 | Rise Up 82 Skins      | x   |     | x   |     |     | x   |     | x   |     |     | x   |     |     |     |     |
| 159753 | Rise Above 88 Skins   | x   |     | x   |     |     | x   |     | x   |     |     | x   |     | x   |     |     |
| 159754 | Rise High 88 Skins    |     |     |     |     | x   |     |     | x   |     |     |     | x   |     |     |     |
| 159760 | Rise Beyond 96 Skins  |     |     | x   |     |     | x   |     | x   |     |     | x   |     | x   |     |     |

BLAZE - MIX MOHAIR SKINS

|        | BLAZE MIX MOHAIR SKINS | 146 | 152 | 156 | 158 | 159 | 163 | 165 | 166 | 172 | 173 | 179 | 180 | 184 | 186 | 191 |
|--------|------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|        | Blaze 82 Skins         |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 159761 | Blaze 86 Skins         | x   | x   |     |     | x   |     |     | x   |     | x   |     | x   |     |     |     |
| 159756 | Blaze 94 Skins         |     |     |     | x   |     |     | x   |     | x   |     | x   |     |     | x   |     |
| 159757 | Blaze 106 Skins        |     |     |     | x   |     |     | x   |     | x   |     | x   |     |     | x   |     |
|        | Blaze 114 Skins        |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |

|        | RISE /BLAZE MIX MOHAIR SKINS | 118 | 128 | 138 | 148 | 158 |  |  |  |  |  |  |  |  |  |  |
|--------|------------------------------|-----|-----|-----|-----|-----|--|--|--|--|--|--|--|--|--|--|
| 159769 | Rise & Blaze JR Skin         |     |     |     |     |     |  |  |  |  |  |  |  |  |  |  |

BMT - MIX MOHAIR SKINS

|        | BMT MIX MOHAIR SKINS | 149 | 150 | 156 | 158 | 160 | 163 | 166 | 170 | 172 | 176 | 177 | 180 | 184 | 186 | 191 |
|--------|----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 159763 | v-werks BMT 90 Skins |     |     |     |     |     | x   |     | x   |     |     | x   |     | x   |     |     |

VWERKS - MIX MOHAIR SKINS

|        | VWERKS MIX MOHAIR SKINS | 149 | 150 | 156 | 158 | 160 | 163 | 166 | 170 | 172 | 177 | 178 | 180 | 184 | 186 | 191 |
|--------|-------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 159766 | v-werks Katana Skins    |     |     |     |     |     |     |     |     |     | x   |     |     | x   |     | x   |

UNIVERSAL SKINS

|        | UNIVERSAL MIX MOHAIR SKINS      | 149      | 150 | 156 | 158 | 160 | 163 | 165 | 170 | 172 | 177 | 179 | 180 | 184 | 186 | 191 |
|--------|---------------------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 159724 | Universal Vacuum Skins 130 mm   | one size |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 159758 | Marker Freeride Universal Skins | one size |     |     |     |     |     |     |     |     |     |     |     |     |     |     |

CLASSIC LINE



CLASSIC BOOT BAG  
VÖKL

ART. NO.  
140100

COLOR  
Black / Grey / Yellow

SIZE IN CM  
40 x 28 x 39

VOLUME IN L  
45



CLASSIC BOOT BAG  
DALBELLO

ART. NO.  
140101

COLOR  
Black / Grey / Yellow

SIZE IN CM  
40 x 28 x 39

VOLUME IN L  
45



CLASSIC BOOT &  
HELMET BAG VÖKL

ART. NO.  
140102

COLOR  
Black / Grey / Yellow

SIZE IN CM  
40.5 x 27 x 42

VOLUME IN L  
46



CLASSIC BOOT &  
HELMET BACKPACK  
VÖKL

ART. NO.  
140103

COLOR  
Black / Grey / Yellow

SIZE IN CM  
40.5 x 27 x 42

VOLUME IN L  
46



CLASSIC SINGLE SKI  
BAG 175 CM VÖKL

ART. NO.  
140104

COLOR  
Black / Yellow

SIZE IN CM  
175 x 25 x 25

VOLUME IN L  
80



RACE ROLLING BAG  
VÖKL

ART. NO.  
142108

COLOR  
Black/Red

SIZE IN CM  
76 x 39 x 35

VOLUME IN L  
120



RACE SINGLE SKI BAG  
175 CM VÖKL

ART. NO.  
142109

COLOR  
Black/Red

SIZE IN CM  
175 x 14 x 14

VOLUME IN L  
80



RACE SINGLE SKI BAG  
165+15+15 VÖKL

ART. NO.  
142110

COLOR  
Black/Red

SIZE IN CM  
(165+15 x 2) x 14 x 14

VOLUME IN L  
80



RACE DOUBLE SKI BAG  
195 CM VÖKL

ART. NO.  
142111

COLOR  
Black/Red

SIZE IN CM  
195 x 26 x 40

VOLUME IN L  
120



RACE 4PAIR SKI BAG  
PADDED 230 CM VÖKL

ART. NO.  
142112

COLOR  
Black

SIZE IN CM  
230 x 141

RACE LINE



CLASSIC DOUBLE SKI  
BAG 195 CM VÖKL

ART. NO.  
140105

COLOR  
Black / Yellow

SIZE IN CM  
195 x 35 x 35

VOLUME IN L  
120



RACE BOOT PACK  
VÖKL

ART. NO.  
142100

COLOR  
Black/Red

SIZE IN CM  
34 x 31 x 48

VOLUME IN L  
55



RACE BOOT & HELMET  
BACKPACK VÖKL

ART. NO.  
142101

COLOR  
Black/Red

SIZE IN CM  
39 x 30 x 47

VOLUME IN L  
56



RACE BOOT & HELMET  
BACKPACK DALBELLO

ART. NO.  
142102

COLOR  
Green / Black / White

SIZE IN CM  
39 x 30 x 47

VOLUME IN L  
56



RACE BACKPACK TEAM  
LARGE VÖKL

ART. NO.  
142103

COLOR  
Black/Red

SIZE IN CM  
49 x 36 x 65

VOLUME IN L  
115



RACE BACKPACK TEAM  
LARGE DALBELLO

ART. NO.  
142113

COLOR  
Green / White

SIZE IN CM  
49 x 36 x 65

VOLUME IN L  
115



RACE BACKPACK TEAM  
LARGE MDV

ART. NO.  
142104

COLOR  
Grey / Dark Grey

SIZE IN CM  
49 x 36 x 65

VOLUME IN L  
115



RACE BACKPACK TEAM  
MEDIUM VÖKL

ART. NO.  
142105

COLOR  
Black/Red

SIZE IN CM  
40 x 36 x 60

VOLUME IN L  
85



RACE BACKPACK TEAM  
MEDIUM DALBELLO

ART. NO.  
142106

COLOR  
Green / White

SIZE IN CM  
40 x 36 x 60

VOLUME IN L  
85



RACE BACKPACK TEAM  
MEDIUM MDV

ART. NO.  
142107

COLOR  
Grey / Dark Grey

SIZE IN CM  
40 x 36 x 60

VOLUME IN L  
85

RACE LINE

TRAVEL LINE

COMING SOON

TEAM PRO BACKPACK  
VÖKL

ART. NO.  
143100

COLOR

SIZE IN CM  
56 x 33 x 28

VOLUME IN L  
52

FLIGHT 30 L BACKPACK  
VÖKL

ART. NO.  
143101

COLOR

SIZE IN CM  
50 x 33 x 18

VOLUME IN L  
30

TRAVEL 60 L DUFFEL  
VÖKL

ART. NO.  
143102

COLOR

SIZE IN CM  
61 x 33 x 25

VOLUME IN L  
60

TRAVEL 90 L DUFFEL  
VÖKL

ART. NO.  
143103

COLOR

SIZE IN CM  
74 x 42 x 28

VOLUME IN L  
90

ROLLING 70 L BAG  
VÖKL

ART. NO.  
143104

COLOR

SIZE IN CM  
61 x 36 x 31

VOLUME IN L  
70

ROLLING 120 L BAG  
VÖKL

ART. NO.  
143105

COLOR

SIZE IN CM  
76 x 41 x 41

VOLUME IN L  
120

ROLLING DOUBLE SKI  
BAG 185 CM VÖKL

ART. NO.  
143106

COLOR

SIZE IN CM  
185 x 33 x 20

VOLUME IN L  
122

ROLLING ALL PRO GEAR  
BAG 200 CM VÖKL

ART. NO.  
143107

COLOR

SIZE IN CM  
200 x 36 x 25

VOLUME IN L  
180

## RACE



### SPEEDSTICK CARBON

ART. NO.  
141001

COLOR  
Black

LENGTH IN CM  
110 - 135

### SPEEDSTICK RED

ART. NO.  
141002

COLOR  
Red

LENGTH IN CM  
110 - 135

### SPEEDSTICK YELLOW

ART. NO.  
141003

COLOR  
Yellow

LENGTH IN CM  
110 - 135

## ALPINE & FREESKI



### PHANTASTICK CARBON

ART. NO.  
141004

COLOR  
Black

LENGTH IN CM  
110 - 135

## ALPINE & FREESKI



### PHANTASTICK III BLACK

ART. NO.  
141015

COLOR  
Black

LENGTH IN CM  
110 - 135



### PHANTASTICK III WHITE

ART. NO.  
141016

COLOR  
White

LENGTH IN CM  
110 - 135



### PHANTASTICK W BERRY

ART. NO.  
141018

COLOR  
Purple

LENGTH IN CM  
100 - 130



### PHANTASTICK W SILVER

ART. NO.  
141017

COLOR  
Grey

LENGTH IN CM  
100 - 130



### PHANTASTICK W PURPLE

ART. NO.  
141019

COLOR  
Purple

LENGTH IN CM  
100 - 130

## ALPINE & FREESKI



### PHANTASTICK YELLOW

ART. NO.  
141005 (16 mm)  
141006 (18 mm)

COLOR  
Yellow

LENGTH IN CM  
110 - 135

### PHANTASTICK GREEN

ART. NO.  
141007 (16 mm)  
141008 (18 mm)

COLOR  
Green

LENGTH IN CM  
110 - 135

### PHANTASTICK RED

ART. NO.  
141009 (16 mm)  
141010 (18 mm)

COLOR  
Red

LENGTH IN CM  
110 - 135

### PHANTASTICK BLACK

ART. NO.  
141011 (16 mm)  
141012 (18 mm)

COLOR  
Black

LENGTH IN CM  
110 - 135

### PHANTASTICK WHITE

ART. NO.  
141013 (16 mm)  
141014 (18 mm)

COLOR  
White

LENGTH IN CM  
110 - 135

## TOURING



### TOURISTICK AA

ART. NO.  
141028

COLOR  
White

LENGTH IN CM  
Adjustable

### TOURISTICK AC

ART. NO.  
141029

COLOR  
Blue

LENGTH IN CM  
Adjustable

### TOURISTICK CC

ART. NO.  
141030

COLOR  
Black

LENGTH IN CM  
Adjustable

## ALPINE & FREESKI



### PHANTASTICK FR

ART. NO.  
140014

COLOR  
Blue, Red, Yellow

LENGTH IN CM  
Adjustable (Max. 140 cm)

JUNIOR



**SPEEDSTICK JR  
YELLOW**

ART. NO.  
141020

COLOR  
Yellow

LENGTH IN CM  
90 - 110



**SPEEDSTICK KIDS  
YELLOW**

ART. NO.  
141021

COLOR  
Yellow

LENGTH IN CM



**PHANTASTICK JR  
YELLOW**

ART. NO.  
141022

COLOR  
Yellow

LENGTH IN CM  
90 - 110



**PHANTASTICK JR  
GREEN**

ART. NO.  
141023

COLOR  
Green

LENGTH IN CM  
90 - 110




**PHANTASTICK JR  
BERRY**

ART. NO.  
141024

COLOR  
Purple

LENGTH IN CM  
90 - 110

JUNIOR



**PHANTASTICK KIDS  
YELLOW**

ART. NO.  
141025

COLOR  
Yellow

LENGTH IN CM  
70 - 105



**PHANTASTICK KIDS  
GREEN**

ART. NO.  
141026

COLOR  
Green

LENGTH IN CM  
70 - 105



**PHANTASTICK KIDS  
BERRY**

ART. NO.  
141027

COLOR  
Purple

LENGTH IN CM  
70 - 105

RENTASTICK



**RENTASTICK  
CARBON**

ART. NO.  
169826

COLOR  
Color Coded

LENGTH IN CM  
110 - 135



**RENTASTICK  
ALU**

ART. NO.  
169827

COLOR  
Color Coded

LENGTH IN CM  
110 - 135



**RENTASTICK  
KIDS**

ART. NO.  
169828

COLOR  
Color Coded

LENGTH IN CM  
70 - 105

23/24


# POLES PHANTASTICK



**LASER  
STRUCTURED  
GRIP ZONE**

Enhanced grip  
no matter which  
temperature


Sophisticated  
look & feel



**DUAL CORE GRIP**

Soft rubber  
surface combined  
with lightweight  
polyamid

Ergonomic shape



**LIGHT AND  
STRONG ALLOY  
SHAFT**

Highest quality alloy  
7075

Perfect weight/  
performance ratio



SETS INKL. DISPLAY



EXEMPLARY  
ILLUSTRATION

**PHANTASTICK  
16MM LOT**  
(25 pairs + display)

ART. NO.  
141070

COLOR  
Green

**PHANTASTICK  
18MM LOT**  
(25 pairs + display)

ART. NO.  
141071

COLOR  
Green

| LOT NR.  | DESCRIPTION                                   | LOT UPC CODE |     |     |     |       |       |
|----------|-----------------------------------------------|--------------|-----|-----|-----|-------|-------|
| 141070   | Phantastick 16 mm Lot<br>(25 Pairs + Display) | 821264729489 |     |     |     |       |       |
| item nr. | Modelle                                       | 110          | 115 | 120 | 125 | Total | Total |
| 141005   | Phantastick 16 mm Yellow                      |              | 1   | 2   | 2   | 5     | 25    |
| 141007   | Phantastick 16 mm Green                       |              | 1   | 2   | 2   | 5     |       |
| 141009   | Phantastick 16 mm Red                         |              | 1   | 2   | 2   | 5     |       |
| 141011   | Phantastick 16 mm Black                       |              | 1   | 2   | 2   | 5     |       |
| 141013   | Phantastick 16 mm White                       |              | 1   | 2   | 2   | 5     |       |

| LOT NR.  | BESCHREIBUNG                                  | LOT UPC CODE |     |     |     |       |       |
|----------|-----------------------------------------------|--------------|-----|-----|-----|-------|-------|
| 141071   | Phantastick 18 mm Lot<br>(25 Pairs + Display) | 821264729496 |     |     |     |       |       |
| item nr. | Modelle                                       | 110          | 115 | 120 | 125 | Total | Total |
| 141006   | Phantastick 18 mm Yellow                      |              | 1   | 1   | 2   | 4     | 25    |
| 141008   | Phantastick 18 mm Green                       |              | 1   | 2   | 3   | 6     |       |
| 141010   | Phantastick 18 mm Red                         | 1            | 1   | 2   | 2   | 6     |       |
| 141012   | Phantastick 18 mm Black                       | 1            | 1   | 2   | 1   | 5     |       |
| 141014   | Phantastick 18 mm White                       | 1            | 2   | 1   |     | 4     |       |

## RACE

**RACETIGER  
GS MASTER****ART. NO.**  
V2310001**SIDECUT**  
115\_67\_98**LENGTH (RADIUS)**  
168 cm (15.4 m)  
173 cm (16.4 m)  
178 cm (17.5 m)  
183 cm (18.6 m)**RACETIGER  
GS****ART. NO.**  
V2310002**SIDECUT**  
115\_67\_98**LENGTH (RADIUS)**  
168 cm (15.4 m)  
173 cm (16.4 m)  
178 cm (17.5 m)  
183 cm (18.6 m)**RACETIGER  
SL MASTER****ART. NO.**  
V2310003**SIDECUT**  
126\_67\_102**LENGTH (RADIUS)**  
155 cm (11.0 m)  
165 cm (12.6 m)**RACETIGER  
SL****ART. NO.**  
V2310004**SIDECUT**  
126\_67\_102**LENGTH (RADIUS)**  
150 cm (10.2 m)  
155 cm (11.0 m)  
160 cm (11.8 m)  
165 cm (12.6 m)  
170 cm (13.4 m)**RACETIGER  
RC BLACK****ART. NO.**  
V2310005**SIDECUT**  
123\_68\_102**LENGTH (RADIUS)**  
158 cm (11.8 m)  
165 cm (13.9 m)  
172 cm (15.3 m)  
179 cm (16.8 m)**RACETIGER  
RC RED****ART. NO.**  
V2310006**SIDECUT**  
123\_68\_102**LENGTH (RADIUS)**  
158 cm (11.8 m)  
165 cm (13.9 m)  
172 cm (15.3 m)  
179 cm (16.8 m)**RACETIGER  
SC BLACK****ART. NO.**  
V2310007**SIDECUT**  
123\_70\_103  
**LENGTH (RADIUS)**  
148 cm (10.2 m)  
153 cm (11.0 m)  
158 cm (11.8 m)  
165 cm (13.1 m)  
**SIDECUT**  
122\_69\_100  
**LENGTH (RADIUS)**  
172 cm (15.3 m)**RACETIGER  
SC YELLOW****ART. NO.**  
V2310008**SIDECUT**  
123\_70\_103  
**LENGTH (RADIUS)**  
148 cm (10.2 m)  
153 cm (11.0 m)  
158 cm (11.8 m)  
165 cm (13.1 m)  
**SIDECUT**  
122\_69\_100  
**LENGTH (RADIUS)**  
172 cm (15.3 m)**RACETIGER  
SC WHITE****ART. NO.**  
V2310011**SIDECUT**  
123\_70\_103  
**LENGTH (RADIUS)**  
148 cm (10.2 m)  
153 cm (11.0 m)  
158 cm (11.8 m)  
165 cm (13.1 m)  
**SIDECUT**  
122\_69\_100  
**LENGTH (RADIUS)**  
172 cm (15.3 m)

## ALL MOUNTAIN PISTE

**DEACON  
76 MASTER****ART. NO.**  
V2310020**SIDECUT**  
124\_76\_104**LENGTH (RADIUS)**  
176 cm (17.6 m)  
181 cm (18.7 m)**DEACON  
76 BLACK****ART. NO.**  
V2310021**SIDECUT**  
124\_76\_104**LENGTH (RADIUS)**  
171 cm (16.5 m)  
176 cm (17.6 m)  
181 cm (18.7 m)**DEACON  
76****ART. NO.**  
V2310022**SIDECUT**  
124\_76\_104**LENGTH (RADIUS)**  
171cm (16.5 m)  
176cm (17.6 m)  
181cm (18.7 m)**DEACON  
72 MASTER****ART. NO.**  
V2310023**SIDECUT**  
125\_72\_103**LENGTH (RADIUS)**  
168 cm (14.5 m)  
173 cm (15.4 m)  
178 cm (16.4 m)**DEACON  
72 BLACK****ART. NO.**  
V2310024**SIDECUT**  
125\_72\_103**LENGTH (RADIUS)**  
158 cm (12.7 m)  
163 cm (13.5 m)  
168 cm (14.5 m)  
173 cm (15.4 m)  
178 cm (16.4 m)**DEACON  
72****ART. NO.**  
V2310025**SIDECUT**  
125\_72\_103**LENGTH (RADIUS)**  
158 cm (12.7 m)  
163 cm (13.5 m)  
168 cm (14.5 m)  
173 cm (15.4 m)  
178 cm (16.4 m)**DEACON  
75****ART. NO.**  
V2310026**SIDECUT**  
126\_75\_105**LENGTH (RADIUS)**  
154 cm (12.2 m)  
161 cm (13.5 m)  
168 cm (15.0 m)  
175 cm (16.5 m)

## ALL MOUNTAIN PISTE

**DEACON  
V.WERKS****ART. NO.**  
120215**SIDECUT**  
132\_84\_115**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 167 cm | (21 m) | 13 m | 18 m) |
|    | 172 cm | (23 m) | 14 m | 19 m) |
| R3 | 177 cm | (24 m) | 15 m | 21 m) |
|    | 182 cm | (25 m) | 16 m | 22 m) |

**DEACON  
84****ART. NO.**  
V2310041**SIDECUT**  
132\_84\_115**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 162 cm | (20 m) | 12 m | 17 m) |
|    | 167 cm | (21 m) | 13 m | 18 m) |
| R2 | 172 cm | (23 m) | 14 m | 19 m) |
|    | 177 cm | (24 m) | 15 m | 21 m) |
| R3 | 182 cm | (26 m) | 16 m | 22 m) |

**DEACON  
80****ART. NO.**  
V2310042**SIDECUT**  
128\_80\_111**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 162 cm | (20 m) | 12 m | 17 m) |
|    | 167 cm | (21 m) | 13 m | 18 m) |
| R2 | 172 cm | (23 m) | 14 m | 19 m) |
|    | 177 cm | (24 m) | 15 m | 21 m) |
| R3 | 182 cm | (26 m) | 16 m | 22 m) |

**DEACON  
79****ART. NO.**  
V2310043**SIDECUT**  
129\_79\_109  
**LENGTH (RADIUS)**  
156 cm (12.7 m)  
163 cm (14.1 m)  
170 cm (15.6 m)  
177 cm (17.1 m)**DEACON  
XTD****ART. NO.**  
V2310027**SIDECUT**  
124\_76\_105  
**LENGTH (RADIUS)**  
154 cm (12.7 m)  
161 cm (14.2 m)  
168 cm (15.7 m)  
175 cm (17.3 m)**DEACON  
XT****ART. NO.**  
V2310028**SIDECUT**  
124\_76\_105  
**LENGTH (RADIUS)**  
151 cm (11.4 m)  
161 cm (14.2 m)  
168 cm (15.7 m)  
175 cm (17.3 m)**DEACON  
X****ART. NO.**  
V2310029**SIDECUT**  
123\_72\_104  
**LENGTH (RADIUS)**  
151 cm (11.4 m)  
158 cm (12.7 m)  
165 cm (14.0 m)  
172 cm (15.5 m)

## ALL MOUNTAIN PISTE WMN

**FLAIR  
SC CARBON****ART. NO.**  
V2310049**SIDECUT**  
123\_68\_102**LENGTH (RADIUS)**  
148 cm (10.2 m)  
153 cm (11.0 m)  
158 cm (11.8 m)  
165 cm (13.1 m)**FLAIR  
SC****ART. NO.**  
V2310051**SIDECUT**  
124\_73\_103**LENGTH (RADIUS)**  
153 cm (12.0 m)  
158 cm (12.9 m)  
163 cm (13.9 m)**FLAIR  
75****ART. NO.**  
V2310052**SIDECUT**  
126\_75\_105**LENGTH (RADIUS)**  
147 cm (11.3 m)  
154 cm (12.2 m)  
161 cm (13.5 m)**FLAIR  
79****ART. NO.**  
V2310053**SIDECUT**  
129\_79\_109**LENGTH (RADIUS)**  
149 cm (11.8 m)  
156 cm (12.7 m)  
163 cm (14.1 m)**FLAIR  
76 ELITE****ART. NO.**  
V2310054**SIDECUT**  
124\_76\_105**LENGTH (RADIUS)**  
147 cm (11.8 m)  
154 cm (12.7 m)  
161 cm (14.2 m)**FLAIR  
76****ART. NO.**  
V2310055**SIDECUT**  
124\_76\_105**LENGTH (RADIUS)**  
147 cm (11.8 m)  
154 cm (12.7 m)  
161 cm (14.2 m)**FLAIR  
72****ART. NO.**  
V2310056**SIDECUT**  
123\_72\_104**LENGTH (RADIUS)**  
137 cm (9.4 m)  
144 cm (10.1 m)  
151 cm (11.4 m)  
158 cm (12.7 m)  
165 cm (14.0 m)

## ALL MOUNTAIN FREERIDE

**KATANA  
108****ART. NO.**  
V2310110**SIDECUT**  
146\_108\_129**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 170 cm | (32 m) | 16 m | 30 m) |
|    | 177 cm | (36 m) | 18 m | 32 m) |
| R3 | 184 cm | (39 m) | 19 m | 34 m) |
|    | 191 cm | (44 m) | 21 m | 36 m) |

**MANTRA  
102****ART. NO.**  
V2310111**SIDECUT**  
142\_102\_124**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 170 cm | (26 m) | 16 m | 23 m) |
|    | 177 cm | (28 m) | 18 m | 26 m) |
| R3 | 184 cm | (30 m) | 19 m | 27 m) |
|    | 191 cm | (33 m) | 21 m | 30 m) |

**M6  
MANTRA****ART. NO.**  
V2310112**SIDECUT**  
135\_96\_119**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 163 cm | (24 m) | 14 m | 20 m) |
|    | 170 cm | (27 m) | 16 m | 22 m) |
| R3 | 177 cm | (30 m) | 18 m | 24 m) |
|    | 184 cm | (32 m) | 19 m | 26 m) |
|    | 191 cm | (35 m) | 21 m | 28 m) |

**KENDO  
88****ART. NO.**  
V2310113**SIDECUT**  
129\_88\_113**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 163 cm | (23 m) | 13 m | 21 m) |
|    | 170 cm | (26 m) | 15 m | 23 m) |
| R3 | 177 cm | (29 m) | 16 m | 25 m) |
|    | 184 cm | (31 m) | 17 m | 26 m) |

**KANJO  
84****ART. NO.**  
V2310114**SIDECUT**  
125\_84\_107**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 161 cm | (19 m) | 14 m | 17 m) |
|    | 168 cm | (21 m) | 15 m | 19 m) |
| R3 | 175 cm | (25 m) | 17 m | 20 m) |
|    | 182 cm | (26 m) | 19 m | 24 m) |

## ALL MOUNTAIN FREERIDE WMN

**SECRET  
102****ART. NO.**  
V2310115**SIDECUT**  
142\_102\_124**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 156 cm | (20 m) | 13 m | 19 m) |
|    | 163 cm | (23 m) | 14 m | 21 m) |
| R3 | 170 cm | (26 m) | 16 m | 23 m) |
|    | 177 cm | (28 m) | 18 m | 26 m) |

**SECRET  
96****ART. NO.**  
V2310116**SIDECUT**  
135\_96\_119**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 149 cm | (19 m) | 11 m | 16 m) |
|    | 156 cm | (21 m) | 13 m | 18 m) |
| R3 | 163 cm | (24 m) | 14 m | 20 m) |
|    | 170 cm | (27 m) | 16 m | 22 m) |
|    | 177 cm | (30 m) | 18 m | 24 m) |

**KENJA  
88****ART. NO.**  
V2310117**SIDECUT**  
129\_88\_113**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 149 cm | (20 m) | 11 m | 16 m) |
|    | 156 cm | (21 m) | 12 m | 19 m) |
| R3 | 163 cm | (23 m) | 13 m | 21 m) |
|    | 170 cm | (26 m) | 15 m | 23 m) |

**YUMI  
84****ART. NO.**  
V2310118**SIDECUT**  
125\_84\_107**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 147 cm | (16 m) | 11 m | 14 m) |
|    | 154 cm | (18 m) | 13 m | 16 m) |
| R3 | 161 cm | (19 m) | 14 m | 17 m) |
|    | 168 cm | (21 m) | 15 m | 19 m) |

**YUMI  
80****ART. NO.**  
V2310119**SIDECUT**  
121\_80\_103**LENGTH (3D RADIUS)**  

| R1 | Length | R1     | R2   | R3    |
|----|--------|--------|------|-------|
| R2 | 147 cm | (16 m) | 11 m | 14 m) |
|    | 154 cm | (18 m) | 13 m | 16 m) |
| R3 | 161 cm | (19 m) | 14 m | 17 m) |
|    | 168 cm | (21 m) | 15 m | 19 m) |

ALL MOUNTAIN FREERIDE



NEW

BLAZE  
114

ART. NO. V2310131    SIDE CUT 154\_114\_136

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 176 cm (35 m) | 17 m | 27 m |    |
| R2 | 184 cm (39 m) | 18 m | 29 m |    |
| R3 | 192 cm (43 m) | 20 m | 32 m |    |



NEW GRAPHIC

BLAZE  
106

ART. NO. V2310132    SIDE CUT 146\_106\_128

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 165 cm (29 m) | 14 m | 23 m |    |
| R2 | 172 cm (33 m) | 16 m | 25 m |    |
| R2 | 179 cm (36 m) | 17 m | 28 m |    |
| R3 | 186 cm (40 m) | 19 m | 30 m |    |



NEW GRAPHIC

BLAZE  
106 W

ART. NO. V2310133    SIDE CUT 146\_106\_128

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 158 cm (27 m) | 13 m | 21 m |    |
| R2 | 165 cm (29 m) | 14 m | 23 m |    |
| R2 | 172 cm (33 m) | 16 m | 25 m |    |
| R3 | 179 cm (36 m) | 17 m | 28 m |    |



NEW GRAPHIC

BLAZE  
94

ART. NO. V2310134    SIDE CUT 134\_94\_116

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 158 cm (31 m) | 13 m | 23 m |    |
| R2 | 165 cm (33 m) | 14 m | 25 m |    |
| R2 | 172 cm (37 m) | 15 m | 27 m |    |
| R2 | 179 cm (38 m) | 17 m | 32 m |    |
| R3 | 186 cm (44 m) | 19 m | 34 m |    |



NEW GRAPHIC

BLAZE  
94 W

ART. NO. V2310135    SIDE CUT 134\_94\_116

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 158 cm (31 m) | 13 m | 23 m |    |
| R2 | 165 cm (33 m) | 14 m | 25 m |    |
| R2 | 173 cm (28 m) | 15 m | 23 m |    |
| R3 | 172 cm (37 m) | 15 m | 27 m |    |



NEW GRAPHIC

BLAZE  
86

ART. NO. V2310136    SIDE CUT 129\_86\_111

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 159 cm (22 m) | 12 m | 19 m |    |
| R2 | 166 cm (25 m) | 13 m | 21 m |    |
| R2 | 173 cm (28 m) | 15 m | 23 m |    |
| R3 | 180 cm (30 m) | 16 m | 25 m |    |

FREESTYLE



NEW GRAPHIC

REVOLT  
121

ART. NO. V2310150    SIDE CUT 143\_121\_135

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 177 cm (19 m) | 17 m | 18 m |    |
| R2 | 184 cm (20 m) | 19 m | 20 m |    |
| R3 | 191 cm (23 m) | 22 m | 22 m |    |



NEW

REVOLT  
114

ART. NO. V2310151    SIDE CUT 146\_114\_128

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 177 cm (22 m) | 18 m | 21 m |    |
| R2 | 184 cm (25 m) | 19 m | 22 m |    |
| R3 | 191 cm (28 m) | 21 m | 25 m |    |



NEW GRAPHIC

REVOLT  
104

ART. NO. V2310152    SIDE CUT 132\_104\_122

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 172 cm (22 m) | 17 m | 19 m |    |
| R2 | 180 cm (24 m) | 19 m | 22 m |    |
| R3 | 188 cm (27 m) | 21 m | 25 m |    |



NEW

REVOLT  
96

ART. NO. V2310153    SIDE CUT 126\_96\_117

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 157 cm (16 m) | 13 m | 14 m |    |
| R2 | 165 cm (18 m) | 15 m | 17 m |    |
| R2 | 173 cm (20 m) | 17 m | 19 m |    |
| R3 | 181 cm (23 m) | 20 m | 22 m |    |



NEW GRAPHIC

REVOLT  
90

ART. NO. V2310154

SIDE CUT 118\_90\_118

LENGTH (RADIUS)  
168 cm (18.2 m)  
174 cm (19.5 m)  
180 cm (21.5 m)  
186 cm (23.0 m)

ALL MOUNTAIN FREERIDE



NEW GRAPHIC

BLAZE  
86 W

ART. NO. V2310137    SIDE CUT 129\_86\_111

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 146 cm (18 m) | 10 m | 15 m |    |
| R2 | 152 cm (20 m) | 11 m | 17 m |    |
| R2 | 159 cm (22 m) | 12 m | 19 m |    |
| R3 | 166 cm (25 m) | 13 m | 21 m |    |




NEW

BLAZE  
82

ART. NO. V2310138    SIDE CUT 125\_82\_107

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 159 cm (22 m) | 12 m | 19 m |    |
| R2 | 166 cm (25 m) | 13 m | 21 m |    |
| R2 | 173 cm (28 m) | 15 m | 23 m |    |
| R3 | 180 cm (30 m) | 16 m | 25 m |    |



NEW

BLAZE  
82 W

ART. NO. V2310139    SIDE CUT 125\_82\_107

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 146 cm (18 m) | 10 m | 15 m |    |
| R2 | 152 cm (20 m) | 11 m | 17 m |    |
| R2 | 159 cm (22 m) | 12 m | 19 m |    |
| R3 | 166 cm (25 m) | 13 m | 21 m |    |



KATANA  
V.WERKS

ART. NO. V2310100

SIDE CUT 141\_112\_131

LENGTH (RADIUS)  
177 cm (23.4 m)  
184 cm (23.5 m)  
191 cm (25.9 m)

FREESTYLE



NEW GRAPHIC

REVOLT  
84

ART. NO. V2310155

SIDE CUT 110\_84\_110

LENGTH (RADIUS)  
174 cm (21.0 m)  
180 cm (23.2 m)  
186 cm (24.7 m)



NEW GRAPHIC

REVOLT  
86 SCORPION

ART. NO. V2310160

SIDE CUT 120\_86\_110

LENGTH (RADIUS)  
148 cm (14.8 m)  
156 cm (16.6 m)  
164 cm (18.5 m)  
172 cm (21.2 m)  
180 cm (23.3 m)



NEW GRAPHIC

REVOLT  
86 CROWN

ART. NO. V2310161

SIDE CUT 120\_86\_110

LENGTH (RADIUS)  
148 cm (14.8 m)  
156 cm (16.6 m)  
164 cm (18.5 m)  
172 cm (21.2 m)  
180 cm (23.3 m)



NEW GRAPHIC

REVOLT  
81

ART. NO. V2310162

SIDE CUT 111\_81\_104

LENGTH (RADIUS)  
148 cm (13.9 m)  
158 cm (16.3 m)  
168 cm (18.9 m)  
178 cm (21.8 m)

TOURING



BMT  
90

ART. NO. 122384    SIDE CUT 127\_90\_109

LENGTH (RADIUS)

163 cm (15.6 m)  
170 cm (17.6 m)  
177 cm (19.6 m)  
184 cm (21.8 m)



RISE  
BEYOND 96

ART. NO. 122370    SIDE CUT 138\_96\_119

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 156 cm (17 m) | 12 m | 16 m |    |
| R2 | 163 cm (19 m) | 14 m | 18 m |    |
| R2 | 170 cm (22 m) | 16 m | 20 m |    |
| R2 | 177 cm (24 m) | 17 m | 22 m |    |
| R3 | 184 cm (27 m) | 19 m | 24 m |    |



RISE  
BEYOND 96 W

ART. NO. 122371    SIDE CUT 138\_96\_119

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 156 cm (17 m) | 12 m | 16 m |    |
| R2 | 163 cm (19 m) | 14 m | 18 m |    |
| R2 | 170 cm (22 m) | 16 m | 20 m |    |
| R3 | 177 cm (24 m) | 17 m | 22 m |    |



RISE  
HIGH 88

ART. NO. 122372    SIDE CUT 127\_88\_106

LENGTH (RADIUS)

160 cm (16.3 m)  
170 cm (18.9 m)  
180 cm (21.6 m)



RISE  
ABOVE 88

ART. NO. 122374    SIDE CUT 131\_88\_111

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 156 cm (20 m) | 12 m | 17 m |    |
| R2 | 163 cm (22 m) | 14 m | 19 m |    |
| R2 | 170 cm (25 m) | 15 m | 22 m |    |
| R2 | 177 cm (28 m) | 17 m | 23 m |    |
| R3 | 184 cm (31 m) | 18 m | 25 m |    |



RISE  
ABOVE 88 W

ART. NO. 122376    SIDE CUT 131\_88\_111

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 149 cm (19 m) | 11 m | 16 m |    |
| R2 | 156 cm (20 m) | 12 m | 17 m |    |
| R2 | 163 cm (22 m) | 14 m | 19 m |    |
| R3 | 170 cm (25 m) | 15 m | 22 m |    |



RISE  
UP 82

ART. NO. 122378    SIDE CUT 125\_82\_105

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 156 cm (21 m) | 12 m | 17 m |    |
| R2 | 163 cm (23 m) | 14 m | 20 m |    |
| R2 | 170 cm (26 m) | 15 m | 22 m |    |
| R3 | 177 cm (29 m) | 17 m | 24 m |    |



RISE  
UP 82 W

ART. NO. 122380    SIDE CUT 125\_82\_105

LENGTH (3D RADIUS)

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
| R2 | 149 cm (19 m) | 11 m | 16 m |    |
| R2 | 156 cm (21 m) | 12 m | 17 m |    |
| R2 | 163 cm (23 m) | 14 m | 20 m |    |
| R3 | 170 cm (26 m) | 15 m | 22 m |    |

## JUNIOR



NEW GRAPHIC

RACETIGER  
JR RED

**ART. NO.**  
V2310200 (FLAT)  
**SIDECUT** **LENGTH (RADIUS)**  
93\_67\_76 70 cm (4.7 m)

**ART. NO.**  
V2310205 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
93\_67\_76 80 cm (6.6 m)  
90 cm (8.8 m)

**ART. NO.**  
V2310206 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
100\_68\_82 100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)

**ART. NO.**  
V2310207 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
109\_69\_88 130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)



NEW GRAPHIC

RACETIGER  
JR YELLOW

**ART. NO.**  
V2310210 (FLAT)  
**SIDECUT** **LENGTH (RADIUS)**  
93\_67\_76 70 cm (4.7 m)

**ART. NO.**  
V2310215 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
93\_67\_76 80 cm (6.6 m)  
90 cm (8.8 m)

**ART. NO.**  
V2310216 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
100\_68\_82 100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)

**ART. NO.**  
V2310217 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
109\_69\_88 130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)



NEW GRAPHIC

RACETIGER  
JR PRO

**ART. NO.**  
V2310220  
**SIDECUT** **LENGTH (RADIUS)**  
117\_70\_98

**LENGTH (RADIUS)**  
120 cm (7.5 m)  
130 cm (9.0 m)

**SIDECUT**  
121\_70\_102  
**LENGTH (RADIUS)**  
140 cm (9.7 m)  
150 cm (11.2 m)  
160 cm (13.0 m)



NEW GRAPHIC

DEACON  
JR

**ART. NO.**  
V2310230 (FLAT)  
**SIDECUT** **LENGTH (RADIUS)**  
93\_67\_76 70 cm (4.7 m)

**ART. NO.**  
V2310235 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
93\_67\_76 80 cm (6.6 m)  
90 cm (8.8 m)

**ART. NO.**  
V2310236 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
100\_68\_82 100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)

**ART. NO.**  
V2310237 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
109\_69\_88 130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)



NEW GRAPHIC

DEACON  
JR PRO

**ART. NO.**  
V2310240 (VMOTION)  
**SIDECUT**  
117\_70\_98

**LENGTH (RADIUS)**  
120 cm (7.5 m)  
130 cm (9.0 m)

**SIDECUT**  
121\_70\_102  
**LENGTH (RADIUS)**  
140 cm (9.7 m)  
150 cm (11.2 m)  
160 cm (13.0 m)



NEW GRAPHIC

FLAIR  
JR

**ART. NO.**  
V2310250 (FLAT)  
**SIDECUT** **LENGTH (RADIUS)**  
93\_67\_76 70 cm (4.7 m)

**ART. NO.**  
V2310255 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
93\_67\_76 80 cm (6.6 m)  
90 cm (8.8 m)

**ART. NO.**  
V2310256 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
100\_68\_82 100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)

**ART. NO.**  
V2310257 (VMOTION)  
**SIDECUT** **LENGTH (RADIUS)**  
109\_69\_88 130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)

BLAZE  
JR

**ART. NO.** **SIDECUT**  
V2310265 (VMOTION) 129\_88\_113  
V2310260 (FLAT)

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
|    | 118 cm (9 m)  | 7 m  | 7 m  |    |
| R2 | 128 cm (12 m) | 8 m  | 9 m  |    |
|    | 138 cm (13 m) | 10 m | 12 m |    |
|    | 148 cm (18 m) | 10 m | 14 m |    |
| R3 | 158 cm (21 m) | 11 m | 17 m |    |

BLAZE W  
JR

**ART. NO.** **SIDECUT**  
V2310275 (VMOTION) 125\_84\_107  
V2310270 (FLAT)

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
|    | 118 cm (9 m)  | 7 m  | 7 m  |    |
| R2 | 128 cm (12 m) | 8 m  | 9 m  |    |
|    | 138 cm (13 m) | 10 m | 12 m |    |
|    | 148 cm (18 m) | 10 m | 14 m |    |
| R3 | 158 cm (21 m) | 11 m | 17 m |    |



NEW GRAPHIC

MANTRA  
JR

**ART. NO.** **SIDECUT**  
V2310276 118\_86\_111

**LENGTH (RADIUS)**  
118 cm (8.3 m)  
128 cm (10.2 m)  
138 cm (12.3 m)  
148 cm (14.5 m)  
158 cm (16.9 m)

RISE  
JR

**ART. NO.** **SIDECUT**  
V2310280 121\_80\_103

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
|    | 118 cm (9 m)  | 7 m  | 7 m  |    |
| R2 | 128 cm (12 m) | 8 m  | 9 m  |    |
|    | 138 cm (13 m) | 10 m | 12 m |    |
|    | 148 cm (18 m) | 10 m | 14 m |    |
| R3 | 158 cm (21 m) | 11 m | 17 m |    |



NEW GRAPHIC

REVOLT 100  
JR

**ART. NO.**  
V2310290

**SIDECUT**  
132\_100\_116

**LENGTH (RADIUS)**  
143 cm (14.9 m)  
153 cm (17.5 m)  
163 cm (20.3 m)



NEW GRAPHIC

## REVOLT JR WASP

**ART. NO.** **SIDECUT**  
V2310295 (VMOTION) 106\_74\_99

**LENGTH (RADIUS)**  
118 cm (8.9 m)  
128 cm (10.8 m)  
138 cm (13.0 m)  
148 cm (15.3 m)

**ART. NO.**  
V2310298 (FLAT)  
**LENGTH (RADIUS)**  
138 cm (13.0 m)  
148 cm (15.3 m)



NEW GRAPHIC

## REVOLT JR HOPPER

**ART. NO.** **SIDECUT**  
V2310296 (VMOTION) 106\_74\_99

**LENGTH (RADIUS)**  
118 cm (8.9 m)  
128 cm (10.8 m)  
138 cm (13.0 m)  
148 cm (15.3 m)

**ART. NO.**  
V2310299 (FLAT)  
**LENGTH (RADIUS)**  
138 cm (13.0 m)  
148 cm (15.3 m)



NEW GRAPHIC

MINI REVOLT  
JR

**ART. NO.**  
V2310297

**SIDECUT**  
96\_66\_89

**LENGTH (RADIUS)**  
88 cm (4.6 m)  
98 cm (6.1 m)  
108 cm (7.7 m)

## RENTAL

DEACON  
7.2 RED

**ART. NO.**  
V2310360

**SIDECUT**  
123\_72\_104

**LENGTH (RADIUS)**  
130 cm (8.2 m)  
137 cm (9.4 m)  
144 cm (10.5 m)  
151 cm (11.8 m)  
158 cm (12.7 m)  
165 cm (14.0 m)  
172 cm (15.5 m)  
179 cm (17.0 m)

DEACON  
7.6 GOLD

**ART. NO.**  
V2310361

**SIDECUT**  
123\_72\_105

**LENGTH (RADIUS)**  
133 cm (9.2 m)  
140 cm (10.4 m)  
147 cm (11.7 m)  
154 cm (13.1 m)  
161 cm (14.1 m)  
168 cm (15.5 m)  
175 cm (17.1 m)

DEACON  
7.6 ORANGE

**ART. NO.**  
V2310362

**SIDECUT**  
123\_72\_105

**LENGTH (RADIUS)**  
140 cm (10.4 m)  
147 cm (11.7 m)  
154 cm (13.1 m)  
161 cm (14.1 m)  
168 cm (15.5 m)  
175 cm (17.1 m)

DEACON  
8.0 GREEN

**ART. NO.**  
V2310363 (W. PLATE)  
V2310364 (W/O PLATE)

**SIDECUT**  
125\_80\_109

**LENGTH (RADIUS)**  
130 cm (9.0 m) (V2310363 ONLY)  
137 cm (10.2 m)  
144 cm (11.5 m)  
151 cm (12.5 m)  
158 cm (13.9 m)  
165 cm (15.4 m)  
172 cm (17 m)  
179 cm (18.7 m) (V2310363 ONLY)



NEW GRAPHIC

REVOLT 81  
DEMO

**ART. NO.**  
V2310366

**SIDECUT**  
111\_81\_104

**LENGTH (RADIUS)**  
148 cm (13.9 m)  
158 cm (16.3 m)  
168 cm (18.9 m)  
178 cm (21.8 m)



NEW GRAPHIC

BLAZE  
86 DEMO

**ART. NO.** **SIDECUT**  
V2310354 129\_86\_111

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
|    | 146 cm (18 m) | 10 m | 15 m |    |
| R2 | 152 cm (20 m) | 11 m | 17 m |    |
|    | 159 cm (22 m) | 12 m | 19 m |    |
|    | 166 cm (25 m) | 13 m | 21 m |    |
| R3 | 173 cm (28 m) | 15 m | 23 m |    |
|    | 180 cm (30 m) | 16 m | 25 m |    |



NEW GRAPHIC

BLAZE 82  
DEMO

**ART. NO.** **SIDECUT**  
V2310355 125\_82\_107

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
|    | 146 cm (18 m) | 10 m | 15 m |    |
| R2 | 152 cm (20 m) | 11 m | 17 m |    |
|    | 159 cm (22 m) | 12 m | 19 m |    |
|    | 166 cm (25 m) | 13 m | 21 m |    |
| R3 | 173 cm (28 m) | 15 m | 23 m |    |
|    | 180 cm (30 m) | 16 m | 25 m |    |



NEW GRAPHIC

M6 MANTRA  
DEMO

**ART. NO.** **SIDECUT**  
V2310350 135\_96\_119

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
|    | 170 cm (27 m) | 16 m | 22 m |    |
| R2 | 177 cm (30 m) | 18 m | 24 m |    |
|    | 184 cm (32 m) | 19 m | 26 m |    |
| R3 | 191 cm (35 m) | 21 m | 28 m |    |



NEW GRAPHIC

KENDO  
88 DEMO

**ART. NO.** **SIDECUT**  
V2310351 129\_88\_113

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
|    | 163 cm (23 m) | 13 m | 21 m |    |
| R2 | 170 cm (26 m) | 15 m | 23 m |    |
|    | 177 cm (29 m) | 16 m | 25 m |    |
| R3 | 184 cm (31 m) | 17 m | 26 m |    |



NEW GRAPHIC

KANJO  
80 DEMO

**ART. NO.** **SIDECUT**  
V2310352 125\_84\_107

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
|    | 161 cm (19 m) | 14 m | 17 m |    |
| R2 | 168 cm (21 m) | 15 m | 19 m |    |
|    | 175 cm (24 m) | 17 m | 20 m |    |
| R3 | 182 cm (26 m) | 19 m | 24 m |    |



NEW GRAPHIC

KANJO  
80 DEMO

**ART. NO.** **SIDECUT**  
V2310353 121\_80\_103

**LENGTH (3D RADIUS)**

| R1 | Length        | R1   | R2   | R3 |
|----|---------------|------|------|----|
|    | 147 cm (16 m) | 11 m | 14 m |    |
| R2 | 154 cm (18 m) | 13 m | 16 m |    |
|    | 161 cm (19 m) | 14 m | 17 m |    |
|    | 168 cm (21 m) | 15 m | 19 m |    |
| R3 | 175 cm (25 m) | 17 m | 20 m |    |
|    | 182 cm (26 m) | 19 m | 24 m |    |

## RACE FIS



NEW

NEW GRAPHIC

RACETIGER SL  
R FIS

**ART. NO.**  
V2310840 (FLAT)  
V2310841 (w/Plate & LUXO @155, 157)  
V2310841 (w/Plate)

**SIDECUT** **LENGTH (RADIUS)**  
113\_65\_98.5 135 cm (12 m)  
150 mm WC Plate  
**SIDECUT** **LENGTH (RADIUS)**  
116\_65\_100 137 cm (12 m)  
150 mm WC Plate  
**SIDECUT** **LENGTH (RADIUS)**  
118.5-64.5-101 165 cm (12 m)  
14 mm WC Plate



NEW

NEW GRAPHIC

RACETIGER SL R  
WC FIS

## IMPRINT

### INTERNATIONAL HEADQUARTER

Marker Dalbello Völkl (International) GmbH  
Ruessenstrasse 6  
6341 Baar  
Switzerland

Phone +41 41 769-73-00  
Fax +41 41 769-73-92  
info@voelkl.com

[www.voelkl.com](http://www.voelkl.com)

**Photography:** Carlos Blanchard, Adam Clark, GEPA,  
Matt McCormick, Mathäus Gartner, Pally Learmond,  
Peter Mathis, Michael Mayer, Harald Wisthaler,  
Dario Suppan, Syo Van Vliet

**Created & produced by:** [yearning.de](http://yearning.de)

Marker, Marker logo, X-cell, Deacon, Duke, Jester, Baron,  
Griffon, Squire, GripWalk, Kingpin, Völkl, Völkl logo, Secret,  
Marker Alpinist, M-Werks, Blaze, Racetiger, V-Werks, Speedwall,  
Phantastick and Motion are registered trademarks of  
Marker Dalbello Völkl (International) GmbH and  
other trademarks are pending.

© 2022 by Marker Dalbello Völkl (International) GmbH.  
Subject to alternation