



RIDE  
SNOWBOARD  
CO.

DEALER BOOK  
23/24


BOARDS





## SPLIT PIG

| DESIGN                              | SPECIALTY               | RESPONSE                       |
|-------------------------------------|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Bi-Radius Sidecut — Sintered, Stone Ground Race Base  
Performance™ Core — Slimwall® — Double Impact Plates — Carbon Array 3™ — Hybrid Glass  
Brushed Topsheet — Roll-In Construction

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDECUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|-----------------------|--------------------------|--------------------------|---------------------|----------------------------|
| SMALL        | 260                 | 5.1 - 6.2             | 311 / 301                | -19                      | 533                 | 100-205 / 45-93            |
| LARGE        | 270                 | 5.8 - 6.9             | 321 / 311                | -19                      | 559                 | 140-220+ / 64-100+         |

R290202901



PRODUCER:  
RIDE SNOWBOARDS  
4110 PINE STREET  
SEASIDE, WA 98138  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
RIDE IMPORTER STRASSE 42  
82077 PÖRNBERG  
GERMANY

RIDE NORWAY IMPORTER  
RIDE IMPORTER 29  
RØDSTREDE 29  
N-3500 BRU  
NORWAY

RIDE CANADA IMPORTER  
1 WESTSIDE DR #7  
TORONTO ONTARIO M6C 1B2  
CANADA


RIDE JAPAN IMPORTER  
TAM KOGU SE  
1-10-1 WAKUOTO-CHO  
CHUO-KU  
TOKYO JAPAN 101-0052

[RIDESNOWBOARDS.COM](http://RIDESNOWBOARDS.COM)



## COMMISSIONER

| DESIGN                              | SPECIALTY               | RESPONSE                       |
|-------------------------------------|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Elliptical Progressive Sidecut  
Sintered, Stone Ground Race Base  
Paulownia Core — Slimwall® — Carbon Slimwall® — Carbon Array 5™ — Silencer 5™  
Bio Resin — Aluminum Carbon Topsheet — Carbon Infused Glass

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDECUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|-----------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 153          | 250                 | - 8.0 -               | 296 / 286                | -19                      | 533                 | 100-180 / 45-82            |
| 155          | 254                 | - 9.0 -               | 300 / 290                | -19                      | 559                 | 125-205 / 57-93            |
| 158          | 267                 | - 10.0 -              | 303 / 293                | -19                      | 585                 | 135-210 / 60-95            |
| 162          | 281                 | - 11.0 -              | 307 / 297                | -19                      | 599                 | 140-220+ / 64-100+         |
| 165          | 286                 | - 12.0 -              | 312 / 302                | -19                      | 584                 | 150-220+ / 68-100+         |
| 157W         | 264                 | - 10.0 -              | 310 / 300                | -19                      | 559                 | 140-220+ / 64-100+         |

R290202901



PRODUCER:  
RIDE SNOWBOARDS  
4110 PINE STREET  
SEASIDE, WA 98138  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
RIDE IMPORTER STRASSE 42  
82077 PÖRNBERG  
GERMANY

RIDE NORWAY IMPORTER  
RIDE IMPORTER 29  
RØDSTREDE 29  
N-3500 BRU  
NORWAY

RIDE CANADA IMPORTER  
1 WESTSIDE DR #7  
TORONTO ONTARIO M6C 1B2  
CANADA


RIDE JAPAN IMPORTER  
TAM KOGU SE  
1-10-1 WAKUOTO-CHO  
CHUO-KU  
TOKYO JAPAN 101-0052

[RIDESNOWBOARDS.COM](http://RIDESNOWBOARDS.COM)



## MTNPIG

| DESIGN                              | SPECIALTY               | RESPONSE                       |
|-------------------------------------|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Linear Quadratic Sidecut — Sintered, Stone Ground Base  
Performance™ Core — Carbon Slim Walls® — Double Impact Plates  
Carbon Array 5™ — Carbon Infused Glass — Split Tail

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 151          | 248                 | 9.3 / 6.9              | 295 / 289                | -19                      | 533                 | 115 - 185 / 52 - 88        |
| 155          | 250                 | 9.8 / 6.4              | 298 / 293                | -19                      | 533                 | 125 - 200 / 57 - 91        |
| 159          | 252                 | 10.0 / 6.0             | 301 / 295                | -19                      | 559                 | 130 - 205 / 59 - 93        |
| 162          | 257                 | 10.5 / 6.7             | 308 / 302                | -19                      | 559                 | 140 - 210 / 64 - 95        |
| 166W         | 261                 | 10.1 / 6.0             | 310 / 304                | -19                      | 559                 | 160 - 220+ / 73 - 100+     |
| 164W         | 264                 | 10.7 / 6.7             | 316 / 310                | -19                      | 559                 | 170 - 220+ / 77 - 100+     |

R280200101



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
REINWIPPER STRASSE 43  
80374 FRIEDRICHSDORF  
GERMANY

RIDE NORWAY IMPORTER  
1 WESTSIDE CENTER  
NORWAY

RIDE CANADA IMPORTER  
1 WESTSIDE CENTER  
TORONTO ONTARIO M6C1B2  
CANADA


RIDE JAPAN IMPORTER  
TAMAKI BLDG 4F  
3-10-1 NAKAMOTO-CHO  
CHUO-KU  
TOKYO JAPAN 101-0052

RIDESNOWBOARDS.COM



## PEACE SEEKER

| DESIGN                              | SPECIALTY               | RESPONSE                       |
|-------------------------------------|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Bi-Radial Sidecut  
Sintered, Stone Ground Race Base — Performance™ Core — Carbon Slim Walls  
Bio Resin — Double Impact Plates — Carbon Array 5™ — Glass Pad — Hybrid Glass

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 139          | 245                 | 4.5 - 7.5              | 292 / 272                | -19                      | 487                 | 80-160 / 37-73             |
| 142          | 250                 | 4.5 - 7.5              | 298 / 276                | -19                      | 483                 | 100-205 / 45-93            |
| 147          | 255                 | 4.8 - 7.7              | 305 / 285                | -19                      | 508                 | 130-210 / 59-95            |
| 151          | 260                 | 4.9 - 7.8              | 311 / 291                | -19                      | 533                 | 140-220+ / 64-100+         |
| 155          | 265                 | 5.0 - 7.9              | 317 / 297                | -19                      | 559                 | 170-220+ / 77-100+         |

R280200401



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
REINWIPPER STRASSE 43  
80374 FRIEDRICHSDORF  
GERMANY

RIDE NORWAY IMPORTER  
1 WESTSIDE CENTER  
NORWAY

RIDE CANADA IMPORTER  
1 WESTSIDE CENTER  
TORONTO ONTARIO M6C1B2  
CANADA

RIDE JAPAN IMPORTER  
TAMAKI BLDG 4F  
3-10-1 NAKAMOTO-CHO  
CHUO-KU  
TOKYO JAPAN 101-0052


RIDESNOWBOARDS.COM





## ALGORITHM

| DESIGN                              | SPECIALTY               | RESPONSE                       |
|-------------------------------------|-------------------------|--------------------------------|
| DIRECTIONAL TWIN<br>STANDARD CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Twin Standard Camber — Quadratic Sidecut — Sintered, Stone Ground Base  
Performance™ Core — SlimeWall® — Carbon SlimeWall® — Double Impact Plates — Carbon Array 5™  
Bio Resin — Pre-Cured Glass — Roll-In Construction

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 147          | 245                 | 9.0 / 9.0              | 287 / 287                | -19                      | 508                 | 75-105 / 34-55             |
| 151          | 248                 | 9.1 / 9.1              | 291 / 291                | -19                      | 533                 | 100-160 / 45-82            |
| 154          | 251                 | 9.2 / 9.2              | 296 / 296                | -19                      | 559                 | 115-195 / 52-88            |
| 157          | 254                 | 9.3 / 9.3              | 300 / 300                | -19                      | 584                 | 125-205 / 57-93            |
| 161          | 257                 | 9.4 / 9.4              | 304 / 304                | -19                      | 559                 | 130-210 / 59-95            |
| 165W         | 259                 | 9.2 / 9.2              | 304 / 304                | -19                      | 559                 | 135-205 / 61-93            |
| 169W         | 264                 | 9.4 / 9.4              | 311 / 311                | -19                      | 559                 | 160-220+ / 73-100+         |
| 164W         | 266                 | 9.5 / 9.5              | 315 / 315                | -19                      | 584                 | 170-220+ / 77-100+         |

R28021001



PRODUCER:  
RIDE SNOWBOARDS  
410 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
REINWIPPER STRASSE 43  
82071 PRUNZING  
GERMANY

RIDE NORWAY IMPORTER  
RODSTREKEN 29  
N-3500 BBR  
NORWAY

RIDE CANADA IMPORTER  
1 WESTSIDE DR #7  
TORONTO ONTARIO M6C1B2  
CANADA


RIDE JAPAN IMPORTER  
TAM KIKU JE  
1-10-1 WAKUOTO-CHO  
CHUO-KU  
TOKYO JAPAN 101-0052

RIDESNOWBOARDS.COM



## DEEP FAKE

| DESIGN                              | SPECIALTY               | RESPONSE                       |
|-------------------------------------|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Extra Camber — Precure Glass — Linear Quadratic Sidecut  
Performance™ Core — Sintered, Stone Ground Race Base — Double Impact Plates  
Bio Resin — Pre-Cured Glass — Metal SlimeWall® — Carbon Array 5™

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 144          | 240                 | - 8.6 -                | 294 / 278                | -19                      | 483                 | 60-160 / 27-73             |
| 148          | 243                 | - 9.1 -                | 289 / 283                | -19                      | 508                 | 75-165 / 34-75             |
| 151          | 246                 | - 9.3 -                | 293 / 287                | -19                      | 533                 | 100-180 / 45-82            |
| 155          | 249                 | - 9.6 -                | 297 / 291                | -19                      | 559                 | 115-195 / 52-88            |
| 159          | 252                 | - 10.0 -               | 301 / 295                | -19                      | 584                 | 125-205 / 57-93            |
| 162          | 256                 | - 10.5 -               | 306 / 300                | -19                      | 559                 | 130-210 / 59-95            |
| 165W         | 259                 | - 9.6 -                | 307 / 301                | -19                      | 559                 | 135-205 / 61-93            |
| 167W         | 263                 | - 10.5 -               | 313 / 307                | -19                      | 559                 | 160-220+ / 73-100+         |
| 169W         | 267                 | - 10.7 -               | 318 / 312                | -19                      | 584                 | 170-220+ / 77-100+         |

R280202761



PRODUCER:  
RIDE SNOWBOARDS  
410 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
REINWIPPER STRASSE 43  
82071 PRUNZING  
GERMANY

RIDE NORWAY IMPORTER  
RODSTREKEN 29  
N-3500 BBR  
NORWAY

RIDE CANADA IMPORTER  
1 WESTSIDE DR #7  
TORONTO ONTARIO M6C1B2  
CANADA


RIDE JAPAN IMPORTER  
TAM KIKU JE  
1-10-1 WAKUOTO-CHO  
CHUO-KU  
TOKYO JAPAN 101-0052

RIDESNOWBOARDS.COM



## SUPERPIG

| DESIGN                              | SPECIALTY               | RESPONSE                       |
|-------------------------------------|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Bi-Radius Sidecut — Sintered, Stone Ground Race Base  
Performance™ Core — Cleave Edge™ — Carbon Slim Walls® — Double Impact Plates  
Carbon Array 5™ — Carbon Infused Glass

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|--------------------------|--------------------------|---------------------|----------------------------|
| X-SMALL      | 250                 | 4.5 - 5.8              | 301 / 291                | 0                        | 483                 | 60-160 / 27-73             |
| SMALL        | 260                 | 5.1 - 6.2              | 311 / 301                | 0                        | 533                 | 100-200 / 45-90            |
| MEDIUM       | 265                 | 5.4 - 6.5              | 316 / 306                | 0                        | 559                 | 130-210 / 59-95            |
| LARGE        | 270                 | 5.8 - 6.9              | 321 / 311                | 0                        | 559                 | 140-220+ / 64-100+         |
| X-LARGE      | 277                 | 5.9 - 7.2              | 328 / 318                | 0                        | 584                 | 170-220+ / 77-100+         |

R200200201



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
RIDE WINTER STAGGE 43  
SCOTT FRIEDRICH  
GERMANY

RIDE NORWAY IMPORTER  
RIDE NORDEN 29  
PO BOX 188  
NORWAY

RIDE CANADA IMPORTER  
1 WESTSIDE CTR #7  
TORONTO ONTARIO M6C 1B2  
CANADA


RIDE JAPAN IMPORTER  
TAM KIDOKU  
1-10-1 WAKATOCHO  
CHUO-KU  
TOKYO JAPAN 101-0052

RIDESNOWBOARDS.COM



## BURNOUT

| DESIGN            | SPECIALTY               | RESPONSE                       |
|-------------------|-------------------------|--------------------------------|
| TWIN EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |




### CONSTRUCTION FEATURES

Twin Extra Camber — Linear Twin Sidecut — Sintered, Stone Ground Base — Performance™ Core  
Cleave Edge™ — Slimwalls® — Carbon Slimwalls® — Double Impact Plates — Carbon Array 5™  
Hybrid Glass — Flat Kick Tips — Roll-In Construction

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 149          | 248                 | 7.7 -                  | 291 / 291                | 0                        | 533                 | 75-160 / 34-73             |
| 152          | 249                 | 7.8 -                  | 293 / 293                | 0                        | 559                 | 100-180 / 45-82            |
| 155          | 250                 | 7.9 -                  | 295 / 295                | 0                        | 559                 | 125-200 / 57-90            |
| 158          | 251                 | 8.0 -                  | 298 / 298                | 0                        | 559                 | 130-210 / 59-95            |
| 159W         | 258                 | 7.9 -                  | 303 / 303                | 0                        | 559                 | 130-210 / 59-95            |
| 159W         | 259                 | 8.0 -                  | 305 / 305                | 0                        | 559                 | 140-220+ / 64-100+         |

R200201201



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA


IMPORTER:  
RIDE EUROPE IMPORTER  
RIDE WINTER STAGGE 43  
SCOTT FRIEDRICH  
GERMANY

RIDE NORWAY IMPORTER  
RIDE NORDEN 29  
PO BOX 188  
NORWAY

RIDE CANADA IMPORTER  
1 WESTSIDE CTR #7  
TORONTO ONTARIO M6C 1B2  
CANADA


RIDE JAPAN IMPORTER  
TAM KIDOKU  
1-10-1 WAKATOCHO  
CHUO-KU  
TOKYO JAPAN 101-0052

RIDESNOWBOARDS.COM



## BERZERKER

| DESIGN                              | SPECIALTY               | RESPONSE                       |
|-------------------------------------|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Quadratic Sidecut — Sintered, Stone Ground Base  
Performance™ Core — Carbon Sinter® 2.0 — Sinterwalls® — Double Impact Plates — Carbon Array 3™  
Bio Resin — Topless Construction — Hybrid Glass — Roll-In Construction

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 153          | 245                 | 4.4 / 7.6              | 296 / 280                | -19                      | 533                 | 100-180 / 45-82            |
| 155          | 247                 | 4.7 / 7.9              | 298 / 282                | -19                      | 559                 | 125-205 / 57-93            |
| 159          | 249                 | 5.1 / 8.0              | 300 / 282                | -19                      | 559                 | 130-200 / 59-91            |
| 162          | 251                 | 5.7 / 8.2              | 303 / 284                | -19                      | 559                 | 140-210 / 64-95            |
| 165          | 253                 | 6.2 / 8.4              | 304 / 286                | -19                      | 559                 | 160-220+ / 73-100+         |
| 169W         | 255                 | 4.6 / 7.8              | 306 / 288                | -19                      | 559                 | 140-210 / 64-95            |
| 169W         | 257                 | 5.1 / 8.0              | 308 / 300                | -19                      | 559                 | 150-220+ / 68-100+         |
| 169W         | 259                 | 5.7 / 8.2              | 310 / 302                | -19                      | 559                 | 160-220+ / 73-100+         |
| 169W         | 261                 | 6.8 / 8.4              | 312 / 304                | -19                      | 584                 | 170-220+ / 77-100+         |

R23021101



PRODUCER:  
RIDE SNOWBOARDS  
410 PINE STREET  
980 FLORENCE  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
REISS-KAPFER STRASSE 42  
80374 PÖRNICHERN  
GERMANY

RIDE NORWAY IMPORTER  
RIDE NORWAY IMPORTER  
N-2500 BIR  
NORWAY

RIDE CANADA IMPORTER  
RIDE CANADA IMPORTER  
1-800-361-0000  
CANADA


RIDE JAPAN IMPORTER  
RIDE JAPAN IMPORTER  
1-160-0000-0000  
TOKYO JAPAN 101-0000

RIDESNOWBOARDS.COM



## WARPIG

| DESIGN                             | SPECIALTY               | RESPONSE                       |
|------------------------------------|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>ZERO CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Zero Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Base — Performance™ Core  
Cleave-Edge™ — Slim Walls® — Double Impact Plates — Carbon Array 3™ — Hybrid Glass

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|--------------------------|--------------------------|---------------------|----------------------------|
| X-SMALL      | 250                 | 4.6 - 5.6              | 301 / 291                | 0                        | 483                 | 60-160 / 27-73             |
| SMALL        | 260                 | 5.1 - 6.2              | 311 / 301                | 0                        | 533                 | 100-200 / 45-90            |
| MEDIUM       | 265                 | 5.4 - 6.5              | 316 / 306                | 0                        | 559                 | 130-210 / 59-95            |
| LARGE        | 270                 | 5.8 - 6.9              | 321 / 311                | 0                        | 559                 | 140-220+ / 64-100+         |
| X-LARGE      | 277                 | 5.8 - 7.2              | 328 / 318                | 0                        | 584                 | 170-220+ / 77-100+         |

R23020031



PRODUCER:  
RIDE SNOWBOARDS  
410 PINE STREET  
980 FLORENCE  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
REISS-KAPFER STRASSE 42  
80374 PÖRNICHERN  
GERMANY

RIDE NORWAY IMPORTER  
RIDE NORWAY IMPORTER  
N-2500 BIR  
NORWAY

RIDE CANADA IMPORTER  
RIDE CANADA IMPORTER  
1-800-361-0000  
CANADA

RIDE JAPAN IMPORTER  
RIDE JAPAN IMPORTER  
1-160-0000-0000  
TOKYO JAPAN 101-0000


RIDESNOWBOARDS.COM





## BENCHWARMER

| DESIGN                            | SPECIALTY               | RESPONSE                       |
|-----------------------------------|-------------------------|--------------------------------|
| ASYMMETRICAL TWIN<br>EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Twin Extra Camber — Asymmetrical Quadratic Sidecut — Sintered, Stone Ground Base  
Performance™ Core — Cleave Edge™ — Carbon Slim Walls® — Double Impact Plates  
Carbon Array 3™ — Hybrid Glass

| SIZE (CM) | WAIST WIDTH (MM) | SIDE-CUT RADIUS (M) | TIP & TAIL WIDTH (MM) | INSERT LOC. BACK (MM) | REF. STANCE (MM) | RIDER WEIGHT (LBS / KG) |     |                    |
|-----------|------------------|---------------------|-----------------------|-----------------------|------------------|-------------------------|-----|--------------------|
| 142       | 242              | 7.8 / 6.7           | 8.8 / 5.7             | 7.8 / 6.7             | 288 / 288        | 0                       | 457 | 60-150 / 27-68     |
| 147       | 246              | 8.0 / 6.9           | 7.0 / 5.9             | 8.0 / 6.9             | 293 / 293        | 0                       | 488 | 80-160 / 36-73     |
| 151       | 248              | 8.2 / 7.1           | 7.2 / 6.1             | 8.2 / 7.1             | 297 / 297        | 0                       | 530 | 100-180 / 45-82    |
| 155       | 252              | 8.4 / 7.3           | 7.4 / 6.3             | 8.4 / 7.3             | 302 / 302        | 0                       | 559 | 130-205 / 59-93    |
| 159       | 256              | 8.6 / 7.4           | 7.6 / 6.4             | 8.6 / 7.4             | 307 / 307        | 0                       | 590 | 140-210 / 64-95    |
| 154W      | 258              | 8.4 / 7.2           | 7.4 / 6.2             | 8.4 / 7.2             | 308 / 308        | 0                       | 559 | 125-205 / 57-93    |
| 157W      | 260              | 8.5 / 7.3           | 7.5 / 6.3             | 8.5 / 7.3             | 310 / 310        | 0                       | 590 | 130-210 / 59-95    |
| 161W      | 262              | 8.8 / 7.5           | 7.8 / 6.5             | 8.8 / 7.5             | 314 / 314        | 0                       | 590 | 140-220+ / 64-100+ |

R280200501



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
DESWINTER STRASSE 43  
80339 FRIEDRICHSDORF  
GERMANY

RIDE NORWAY IMPORTER  
RIDESTRØM 29  
PO BOX 188  
NORWAY

RIDE CANADA IMPORTER  
1 WOODSIDE DR #7  
TORONTO ONTARIO M6C 1B2  
CANADA


RIDE JAPAN IMPORTER  
TAMAKI BLDG 4F  
1-10-1 WAKUJIMA-CHO  
CHUO-KU  
TOKYO JAPAN 101-0052

RIDESNOWBOARDS.COM



## PSYCHOCANDY

| DESIGN                             | SPECIALTY               | RESPONSE                       |
|------------------------------------|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>ZERO CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Zero Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Base  
WMNS Performance™ Core — Slimwalls® — Carbon Slimwalls® — Double Impact Plates — Carbon Array 5™  
Carbon Infused Glass — Roll-In Construction

| SIZE (CM) | WAIST WIDTH (MM) | SIDE-CUT RADIUS (M) | TIP & TAIL WIDTH (MM) | INSERT LOC. BACK (MM) | REF. STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|-----------|------------------|---------------------|-----------------------|-----------------------|------------------|-------------------------|
| 138       | 243              | 4.4 - 5.4           | 295 / 285             | -19                   | 457              | 60-130 / 27-59          |
| 142       | 250              | 4.7 - 5.7           | 302 / 292             | -19                   | 488              | 60-160 / 27-73          |
| 146       | 257              | 4.9 - 6.0           | 308 / 298             | -19                   | 508              | 100-205 / 45-93         |
| 150       | 264              | 5.2 - 6.3           | 316 / 306             | -19                   | 508              | 130-210 / 59-95         |
| 154       | 267              | 5.4 - 6.6           | 318 / 308             | -19                   | 523              | 140-220+ / 64-100+      |
| 158       | 269              | 5.7 - 6.9           | 320 / 310             | -19                   | 559              | 170-220+ / 77-100+      |

R280200801



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
DESWINTER STRASSE 43  
80339 FRIEDRICHSDORF  
GERMANY

RIDE NORWAY IMPORTER  
RIDESTRØM 29  
PO BOX 188  
NORWAY

RIDE CANADA IMPORTER  
1 WOODSIDE DR #7  
TORONTO ONTARIO M6C 1B2  
CANADA

RIDE JAPAN IMPORTER  
TAMAKI BLDG 4F  
1-10-1 WAKUJIMA-CHO  
CHUO-KU  
TOKYO JAPAN 101-0052


RIDESNOWBOARDS.COM





## ZERO

| DESIGN                               | SPECIALTY               | RESPONSE                       |
|--------------------------------------|-------------------------|--------------------------------|
| ASYMMETRICAL TWIN<br>STANDARD CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Sintered, Stone Ground Base  
Performance™ Core — Cleave-Edge™ — Slim Walls® — Double Impact Plates — Carbon Array 3™  
Biaxial Glass — Flat Kick Tips

| SIZE (CM) | WAIST WIDTH (MM) | SIDE-CUT RADIUS (MM) | TIP & TAIL WIDTH (MM) | INSERT LOC. BACK (MM) | REF. STANCE (MM) | RIDER WEIGHT (LBS / KG) |     |                    |
|-----------|------------------|----------------------|-----------------------|-----------------------|------------------|-------------------------|-----|--------------------|
| 142       | 242              | 7.8 / 6.7            | 8.8 / 5.7             | 7.8 / 6.7             | 288 / 288        | 0                       | 487 | 60-160 / 27-68     |
| 147       | 246              | 8.0 / 6.9            | 7.0 / 5.9             | 8.0 / 6.9             | 293 / 293        | 0                       | 488 | 80-160 / 36-73     |
| 151       | 248              | 8.2 / 7.1            | 7.2 / 6.1             | 8.2 / 7.1             | 297 / 297        | 0                       | 533 | 100-180 / 45-82    |
| 155       | 252              | 8.4 / 7.3            | 7.4 / 6.3             | 8.4 / 7.3             | 302 / 302        | 0                       | 559 | 130-200 / 59-90    |
| 159       | 256              | 8.6 / 7.4            | 7.6 / 6.4             | 8.6 / 7.4             | 307 / 307        | 0                       | 559 | 140-210 / 64-95    |
| 164M      | 268              | 8.4 / 7.2            | 7.4 / 6.2             | 8.4 / 7.2             | 308 / 308        | 0                       | 559 | 125-205 / 57-93    |
| 167W      | 260              | 8.5 / 7.3            | 7.5 / 6.3             | 8.5 / 7.3             | 310 / 310        | 0                       | 559 | 130-210 / 59-95    |
| 161W      | 262              | 8.8 / 7.5            | 7.8 / 6.5             | 8.8 / 7.5             | 314 / 314        | 0                       | 559 | 140-220+ / 64-100+ |

R280200001



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
400 FLUXUS  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
DESKWIPPER STRASSE 43  
50375 PULVERBERG  
GERMANY

RIDE NORWAY IMPORTER  
RIDE NORWAY IMPORTER  
RIDE NORWAY IMPORTER  
RIDE NORWAY IMPORTER  
RIDE NORWAY IMPORTER

RIDE CANADA IMPORTER  
RIDE CANADA IMPORTER  
RIDE CANADA IMPORTER  
RIDE CANADA IMPORTER  
RIDE CANADA IMPORTER


RIDE JAPAN IMPORTER  
RIDE JAPAN IMPORTER  
RIDE JAPAN IMPORTER  
RIDE JAPAN IMPORTER  
RIDE JAPAN IMPORTER

RIDESNOWBOARDS.COM



## TWIN PIG

| DESIGN                               | SPECIALTY               | RESPONSE                       |
|--------------------------------------|-------------------------|--------------------------------|
| ASYMMETRICAL TWIN<br>STANDARD CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Sintered, Stone Ground Base  
Performance™ Core — Cleave Edge™ — Slim Walls® — Double Impact Plates — Hybrid Glass

| SIZE (CM) | WAIST WIDTH (M) | SIDE-CUT RADIUS (M) | TIP & TAIL WIDTH (MM) | INSERT LOC. (BACK MM) | REF. STANCE (MM) | RIDER WEIGHT (LBS / KG) |     |                    |
|-----------|-----------------|---------------------|-----------------------|-----------------------|------------------|-------------------------|-----|--------------------|
| 139       | 240             | 5.2 / 5.3           | 5.2 / 4.3             | 5.2 / 5.3             | 267 / 267        | 0                       | 483 | 60-130 / 27-59     |
| 142       | 250             | 6.4 / 5.5           | 5.4 / 4.5             | 6.4 / 5.5             | 268 / 268        | 0                       | 508 | 60-160 / 27-73     |
| 146       | 257             | 6.6 / 5.7           | 5.6 / 4.7             | 6.6 / 5.7             | 267 / 267        | 0                       | 533 | 100-200 / 45-90    |
| 151       | 263             | 6.8 / 5.8           | 5.8 / 4.8             | 6.8 / 5.8             | 314 / 314        | 0                       | 533 | 130-210 / 59-95    |
| 154       | 268             | 6.9 / 5.9           | 5.9 / 4.9             | 6.9 / 5.9             | 320 / 320        | 0                       | 559 | 140-220+ / 64-100+ |
| 156W      | 275             | 6.9 / 5.9           | 5.9 / 4.9             | 6.9 / 5.9             | 328 / 328        | 0                       | 559 | 170-220+ / 77-100+ |
| 157       | 270             | 7.0 / 6.0           | 6.0 / 5.0             | 7.0 / 6.0             | 323 / 323        | 0                       | 559 | 160-220+ / 73-100+ |

R280200011



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
400 FLUXUS  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
DESKWIPPER STRASSE 43  
50375 PULVERBERG  
GERMANY

RIDE NORWAY IMPORTER  
RIDE NORWAY IMPORTER  
RIDE NORWAY IMPORTER  
RIDE NORWAY IMPORTER  
RIDE NORWAY IMPORTER

RIDE CANADA IMPORTER  
RIDE CANADA IMPORTER  
RIDE CANADA IMPORTER  
RIDE CANADA IMPORTER  
RIDE CANADA IMPORTER


RIDE JAPAN IMPORTER  
RIDE JAPAN IMPORTER  
RIDE JAPAN IMPORTER  
RIDE JAPAN IMPORTER  
RIDE JAPAN IMPORTER

RIDESNOWBOARDS.COM



## SHADOWBAN

| DESIGN                              | SPECIALTY               | RESPONSE                       |
|-------------------------------------|-------------------------|--------------------------------|
| DIRECTIONAL TWIN<br>STANDARD CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Twin Standard Camber — Quadratic Sidecut — Sintered, Stone Ground Base  
Performance™ Core — Slimwalls® — Double Impact Plates — Carbon Array 3™  
Pre-Cured Glass — Roll-In Construction

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 147          | 245                 | 9.0 / 6.0 / 9.0        | 287 / 287                | -19                      | 508                 | 75-165 / 34-75             |
| 151          | 248                 | 9.1 / 6.1 / 9.1        | 291 / 291                | -19                      | 533                 | 100-180 / 45-82            |
| 154          | 251                 | 9.2 / 6.2 / 9.2        | 296 / 296                | -19                      | 559                 | 115-195 / 52-88            |
| 157          | 254                 | 9.3 / 6.3 / 9.3        | 300 / 300                | -19                      | 584                 | 125-205 / 57-93            |
| 161          | 257                 | 9.4 / 6.4 / 9.4        | 304 / 304                | -19                      | 559                 | 130-210 / 59-95            |
| 165W         | 258                 | 9.2 / 6.1 / 9.2        | 304 / 304                | -19                      | 559                 | 125-205 / 57-93            |
| 169W         | 264                 | 9.4 / 6.9 / 9.4        | 311 / 311                | -19                      | 559                 | 160-220+ / 73-100+         |
| 154W         | 266                 | 9.5 / 7.0 / 9.5        | 315 / 315                | -19                      | 584                 | 170-220+ / 77-100+         |

R200201401



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
RIDE IMPORTER STRASSE 43  
80339 FRIEDRICHSDORF  
GERMANY

RIDE NORWAY IMPORTER  
RIDE IMPORTER 29  
PO BOX 188  
NORWAY

RIDE CANADA IMPORTER  
RIDE IMPORTER 29  
1100 DUNDAS STREET WEST  
TORONTO, ONTARIO M6H 1B2  
CANADA


RIDE JAPAN IMPORTER  
TAM KOUJI  
1-10-1 WAKATOCHO  
CHUO-KU  
TOKYO JAPAN 101-0055

RIDESNOWBOARDS.COM



## SMOKESCREEN

| DESIGN                                 | SPECIALTY               | RESPONSE                       |
|--|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>STANDARD CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |




### CONSTRUCTION FEATURES

Directional Standard Camber — Tapered Elliptical Progressive Sidecut — Sintered, Stone Ground Base  
Performance™ Core — Slimwalls® — Double Impact Plates — Carbon Array 3™  
Bio Resin — Topless Topsheet — Hybrid Glass — Roll-In Construction

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 153          | 250                 | - 8.0 -                | 296 / 296                | -19                      | 533                 | 100-180 / 45-82            |
| 155          | 254                 | - 9.0 -                | 300 / 300                | -19                      | 559                 | 125-205 / 57-93            |
| 158          | 257                 | - 10.0 -               | 303 / 303                | -19                      | 559                 | 130-210 / 59-95            |
| 162          | 261                 | - 11.0 -               | 307 / 307                | -19                      | 559                 | 140-220+ / 64-100+         |
| 165          | 266                 | - 12.0 -               | 312 / 302                | -19                      | 584                 | 150-220+ / 68-100+         |
| 157W         | 264                 | - 10.0 -               | 310 / 300                | -19                      | 559                 | 140-220+ / 64-100+         |

R200201301



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
RIDE IMPORTER STRASSE 43  
80339 FRIEDRICHSDORF  
GERMANY

RIDE NORWAY IMPORTER  
RIDE IMPORTER 29  
PO BOX 188  
NORWAY

RIDE CANADA IMPORTER  
RIDE IMPORTER 29  
1100 DUNDAS STREET WEST  
TORONTO, ONTARIO M6H 1B2  
CANADA


RIDE JAPAN IMPORTER  
TAM KOUJI  
1-10-1 WAKATOCHO  
CHUO-KU  
TOKYO JAPAN 101-0055

RIDESNOWBOARDS.COM



## KINK

| DESIGN            | SPECIALTY               | RESPONSE                       |
|-------------------|-------------------------|--------------------------------|
| TWIN EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Twin Extra Camber — Quadratic Sidecut — Extruded, Stone Ground Base  
Foundation Core — Cleave Edge™ — Slimwalls® — Double Impact Plates  
Biaxial Glass

| SIZE (CM) | WAIST WIDTH (MM) | SIDE-CUT RADIUS (M) | TIP & TAIL WIDTH (MM) | INSERT LOC. BACK (MM) | REF. STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|-----------|------------------|---------------------|-----------------------|-----------------------|------------------|-------------------------|
| 143       | 245              | 8.1 6.7 8.1         | 287 / 287             | 0                     | 483              | 60-180 / 27-88          |
| 147       | 248              | 8.3 6.9 8.3         | 291 / 291             | 0                     | 508              | 80-190 / 36-73          |
| 151       | 251              | 8.5 7.1 8.5         | 295 / 295             | 0                     | 533              | 100-180 / 45-82         |
| 155       | 254              | 8.7 7.3 8.7         | 299 / 299             | 0                     | 558              | 120-205 / 54-93         |
| 159       | 257              | 8.9 7.5 8.9         | 303 / 303             | 0                     | 559              | 140-210 / 64-95         |
| 154W      | 251              | 8.7 7.3 8.7         | 305 / 305             | 0                     | 559              | 125-205 / 57-93         |
| 159W      | 254              | 8.9 7.5 8.9         | 310 / 310             | 0                     | 559              | 130-210 / 59-95         |

R29020281



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
REISWIPPER STRASSE 43  
50375 PULCHING  
GERMANY

RIDE NORWAY IMPORTER  
RIDESTRØMEN 29  
PO BOX 188  
NORWAY

RIDE CANADA IMPORTER  
1105 DUNDAS ST. W.  
TORONTO, ONTARIO M6G 1B2  
CANADA


RIDE JAPAN IMPORTER  
TAMAKI BLDG. 4F  
1-10-1 NAKAMOTOCHO  
CHUOH-KU  
TOKYO JAPAN 100-0005

RIDESNOWBOARDS.COM



## MANIC

| DESIGN                         | SPECIALTY               | RESPONSE                       |
|--------------------------------|-------------------------|--------------------------------|
| DIRECTIONAL STANDARD<br>CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Standard Camber — Quadratic Sidecut — Extruded, Stone Ground Base  
Foundation™ Core — Slimwalls® — Linear Carbon — Single Impact Plates  
Biaxial Glass — Roll-In Construction

| SIZE (CM) | WAIST WIDTH (MM) | SIDE-CUT RADIUS (M) | TIP & TAIL WIDTH (MM) | INSERT LOC. BACK (MM) | REF. STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|-----------|------------------|---------------------|-----------------------|-----------------------|------------------|-------------------------|
| 151       | 248              | 8.3 6.9 7.9         | 293 / 293             | -19                   | 533              | 100-180 / 45-82         |
| 154       | 250              | 8.3 7.0 8.0         | 298 / 298             | -19                   | 559              | 125-205 / 57-93         |
| 157       | 252              | 8.5 7.2 8.2         | 299 / 299             | -19                   | 559              | 130-210 / 59-95         |
| 160       | 254              | 8.6 7.3 8.3         | 301 / 301             | -19                   | 559              | 140-220 / 64-100        |
| 163       | 257              | 8.8 7.5 8.5         | 305 / 305             | -19                   | 559              | 160-220+ / 73-100+      |
| 158W      | 253              | 8.4 7.1 8.1         | 310 / 310             | -19                   | 559              | 150-220+ / 68-100+      |
| 161W      | 256              | 8.6 7.3 8.3         |                       | -19                   | 559              | 160-220+ / 73-100+      |

R29021161



PRODUCER:  
RIDE SNOWBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
REISWIPPER STRASSE 43  
50375 PULCHING  
GERMANY

RIDE NORWAY IMPORTER  
RIDESTRØMEN 29  
PO BOX 188  
NORWAY


RIDE CANADA IMPORTER  
1105 DUNDAS ST. W.  
TORONTO, ONTARIO M6G 1B2  
CANADA

RIDE JAPAN IMPORTER  
TAMAKI BLDG. 4F  
1-10-1 NAKAMOTOCHO  
CHUOH-KU  
TOKYO JAPAN 100-0005

RIDESNOWBOARDS.COM



| DESIGN                  | SPECIALTY               | RESPONSE                       |
|-------------------------|-------------------------|--------------------------------|
| TWIN STANDARD<br>CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



Twin Standard Camber — Quadratic Sidecut  
Extruded, Stone Ground Base — Foundation™ Core — Simewalls®  
Single Impact Plates — Biaxial Glass — Roll in Construction

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDECUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | PIRIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|-----------------------|--------------------------|--------------------------|---------------------|------------------------------|
| 140          | 250                 | 9.2 7.7 9.2           | 201 / 201                | 0                        | 533                 | 75-165 / 34.5                |
| 152          | 251                 | 9.3 7.8 9.3           | 203 / 203                | 0                        | 550                 | 100-180 / 45-82              |
| 159          | 259                 | 9.4 7.9 9.4           | 209 / 209                | 0                        | 550                 | 125-205 / 57-93              |
| 158          | 259                 | 9.5 8.0 9.5           | 208 / 208                | 0                        | 550                 | 130-210 / 59-95              |
| 164W         | 260                 | 9.4 7.9 9.4           | 303 / 303                | 0                        | 550                 | 190-220 / 86-100             |
| 157W         | 260                 | 9.5 8.0 9.5           | 305 / 305                | 0                        | 550                 | 140-220 / 64-100             |
| 161W         | 262                 | 9.7 8.2 9.7           | 309 / 309                | 0                        | 550                 | 152-222 / 68-100             |

R230201701



PRODUCER:  
RIDE SNOWBOARDS  
412 PINE STREET  
3RD FLOOR  
SEATTLE, WA 98101

IMPORTER:  
RIDE EUROPE IMPORTER  
SEESHALPETER STRASSE  
62377 PENZBERG  
GERMANY

RIDE NORWAY IMPORTER  
INDUSTRIEVEEN 29  
N-2536 (88)  
NORWAY


RIDE CANADA IMPORTER  
 1 WESTSIDE DR #7  
 TORONTO ONTARIO M6C  
 CANADA

RIDE JAPAN IMPORTER  
TMM BLDG 4F  
1-10-5 IWAMOTO-CHO  
CHIYODA-KU  
TOKYO JAPAN 100-0035

RIDESNOWBOARDS.COM



| DESIGN                              | SPECIALTY               | RESPONSE                       |
|-------------------------------------|-------------------------|--------------------------------|
| TAPERED DIRECTIONAL<br>EXTRA CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



Directional Extra Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Base  
WMNS Performance™ Core — Cleave Edge™ — Slimwalls® — Linear Carbon — Single Impact Plates  
Carbon Array 3™ — Hybrid Glass — Roll-In Construction

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDECUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|-----------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 143          | 240                 | 4.7 - 5.8             | 201 / 281                | -19                      | 487                 | 60-100 / 27-45             |
| 147          | 242                 | 5.2 - 6.4             | 203 / 283                | -19                      | 453                 | 85-130 / 39-59             |
| 151          | 244                 | 5.4 - 6.6             | 206 / 286                | -19                      | 508                 | 100-160 / 45-68            |
| 154          | 248                 | 5.7 - 7.1             | 209 / 289                | -19                      | 533                 | 115-160+ / 52-73           |

R230201801



PRODUCER:  
RIDE SNOWBOARDS  
413 PINE STREET  
3RD FLOOR  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
SEESHAUPT STRASSE  
82377 PENZBERG  
GERMANY

RIDE NORWAY IMPORTER  
INDUSTRIEVEIEN 29  
N-2936 ØIRI  
NORWAY

RIDE CANADA IMPORTER  
 1 WESTSIDE DR #7  
 TORONTO ONTARIO M9C  
 CANADA

RIDE JAPAN IMPORTER  
TMM BLDG 6F  
1-10-5 IWAMOTO-CHO  
CHIYODA-KU  
TOKYO JAPAN 100-0005


RIDESNOWBOARDS.COM





## SATURDAY

| DESIGN               | SPECIALTY               | RESPONSE                       |
|----------------------|-------------------------|--------------------------------|
| TWIN STANDARD CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Twin Standard Camber — Quadratic Sidecut — Sintered, Stone Ground Base  
WMN's Performance Core™ — Slim Wall® — Linear Carbon — Carbon Array 3™  
Single Impact Plates — Hybrid Glass

| SIZE (CM) | WAIST WIDTH (MM) | SIDECUT RADIUS (M) | TIP & TAIL WIDTH (MM) | INSERT LOC. BACK (MM) | REF. STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|-----------|------------------|--------------------|-----------------------|-----------------------|------------------|-------------------------|
| 138       | 236              | 6.0 5.0 6.0        | 283 / 283             | 0                     | 432              | 60-100 / 27-45          |
| 142       | 238              | 6.0 5.3 6.3        | 286 / 286             | 0                     | 437              | 70-100 / 32-50          |
| 146       | 240              | 6.4 5.4 6.4        | 289 / 289             | 0                     | 483              | 85-130 / 39-59          |
| 150       | 243              | 6.6 5.6 6.6        | 293 / 293             | 0                     | 508              | 100-150 / 45-68         |
| 154       | 248              | 6.7 5.7 6.7        | 297 / 297             | 0                     | 533              | 115-160+ / 52-73+       |

R230201901




PRODUCER: RIDE SNOWBOARDS 4115 PINE STREET 400 FLOOR SEATTLE, WA 98101 USA  
IMPORTER: RIDE CANADA IMPORTER 1100 BAYVIEW AVE. SCARBOROUGH, ONTARIO M1B 4Y7 CANADA  
RIDE NORWAY IMPORTER: RIDE NORWAY IMPORTER 29 PØLSEN TRAIL 0457 NORWAY  
RIDE CANADA IMPORTER: RIDE CANADA IMPORTER 1100 BAYVIEW AVE. SCARBOROUGH, ONTARIO M1B 4Y7 CANADA  
RIDE JAPAN IMPORTER: RIDE JAPAN IMPORTER 1-10-1 WAKAYAMA-CHO CHUO-KU TOKYO JAPAN 101-0052

RIDESNOWBOARDS.COM



## COMPACT

| DESIGN                      | SPECIALTY               | RESPONSE                       |
|-----------------------------|-------------------------|--------------------------------|
| DIRECTIONAL STANDARD CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Directional Standard Camber — Quadratic Sidecut  
Extruded, Stone Ground Base — WMN's Performance™ Core — SlimeWall®  
Single Impact Plates — Basalt glass — Roll-In Construction

| SIZE (CM) | WAIST WIDTH (MM) | SIDECUT RADIUS (M) | TIP & TAIL WIDTH (MM) | INSERT LOC. BACK (MM) | REF. STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|-----------|------------------|--------------------|-----------------------|-----------------------|------------------|-------------------------|
| 138       | 236              | 9.2 6.7 9.2        | 272 / 272             | 0                     | 437              | 60-100 / 27-45          |
| 142       | 238              | 9.3 6.8 9.3        | 275 / 275             | 0                     | 483              | 70-100 / 32-50          |
| 146       | 240              | 9.4 6.9 9.4        | 278 / 278             | 0                     | 508              | 85-130 / 39-59          |
| 150       | 242              | 9.5 7.0 9.5        | 283 / 283             | 0                     | 533              | 100-150 / 45-68         |
| 154       | 244              | 9.6 7.1 9.6        | 286 / 286             | 0                     | 558              | 115-160+ / 52-73+       |

R230202001




PRODUCER: RIDE SNOWBOARDS 4115 PINE STREET 400 FLOOR SEATTLE, WA 98101 USA  
IMPORTER: RIDE CANADA IMPORTER 1100 BAYVIEW AVE. SCARBOROUGH, ONTARIO M1B 4Y7 CANADA  
RIDE NORWAY IMPORTER: RIDE NORWAY IMPORTER 29 PØLSEN TRAIL 0457 NORWAY  
RIDE CANADA IMPORTER: RIDE CANADA IMPORTER 1100 BAYVIEW AVE. SCARBOROUGH, ONTARIO M1B 4Y7 CANADA  
RIDE JAPAN IMPORTER: RIDE JAPAN IMPORTER 1-10-1 WAKAYAMA-CHO CHUO-KU TOKYO JAPAN 101-0052

RIDESNOWBOARDS.COM



HEARTBREAKER

| DESIGN               | SPECIALTY               | RESPONSE                       |
|----------------------|-------------------------|--------------------------------|
| TWIN STANDARD CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



CONSTRUCTION FEATURES

Twin Standard Camber — Quadratic Sidecut  
Extruded, Stone Ground Base — WMNS Performance™ Core  
Slimwalls® — Single Impact Plates — Biaxial Glass

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDECUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|-----------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 139          | 224                 | 9.3 6.8 9.3           | 274 / 274                | 0                        | 432                 | 60-100 / 27-45             |
| 143          | 230                 | 9.4 6.9 9.4           | 277 / 277                | 0                        | 457                 | 70-100 / 32-45             |
| 147          | 238                 | 9.5 7.0 9.5           | 281 / 281                | 0                        | 483                 | 85-130 / 39-59             |
| 150          | 240                 | 9.5 7.1 9.5           | 285 / 285                | 0                        | 508                 | 100-150 / 45-68            |

R230202101



PRODUCER:  
RIDE SNOWBOARDS  
410 PINE STREET  
3RD FLOOR  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
RIDE IMPORTER ITALIA 41  
10121 PAVIA  
ITALY

RIDE NORWAY IMPORTER  
RIDE NORWAY 29  
PO BOX 188  
NORWAY

RIDE CANADA IMPORTER  
RIDE CANADA 47  
10000 CANARD MC182  
CANADA

RIDE JAPAN IMPORTER  
RIDE JAPAN 48  
1-100 WAKAYAMA-CHO  
1-100 WAKAYAMA-CHO  
TOKYO JAPAN 101-0000

RIDESNOWBOARDS.COM

BINDINGS



## A-10

**FEEL:** 1 2 3 4 5 6 7 8 9 ⑩

**SIZES:** S, M, L

**CONSTRUCTION FEATURES:**

- A-Series Aluminum Chassis



White



Lime

---

## C-10

**FEEL:** 1 2 3 4 5 6 7 8 9 ⑩

**SIZES:** S, M, L

**CONSTRUCTION FEATURES:**

- C-Series Performance Chassis



Black



Trip

## A-BC



Black

**FEEL:** 1 2 3 4 5 6 7 8 9 ⑩

**SIZES:** S, M, L

### CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis

## A-9



Black

**FEEL:** 1 2 3 4 5 6 7 8 ⑨ 10

**SIZES:** S, M, L

### CONSTRUCTION FEATURES:

- Linkage Ratchet
- Three-Piece Ankle Strap
- Nylon Highback
- Minimalist Toe Strap with Overmold
- Aluminum and Plastic Discs
- Canted Footbed with PODS
- A-Series Aluminum Chassis
- A-Series TPU Basepad

## A-9



Pink

**FEEL:** 1 2 3 4 5 6 7 8 ⑨ 10

**SIZES:** S, M, L

**CONSTRUCTION FEATURES:**

- A-Series Aluminum Chassis

---

## C-9



White

**FEEL:** 1 2 3 4 5 6 7 8 ⑨ 10

**SIZES:** S, M, L

**CONSTRUCTION FEATURES:**

- C-Series Performance Chassis



Pink

## A-8

**FEEL:** 1 2 3 4 5 6 7 ⑧ 9 10

**SIZES:** M, L

**CONSTRUCTION FEATURES:**

- A-Series Aluminum Chassis



White



Black



Lime

---

## C-8

**FEEL:** 1 2 3 4 5 6 7 ⑧ 9 10

**SIZES:** M, L

**CONSTRUCTION FEATURES:**

- C-Series Performance Chassis



White



Grey



Black

## A-6

**FEEL:** 1 2 3 4 5 ⑥ 7 8 9 10

**SIZES:** M, L

**CONSTRUCTION FEATURES:**

- A-Series Aluminum Chassis



White



Black



Olive/Lime



Tag

## C-6

**FEEL:** 1 2 3 4 5 ⑥ 7 8 9 10

**SIZES:** M, L

**CONSTRUCTION FEATURES:**

- C-Series Performance Chassis



White



Black



Olive/Lime



Tag



## A-4

**FEEL:** 1 2 3 ④ 5 6 7 8 9 10

**SIZES:** M, L

**CONSTRUCTION FEATURES:**

- A-Series Aluminum Chassis



White



Olive

---

## A-4

**FEEL:** 1 2 3 ④ 5 6 7 8 9 10

**SIZES:** M, L

**CONSTRUCTION FEATURES:**

- A-Series Aluminum Chassis
- Cored Nylon Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- A-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



Black

## C-4

**FEEL:** 1 2 3 ④ 5 6 7 8 9 10

**SIZES:** M, L

**CONSTRUCTION FEATURES:**

- C-Series Composite Chassis



White



Black



Olive

## C-2

**FEEL:** 1 ② 3 4 5 6 7 8 9 10

**SIZES:** M, L

### CONSTRUCTION FEATURES:

- C-Series Composite Chassis
- Nylon Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



Black

---

## C-2

**FEEL:** 1 ② 3 4 5 6 7 8 9 10

**SIZES:** M, L

### CONSTRUCTION FEATURES:

- C-Series Composite Chassis



Tan

## AL-6

**FEEL:** 1 2 3 4 5 ⑥ 7 8 9 10

**SIZES:** S, M

**CONSTRUCTION FEATURES:**

- A-Series Aluminum Chassis



White



Black



Lime

---

## CL-6

**FEEL:** 1 2 3 4 5 ⑥ 7 8 9 10

**SIZES:** S, M

**CONSTRUCTION FEATURES:**

- C-Series Performance Chassis



White



Black



Lime



Black

## CL-4

**FEEL:** 1 2 3 (4) 5 6 7 8 9 10

**SIZES:** S, M

### CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Slimeback™ Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



Papaya

## CL-4

**FEEL:** 1 2 3 (4) 5 6 7 8 9 10

**SIZES:** S, M

### CONSTRUCTION FEATURES:

- C-Series Performance Chassis

# CL-2

**FEEL:** 1 ② 3 4 5 6 7 8 9 10

**SIZES:** S, M

## CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Slimeback™ Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



Black

BOOTS



## TORRENT

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

### Tagline

A boot for any foot in any conditions with maximum adjustability, extreme durability and comfort to boot

### Color(s)

White

### Feel

7

### Description

The most high-tech boot on the planet. Sustainability and performance are top of mind when it comes to the all-new Torrent. This boot features an all-new plant-based heel counter and toe cap, Sugarcane based EVA midsole, Michelin's hybrid rubber outsole, and Black Gold Bamboo Charcoal lining mesh with natural antimicrobial properties. All of this pulls together to make the Torrent the top leading eco conscious boot on the market. Torrent also features our brand-new liner integrated tongue-tied system, where our liner lace pull closes our liner harness and tongue-tied system assuring an optimal fit. The Torrent is a high performance medium flexing boot with out of the box comfort designed for the rider who wants ultimate performance in the most stylish of packages.

### Construction Features

#### Shell:

1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil, Floating Tongue, HDR Premium Synthetics™  
TPU Toe Cap, TPU Heel Cap, C.A.T System  
Michelin® Hybrid Traverse Sole, +Slime Midsole,  
H4 BOA® Focus Fit System, BOA® TX3 Lace, The Closer™

#### Liner:

Internal/External J Bars with Cored Pockets  
Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh  
Impacto Elite Insole



White

## TRIDENT

**SIZES** 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

### Tagline

A boot for any foot in any conditions with maximum adjustability, extreme durability and comfort to boot

### Color(s)

Black

### Feel

9

### Description

Fitted with our Intuition™ Trap Wrap Liner and the Tongue Tied™ Hybrid Harness system combined with The Closer™. Tongue Tied™ delivers a secure micro-adjustable fit in the ankle and eliminates the need for a traditional harness while fiber Reinforced Flex Slime Tongue™ provides rebound and damping. The Michelin® Traverse Outsole ensures that your boot won't slip around while strapped in or walking from your car to the lift in an icy parking lot. The Trident features a triple BOA® Fit System and a stiff flex for response and all-mountain performance for the rider who demands more from their footwear.

### Construction Features

#### Shell:

1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil  
TPU Toe Cap, Rebound Heel Counter™, Fiber Reinforced Flex  
Slime Tongue™

Michelin® Hybrid Traverse Sole, +Slime Midsole,  
H4 BOA® Focus Fit System, Tongue Tied™ Hybrid Harness,  
BOA® TX3 Lace, The Closer™

#### Liner:

Slip/Grip top closure, Internal/External J Bars with Cored Pockets  
Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh  
Impacto Elite Insole



Black



# THE 92

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

**Tagline**

Soft Flexing Performance

**Color(s)**

Black

**Feel**

6

**Description**

The '92 is a classic, timeless boot rooted in RIDE's heritage as one of the world's most influential brands. Fitted with our Intuition™ Mobile Wrap Liner and the H4 BOA® Tongue Tied™ Focus Fit System, which provides a two-zone precise fit system for ultimate heel hold. Tongue Tied™ delivers a secure fit in the ankle and eliminates the need for a traditional harness. Flex Slime Tongue™ provides improved rebound and damping while driving flex to the articulation zone. Michelin® Fiberlite Sole combines rubber with a +Slime Midsole for traction and cushioning. The '92 is suited for high-end freestyle riding and designed to maintain a freestyle flex.

**Construction Features**

Shell:

1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff, Adjustable Power Strap  
Heat Reflective Foil, Floating Tongue, HDR Premium Synthetics™  
TPU Toe Cap, Rebound Heel Counter™, Flex Slime Tongue™  
Michelin® Hybrid Fiberlite Sole, +Slime Midsole  
H4 BOA® Tongue Tied™ Focus Fit System, BOA® TX3 Lace, The Closer™

Liner:

Slip/Grip top closure, Wrap Liner, Black Gold™ Liner Mesh  
Internal/External J Bars with Cored Pockets  
Intuition™ Mobile Liner  
Impacto Elite Insole



Black

# INSANO

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15, 16, 17

**Tagline**

It's all in the name...The Insano is mind-bendingly durable, responsive and supportive

**Color(s)**

Black, Olive

**Feel**

10

**Description**

The Insano is quite literally how the name describes it. Fitted with our Intuition™ Center Tongue Dream Liner and H4 BOA® Focus Fit System, which provides a two-zone precise fit system for ultimate heel hold and stability. Fiber Reinforced Flex Slime Tongue™ provides rebound and damping. The new Michelin® Traverse Outsole emphasizes grip and response underfoot, and coupled with the fact that the Insano is the stiffest boot in our line, this thing is built for all-mountain response all the time.

**Construction Features**

Shell:

1:1 Lasting, Sliver Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil, HDR Premium Synthetics™  
TPU Toe Cap, Rebound Heel Counter™, Fiber Reinforced Flex Slime Tongue™  
Michelin® Hybrid Traverse Sole, + Slime Midsole  
H4 BOA® Focus Fit System, BOA® TX3 Lace, The Closer™

Liner:

Slip/Grip top closure, Center Tongue Liner  
Internal/External J Bars with Cored Pockets  
Intuition™ Dream Liner, Black Gold™ Liner Mesh  
Lock Down™ Turbo, Tallboy Harness  
Impacto Elite Insole



Black



Olive

# LASSO PRO

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

**Tagline**

A staple in the Ride boot line just got better

**Color(s)**

Black, Grey, Wavy

**Feel**

8

**Description**

The Lasso Pro is fitted with Intuition™ Trap Wrap Liner and Tongue Tied™ Hybrid Harness system to evenly distributes pressure throughout the inner of the boot while locking in your foot. The H4 BOA® Coiler provides a uniform fit while our Michelin® Fiberlite Sole combines rubber with a +Slime Midsole for traction and cushioning. The Lasso Pro is a stiffer flexing boot that offers a responsive ride with a hassle-free fit system that also comes in a wide option and it's catered to riders looking for all-mountain hold, response and durability in any and all conditions.

**Construction Features**

Shell:

1:1 Lasting, Black Last Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil, HDR Premium Synthetics™  
Rubber Toe, Rebound Heel Counter™  
Michelin® Hybrid Fiberlite Sole, +Slime Midsole  
H4 BOA® Coiler Fit System, Tongue Tied™ Hybrid Harness, BOA® TX3 Lace, The Closer™

Liner:

Slip/Grip top closure, Internal/External J Bars with Cored Pockets  
Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh  
Impacto Elite Insole



Black



Grey



Wavy

# LASSO PRO WIDE

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

**Tagline**

A staple in the Ride boot line just got better

**Color(s)**

Black

**Feel**

8

**Description**

The Lasso Pro is fitted with Intuition™ Trap Wrap Liner and Tongue Tied™ Hybrid Harness system to evenly distributes pressure throughout the inner of the boot while locking in your foot. The H4 BOA® Coiler provides a uniform fit while our Michelin® Fiberlite Sole combines rubber with a +Slime Midsole for traction and cushioning. The Lasso Pro is a stiffer flexing boot that offers a responsive ride with a hassle-free fit system that also comes in a wide option and it's catered to riders looking for all-mountain hold, response and durability in any and all conditions.

**Construction Features**

Shell:

1:1 Lasting, Wide Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil, HDR Premium Synthetics™  
Rubber Toe, Rebound Heel Counter™  
Michelin® Hybrid Fiberlite Sole, +Slime Midsole  
H4 BOA® Coiler Fit System, Tongue Tied™ Hybrid Harness, BOA® TX3 Lace, The Closer™

Liner:

Slip/Grip top closure, Internal/External J Bars with Cored Pockets  
Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh  
Impacto Elite Insole



Black

## DEADBOLT ZONAL

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

### Tagline

The Deadbolt is a tough-as-nails boot that centers around durability, comfort and stability

### Color(s)

Black, Grey

### Feel

7

### Description

The Deadbolt is packed with technology to make your life on-hill a tad easier, like an Intuition™ Support Foam Liner, our BOA® Zonal Fit System for extra hold and a Michelin® Hybrid Summit Sole that combines recycled premium rubber and phylon for lightwei

### Construction Features

Shell:

1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil, HDR Premium Synthetics™

Michelin® Hybrid Summit Sole

BOA® Zonal Fit System, BOA® TX3 Lace, The Closer™  
Liner:

Center Tongue Liner, Internal/External J Bars

Intuition™ Support Foam Liner, Black Gold™ Liner Mesh  
NEW! Impacto Ultra Insole



Black

## DEADBOLT ZONAL

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

### Tagline

The Deadbolt is a tough-as-nails boot that centers around durability, comfort and stability

### Color(s)

Black, Slate

### Feel

7

### Description

The Deadbolt is packed with technology to make your life on-hill a tad easier, like an Intuition™ Support Foam Liner, our BOA® Zonal Fit System for extra hold and a Michelin® Hybrid Summit Sole that combines recycled premium rubber and phylon for lightweight performance and infinite traction. The Deadbolt is a responsive all-mountain freestyle boot that combines comfort and support while allowing you to focus on what matters most, and that's progressing your riding.

### Construction Features

Shell:

1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil, HDR Premium Synthetics™

Michelin® Hybrid Summit Sole

BOA® Zonal Fit System, BOA® TX3 Lace, The Closer™  
Liner:

Center Tongue Liner, Internal/External J Bars

Intuition™ Support Foam Liner, Black Gold™ Liner Mesh  
Impacto Ultra Insole



Slate

## FUSE

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

### Tagline

A Ride team favorite is packed with technology to form the boot to your foot and give you maximum comfort while lapping

### Color(s)

Black, Shoeburt Navy

### Feel

8

### Description

There's a reason that the Fuse is a unanimous team-favorite year after year, and that's because it's fitted with our Intuition™ Mobile Trap Wrap Liner and it offers the options of a traditional lace coupled with the new Tongue Tied™ Hybrid Harness for sup

### Construction Features

Shell:

1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil, HDR Premium Synthetics™  
Rebound Heel Counter™, Flex Slime Tongue®, NEW! TPU Toe Cap  
Michelin® Hybrid Fiberlite Sole, +Slime Midsole  
Traditional Lace, Tongue Tied™ Hybrid Harness

Liner:

NEW! Slip/Grip top closure, Internal/External J Bars with Cored Pockets  
Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh  
NEW! Impacto Elite Insole



Black

## FUSE

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

### Tagline

A Ride team favorite is packed with technology to form the boot to your foot and give you maximum comfort while lapping

### Color(s)

Black, Milk

### Feel

8

### Description

There's a reason that the Fuse is a unanimous team-favorite year after year, and that's because it's fitted with our Intuition™ Mobile Trap Wrap Liner and it offers the options of a traditional lace coupled with the new Tongue Tied™ Hybrid Harness for supreme comfort and hold. A Flex Slime Tongue™ provides rebound and damping to ease out any chop or bumps you may be riding and lets you focus on form with less distractions. The injected TPU Toe Cap reduces boot profile increases durability and the Michelin® Hybrid Fiberlite Sole combines recycled premium rubber with a +Slime Midsole for traction and cushioning. The Fuse is a stiffer flexing freestyle boot that riders of all ability levels will love.

### Construction Features

Shell:

1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil, HDR Premium Synthetics™  
Rebound Heel Counter™, Flex Slime Tongue®, NEW! TPU Toe Cap

Michelin® Hybrid Fiberlite Sole, +Slime Midsole

Traditional Lace, Tongue Tied™ Hybrid Harness

Liner:

NEW! Slip/Grip top closure, Internal/External J Bars with Cored Pockets  
Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh  
Impacto Elite Insole



Milk

LASSO

SIZES 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

Tagline

Comfort, ease, and performance are the keys to The Lasso's lasting success over the years

Color(s)

Black, Grey, Pink, Wavy

Feel

7

Description

Similar to the Lasso Pro but for the rider who's looking for a little more flex in their pursuit of freestyle perfection, the Lasso comes with the H4 BOA® Coiler Fit System to ensure a strong and even hold while your foot is in the boot along with BOA® Tongue Tied™ which delivers a secure, micro-adjustable fit in the ankle and eliminates the need for a traditional harness. Also, our Zig-Zag Flex Sole combines rubber with a +Slime midsole for durable traction and comfort, making the Lasso a must-have medium-stiff flexing boot that offers any rider a responsive feel with a hassle-free fit system.

Construction Features

Shell:

1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil, HDR Premium Synthetics™, C.A.T System  
Impact Rubber Cupsole, +Slime Midsole  
H4 BOA® Coiler Fit System, BOA® Tongue Tied™ Fit System,  
BOA® TX3 Lace, The Closer™

Liner:

Center Tongue Liner, Internal/External J Bars  
Intuition™ Support Liner, Black Gold™ Liner Mesh, Lock Down™  
Turbo  
Impacto Ultra Insole



Black



Grey



Pink



Wavy



Black



White

ANCHOR

SIZES 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

Tagline

The Anchor helps keep you locked in to what you really wanna do...Ride a traditional lace boot and get the most life out of it year after year

Color(s)

Black, White

Feel

7

Description

The Anchor is designed for high-performance freestyle riding for those that want a traditional lace boot that is softer flexing than the Fuse. Fitted with Intuition™ Mobile Wrap Liner for ultimate and even hold, a traditional lace with our BOA® Tongue Tied™ Fit System which is a perfect blend of traditional and modern boot technology. Tongue Tied™ delivers a secure micro-adjustable fit in the ankle and eliminates the need for a traditional harness. Our Zig-Zag Flex Sole combines rubber with a +Slime Midsole for durable traction and comfort while the internal shank adds support. The Anchor is a medium-stiff flexing freestyle snowboard boot that can handle any and all terrain in front of you.

Construction Features

Shell:

1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff  
Heat Reflective Foil  
Rubber Toe, HDR Premium Synthetics™, Rebound Heel Counter  
Zig-Zag Flex Sole, +Slime Midsole  
Traditional Lacing, BOA® Tongue Tied™ Fit System

Liner:

Slip/Grip top closure, Wrap Liner, Internal/External J Bars with  
Cored Pockets  
Intuition™ Mobile Liner, Black Gold™ Liner Mesh  
Impacto Ultra Insole

## JACKSON

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

### Tagline

Loaded with technology and focusing on comfort, The Jackson is an all-mountain boot at a great price

### Color(s)

Black, Olive, Tan

### Feel

6

### Description

The Jackson is specifically designed for the rider who divides their time on every part of the mountain. This boot thrives in an all-mountain environment but as a mid-flexing boot, it's equally adept in the park or in pow. Equipped with our Intuition™ Support Foam Liner for cush and comfort as well as our H4 BOA® Coiler Fit System with Manual Tongue Tied™ that guarantees a firm heel hold and a uniform fit, the Jackson is dripping with tech yet designed in a timeless, classic fashion to ensure all your riding needs are covered.

### Construction Features

Shell:

1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff, Heat Reflective Foil

Flex Lite 2.0 Sole, +Slime Midsole

Manual Tongue Tied™ System, H4 BOA® Coiler Fit System, BOA® TX3 Lace, The Closer™

Liner:

Center Tongue Liner, Internal J Bars

Intuition™ Support Liner

Impacto Primo Insole



Black



Olive



Tan

## ANTHEM

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

### Tagline

A medium flexing boot designed with all-mountain riding in mind

### Color(s)

Black, White, Tan

### Feel

5

### Description

The Anthem is made for progression. Don't let the price of this boot fool you it's packed with features and ready for whatever you can throw at it. Fitted with an Intuition™ Plush Foam Liner and our H4 BOA® Coiler Fit System, providing a uniform closure around your foot. The Closer™ Lace Guide evens the lace tension across the entire boot. Lock Down™ Turbo provides secure, no slack liner lace hold. Grip Lite Sole combines +Slime Midsole with rubber pods for durability and traction. The Anthem is a medium flexing boot for all-mountain riding.

### Construction Features

Shell:

1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff Heat Reflective Foil

Grip Lite Sole, +Slime Midsole

H4 BOA® Coiler Fit System, BOA®, The Closer™

Liner:

Center Tongue Liner, Internal J Bars

Intuition™ Plush Liner

Lock Down™ Turbo

Die Cut EVA Insole



Black



White



Tan

## STOCK

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

### Tagline

The perfect blend of tech and traditional for the rider who wants a great boot at an amazing price.

### Color(s)

Black, Slate

### Feel

5

### Description

The all new Stock is a softer flexing boot that's designed with simplicity in mind. Packed with features that improve performance, but without any gimmicks or marketing talk. This is just a straight up good fitting, good riding lace boot. We've got a fully heat moldable Intuition liner, as well as rubber outsole pods for durability. The Stock has also got a full traditional lace system, which is great because you can fine-tune the fit with the laces. Plus, let's be honest, they're just good. With that traditional lace we also put 3 metal lace hooks on the upper, allowing you to tighten the boots to your preference. Flex Lite 2.0 with +Slime Midsole delivers impact absorption, stability, and traction. The Stock is a soft flexing boot for the freestyle focused rider that prefers classic simplicity over technology.

### Construction Features

Shell:

1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff

Heat Reflective Foil

Flex Lite 2.0 Sole

Lock Down™ Turbo, Traditional Lace

Liner:

Center Tongue Liner, Internal J Bars

Intuition™ Support Foam Liner

Impacto Primo Insole



Black



Slate

## ROOK

**SIZES** 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

### Tagline

From first timers to diehard riders, The Rook is ready to strap in and take you where you need to go comfortably

### Color(s)

Black

### Feel

4

### Description

The Rook is made for progression on a budget. Fitted with our Intuition™ Plush Foam Liner and an H4 BOA® that provides a quick and perfect fit. Lock Down™ Turbo provides a secure, no slack liner lace hold. Grip Lite Sole combines +Slime Midsole with rubber pods for durability and traction. The Rook combines hassle-free fit with all-day comfort to take your riding to the next level.

### Construction Features

Shell:

1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff

Grip Lite Sole, +Slime Midsole

H4 BOA® Fit System

Liner:

Center Tongue Liner, Internal J Bars

Intuition™ Plush Liner

Lock Down™ Turbo

Die Cut EVA Insole



Black

## ORION

**SIZES** 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

### Tagline

An out-of-this world boot for a cheaper-than-most price tag

### Color(s)

Black

### Feel

4

### Description

The Orion is packed with features that make it perform well above its price tag. Fitted with an Intuition™ Plush Foam Liner, Traditional Laces, and Lock Down™ Turbo, the Orion provides secure and unison fit with comfort galore. Grip Lite Sole combines +Slime Midsole with rubber pods for durability and traction. The Orion is a soft-flexing boot designed for beginner-to-intermediate riders.

### Construction Features

Shell:

#REF!

1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff

Grip Lite Sole, +Slime Midsole

Traditional Lace

Liner:

Center Tongue Liner, Internal J Bars

Intuition™ Plush Liner

Lock Down™ Turbo

Die Cut EVA Insole



Black



# CADENCE

**SIZES** 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

**Tagline**

Lock in step with the Ride ethos, The Cadence is an aggressive boot that cuts its teeth on performance

**Color(s)**

Black

**Feel**

8

**Description**

The Cadence is not your ordinary snowboard boot this boot is made with performance in mind. The Cadence is perfect for the rider that is looking for an aggressive, very stiff, comfortable snowboard boot. This boot is designed for the rider that is focused on precision and function. Fitted with our Intuition™ Dream Liner and the H4 BOA® Focus Fit System, it provides a two-zone precise fit system for ultimate control and comfort. Lock Down™ Turbo combined with the Transition Wrap Harness provides a secure heel hold. C.A.T. technology allows for a custom fit in the calf zone for increased comfort. The Cadence is a stiff, supportive boot that will provide a responsive ride on all areas of the mountain, and with our Michelin® Traverse Sole, the grip is second to none.

**Construction Features**

Shell:

1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff

C.A.T. System, Heat Reflective Foil

HDR Premium Synthetics™

Michelin® Hybrid Traverse Sole, +Slime Midsole

Rebound Heel Counter™

H4 BOA® Focus Fit System, BOA® TX3 Lace, The Closer™

Liner:

Slip/Grip top closure, Center Tongue Liner, Internal/External J Bars with Cored Pockets

Intuition™ Dream Liner, Black Gold™ Liner Mesh

Lock Down™ Turbo, Transition Wrap Harness

Impacto Elite Insole



Black

# HERA PRO

**SIZES** 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

**Tagline**

Versatility at its finest

**Color(s)**

Black, Milk

**Feel**

7

**Description**

The Hera Pro is an all-new boot based off our bestselling Hera model. The Hera Pro has added features to increase performance and durability while maintaining the versatility that has made the Hera so popular. The Hera Pro is designed for riders that want the perfect mix of comfort and performance. The Tongue Tied™ Hybrid Harness assures that your heels will be locked down without creating any pressure points. The Rebound Heel Counter™ increases durability and performance by offering additional heel side response. And the Michelin® Summit Sole will lock you onto the snow so you don't have to worry about sliding around. The Hera Pro is a high-end medium-stiff flexing boot designed for all-mountain performance.

**Construction Features**

Shell:

1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff

C.A.T. System, Heat Reflective Foil

HDR Premium Synthetics™, Rebound Heel Counter™

Michelin® Hybrid Summit Sole, +Slime Midsole

H4 BOA® Coiler Fit System, Tongue Tied™ Hybrid Harness,

BOA® TX3 Lace, The Closer™

Liner:

Slip/Grip top closure, Internal/External J Bars with Cored Pockets

Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh

Impacto Elite Insole



Black



Milk

KARMYN ZONAL

SIZES 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

Tagline

A medium-stiff boot designed for a snowboarder who knows no bounds

Color(s)

Black, Logo

Feel

6

Description

The Karmyn Zonal is a boot packed with features that's a pleasure to look down and see on top of your board. Fitted with BOA® Zonal Fit System, which is a dial-activated fit system that allows for a precise closure in two zones, the Karmyn Zonal will fit perfectly the first time you slip your foot into it. Our Michelin® Hybrid Summit Sole combines recycled rubber and phylon for lightweight performance. C.A.T. technology allows for a custom fit in the calf zone for increased comfort. The Karmyn is designed as a medium flexing freestyle snowboard boot for every rider out there.

Construction Features

Shell:

1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff

C.A.T. System, Heat Reflective Foil

HDR Premium Synthetics™

Michelin® Hybrid Summit Sole

BOA® Zonal Fit System, BOA® TX3 Lace, The Closer™

Liner:

Center Tongue Liner, Internal J Bars

Intuition™ Support Foam Liner, Black Gold™ Liner Mesh

Impacto Ultra Insole



Black



Logo

HERA

SIZES 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

Tagline

Stability, comfort and performance made The Hera come to life

Color(s)

Black, Stone, Aura

Feel

5

Description

The Hera blends performance, comfort, and durability. At home anywhere on the mountain, you won't be disappointed in the Hera. Fitted with our Intuition™ Support Foam Liner and the H4 BOA® Coiler Fit System, it provides a uniform fit while the BOA® Tongue Tied™ Fit System delivers a secure fit in the ankle and eliminates the need for a traditional harness. C.A.T. technology allows for a custom fit in the calf zone for increased comfort while durable rubber Jade Plus Sole with +Slime Heel Pod provides cushioning and traction in all terrain. The Hera is a medium flexing boot designed for all-mountain performance.

Construction Features

Shell:

1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff

C.A.T. System, Heat Reflective Foil

Impact Rubber Cupsole, +Slime Midsole

H4 BOA® Coiler Fit System, BOA® Tongue Tied™ Fit System,

BOA® TX3 Lace, The Closer™

Liner:

Center Tongue Liner, Internal J Bars

Intuition™ Support Liner, Black Gold™ Liner Mesh

Lock Down™ Turbo

Impacto Primo Insole



Black



Stone



Aura

## CONTEXT

**SIZES** 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

**Tagline**

A traditional lace up boot in high-end form for the rider that demands perfection

**Color(s)**

Black, White

**Feel**

7

**Description**

The Context is a high-end women's lace snowboard boot. The traditional lacing system gives the rider the ability to lace their boot exactly how they want it. Fitted with Intuition™ Mobile Wrap Liner and mixed with a traditional lace and our BOA® powered Tongue Tied™ Fit System, it's snug and comfort at the highest level. Tongue Tied™ delivers a secure fit in the ankle and eliminates the need for a traditional harness. C.A.T. technology allows for a custom fit in the calf zone for increased comfort. The Context is designed as a stiffer flexing snowboard boot that is as at home in the park as it is on a powder day. The Zig-Zag Flex Sole combines rubber with a +Slime Midsole for durable traction and comfort while internal shank adds support. The Context is designed as a stiffer flexing freestyle snowboard boot.

**Construction Features**

Shell:

1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff

C.A.T. System, Heat Reflective Foil

HDR Premium Synthetics™, Rebound Heel Counter, Rubber Toe

Zig-Zag Flex Sole, +Slime Midsole

Traditional Lacing, BOA® Tongue Tied™ Fit System

Liner:

Slip/Grip top closure, Wrap Liner, Internal J Bars with Cored Pockets

Intuition™ Mobile Liner, Black Gold™ Liner Mesh

Impacto Ultra Insole



Black



White



Black



Slate



Iris

## SAGE

**SIZES** 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

**Tagline**

Plush, stable and responsive, the Sage is a ridiculous value in a snowboard boot

**Color(s)**

Black, Slate, Iris

**Feel**

4

**Description**

The Sage is made for comfort and ease of use. This boot will go anywhere and keep your feet warm and comfortable all day long. Fitted with Intuition™ Plush Foam Liners and the H4 BOA® Coiler Fit System, which provides a uniform fit to your foot. The Closer™ Lace Guide evens the lace tension across the entire boot. C.A.T. technology allows for a custom fit in the calf zone for increased comfort. Lock Down™ Turbo provides secure, no slack liner lace hold. Grip Lite Sole combines +Slime Midsole with rubber pods for durability and traction. The Sage is a medium flexing boot for riders of all ability levels.

**Construction Features**

Shell:

1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff

C.A.T. System, Heat Reflective Foil

Grip Lite Sole, +Slime Midsole

H4 BOA® Coiler Fit System, The Closer™

Liner:

Center Tongue Liner, Internal J Bars

Intuition™ Plush Liner

Lock Down™ Turbo

Die Cut EVA Insole

## HARPER

**SIZES** 5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

### Tagline

Tons of tech at the right price, The Harper is a sneaky sick boot

### Color(s)

Black

### Feel

3

### Description

The Harper is designed for progression. The Harper is packed with features that are normally reserved for much more expensive models. Fitted with our Intuition™ Plush Foam Liner and an H4 BOA®, the fit is on point and it's super comfortable for all-day ripping. Lock Down™ Turbo provides secure, no slack liner lace hold. Grip Lite Sole combines +Slime Midsole with rubber pods for durability and traction. The Harper is a soft-flexing boot designed for comfort and progression.

### Construction Features

Shell:

1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff

Grip Lite Sole, +Slime Midsole

H4 BOA® Fit System

Liner:

Center Tongue Liner, Internal J Bars

Intuition™ Plush Liner

Lock Down™ Turbo

Die Cut EVA Insole



Black


YOUTH





## ZERO JR

| DESIGN                               | SPECIALTY               | RESPONSE                       |
|--------------------------------------|-------------------------|--------------------------------|
| ASYMMETRICAL TWIN<br>STANDARD CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Extruded Base  
Foundation™ Core — Cleave Edge™ — Slim Walls®  
Single Impact Plates — Biaxial Glass

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SIDE-CUT RADIUS<br>(M) |           | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|------------------------|-----------|--------------------------|--------------------------|---------------------|----------------------------|
| 135          | 238                 | 7.3 / 6.3              | 6.3 / 5.3 | 7.3 / 6.3                | 281 / 281                | 0                   | 432                        |
| 142          | 242                 | 7.8 / 6.7              | 6.8 / 5.7 | 7.8 / 6.7                | 289 / 289                | 0                   | 457                        |
| 147          | 245                 | 8.0 / 6.9              | 7.0 / 5.9 | 8.0 / 6.9                | 293 / 293                | 0                   | 483                        |

R200202201



PRODUCER:  
RIDE SKATEBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
REINHAUTER STRASSE 43  
SCOTT FRIEDRICH  
GERMANY

RIDE NORWAY IMPORTER  
RIDE NORWAY AS  
PO BOX 188  
NORWAY

RIDE CANADA IMPORTER  
1 WESTSIDE CTR #7  
TORONTO ONTARIO M6C 1B2  
CANADA


RIDE JAPAN IMPORTER  
TAMURA BLDG 4F  
1-10-1 NAKAMOTO-CHO  
CHUO-KU  
TOKYO JAPAN 101-0052

RIDESNOWBOARDS.COM



## LOWRIDE

| DESIGN              | SPECIALTY               | RESPONSE                       |
|---------------------|-------------------------|--------------------------------|
| TWIN<br>ZERO CAMBER | PARK<br>GROOMERS<br>POW | MELLOW<br>MEDIUM<br>AGGRESSIVE |



### CONSTRUCTION FEATURES

Twin Zero Camber — Quadratic Sidecut  
Extruded Base — Foundation™ Core — Biaxial Glass

| SIZE<br>(CM) | WAIST WIDTH<br>(MM) | SECUT RADIUS<br>(M) | TIP & TAIL<br>WIDTH (MM) | INSERT LOC.<br>BACK (MM) | REF. STANCE<br>(MM) | RIDER WEIGHT<br>(LBS / KG) |
|--------------|---------------------|---------------------|--------------------------|--------------------------|---------------------|----------------------------|
| 75           | 180                 | - 8.5 -             | 200 / 200                | 0                        | 305                 | <90 / <41                  |
| 90           | 180                 | - 7.1 -             | 202 / 202                | 0                        | 330                 | <100 / <45                 |
| 100          | 190                 | - 7.5 -             | 218 / 219                | 0                        | 355                 | <110 / <50                 |
| 110          | 200                 | - 7.9 -             | 230 / 230                | 0                        | 405                 | <120 / <54                 |
| 120          | 210                 | - 8.5 -             | 248 / 248                | 0                        | 455                 | <130 / <54                 |
| 130          | 220                 | - 9.1 -             | 265 / 265                | 0                        | 492                 | <150 / <68                 |

R200202201



PRODUCER:  
RIDE SKATEBOARDS  
415 PINE STREET  
SEATTLE, WA 98101  
USA

IMPORTER:  
RIDE EUROPE IMPORTER  
REINHAUTER STRASSE 43  
SCOTT FRIEDRICH  
GERMANY

RIDE NORWAY IMPORTER  
RIDE NORWAY AS  
PO BOX 188  
NORWAY

RIDE CANADA IMPORTER  
1 WESTSIDE CTR #7  
TORONTO ONTARIO M6C 1B2  
CANADA

RIDE JAPAN IMPORTER  
TAMURA BLDG 4F  
1-10-1 NAKAMOTO-CHO  
CHUO-KU  
TOKYO JAPAN 101-0052

RIDESNOWBOARDS.COM

# K-1

**FEEL:** ① 2 3 4 5 6 7 8 9 10

**SIZES:** S, M

**CONSTRUCTION FEATURES:**

- C-Series Performance Chassis
- Nylon Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet



Black

---

# MICRO

**FEEL:** ① 2 3 4 5 6 7 8 9 10

**SIZES:** XS, S

**CONSTRUCTION FEATURES:**

- Single Strap Entry
- Adjustable Sizes



Black

## LASSO JR

**SIZES** 2, 3, 4, 5, 6, 7

### Tagline

Rope 'em into it while they're young with The Lasso Jr.'s endless advantages

### Color(s)

Black

### Feel

3

### Description

Fitted with our Intuition™ Plush Foam Liner because when it comes to kids, keeping them comfortable and their foot cramp-free is integral to their learning experience. Kid's BOA® Fit System provides a uniform fit and eliminates the confusing lacing system while Lock Down™ Turbo provides secure, no slack liner lace hold. Die Cut EVA insole with size shims to allow for one full size of boot growth ensures you'll get good life out of these kicks. Grip Lite Sole combines +Slime Midsole with rubber pods for durability and traction. The Lasso Jr. is a performance boot for younger riders.

### Construction Features

Shell:

1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff  
Grip Lite Sole, +Slime Midsole  
Kid's BOA® Fit System

Liner:

Intuition™ Plush Liner, Internal J Bars  
Die Cut EVA Insole with Size Shims



Black

## NORRIS

**SIZES** 9K, 10K, 11K, 12K, 13K, 1, 2, 3, 4, 5

### Tagline

This might be the first boot a kid will ever wear, so make it count

### Color(s)

Black

### Feel

2

### Description

The Norris is for the smallest snowboarders out there. Kid's BOA® Fit System provides a uniform fit. Die Cut EVA insole with size shims to allow for one full size of boot growth for extra life out of the boot and our Track Lite phylon sole provides lightweight cushioning and traction. The Norris is a performance boot for younger riders.

### Construction Features

Shell:

1:1 Lasting, Grey Last, IN2GRATED™  
Track Lite Sole  
Kid's BOA® Fit System with Adjustable Play Mode  
Liner:

Internal J Bars

Die Cut EVA Insole with Size Shims



Black



BAGS



## RIDE DUFFLE

**SIZES** 1SZ

### Tagline

The Perfect Size

### Color(s)

Black

### Volume

80L

### Description

When the homies come to pick you up, or more realistically, when you go to pick up the homies and take them to the mountain, having your gear all dialed in one spot is a game changer. The duffel holds the boots in the bottom, the outerwear up top, hats gloves goggles on the side and your tool up front. With a couple of back pack straps you are sure to be organized, ready and first to the lift line WITH time to stop and grab a coffee. The simple things. Pair the duffel with the perfect board bag, and you've got a luggage kit that will take you and all your gear, just about anywhere in the world.

### Construction Features

When the homies come to pick you up, or more realistically, when you go to pick up the homies and take them to the mountain, having your gear all dialed in one spot is a game changer. The duffel holds the boots in the bottom, the outerwear up top, hats gl



Black

## RIDE EVERYDAY PACK

**SIZES** 1SZ

### Tagline

Everyday Reliability

### Color(s)

Black

### Volume

28L

### Description

The name says it all. When you leave the house, this is the bag you take. Straps for your board, pockets for your stuff. We live in the rain and snow, so this thing was designed to handle a bit of both.

### Construction Features

The name says it all. When you leave the house, this is the bag you take. Straps for your board, pockets for your stuff. We live in the rain and snow, so this thing was designed to handle a bit of both.



Black

## THE PERFECT SNOWBOARD BAG

**SIZES** 1SZ

### Tagline

Everything You Need

### Color(s)

Black

### Volume

Fits up to 170cm board

### Description

Board bags go through hell, and we like the things inside them way too much to compromise. The perfect size, the perfect shape and the perfect material will assure your board boots binders and the rest of your stuff makes it to the destination unscathed. Water resistant outer will keep your gear dry and ready to ride when you get to your destination.

### Construction Features

Board bags go through hell, and we like the things inside them way too much to compromise. The perfect size, the perfect shape and the perfect material will assure your board boots binders and the rest of your stuff makes it to the destination unscathed.



Black

## BLACKENED BOARD BAG

**SIZES** 157, 172

### Tagline

Protection at its best

### Color(s)

Black

### Volume

60L, 65L

### Description

Trains, Planes and automobiles. Chuck your gear into this bag and get it from A to B safe and sound. Don't over think it. A bag that fits your board, and a strap that will keep your life simple and organized.

### Construction Features

Trains, Planes and automobiles. Chuck your gear into this bag and get it from A to B safe and sound. Don't over think it. A bag that fits your board, and a strap that will keep your life simple and organized.



Black

## UNFORGIVEN BOARD SLEEVE

**SIZES** 157, 172

### **Tagline**

Wrap it up

### **Color(s)**

Black

### **Volume**

50L, 55L

### **Description**

Bag it up. Perfect for storing the board in the off season or assuring no damage during a travel day. The unforgiven bag is a no BS bag that is lightweight and easy to own.

### **Construction Features**

Bag it up. Perfect for storing the board in the off season or assuring no damage during a travel day. The unforgiven bag is a no BS bag that is lightweight and easy to own.




Black

MEN'S BOARDS



WOMEN'S BOARDS



# UNISEX



A-10



C-10



ABC



A-9

## MEN'S



C-9



A-8



C-8



A-6



C-6



A-4



C-4



C-2

## WOMEN'S



AL-6



CL-6



CL-4



CL-2



MEN'S



TORRENT



TRIDENT



'92



INSANO



LASSO PRO



LASSO PRO / WIDE



DEADBOLT



FUSE



LASSO



ANCHOR



JACKSON



ANTHEM



STOCK



ROOK



ORION

WOMEN'S



CADENCE



HERA PRO



KARMYN ZONAL



HERA



CONTEXT



SAGE



HARPER

KIDS



RENTAL



PACKS & BAGS





**RIDE USA:**  
413 Pine St. 3rd Floor  
Seattle, WA 98101  
T: 800 757 5806  
F: 800 972 4066

**RIDE CANADA:**  
1 Westside Drive Unit #7  
Toronto, ON M9C 1B2,  
Canada  
T: 888 249 7433  
F: 416 679 1218

**RIDE EUROPE:**  
Seehaupter Strasse 62,  
Penzberg 82377, Germany  
T: 49 8856 901 0  
F: 49 8856 901 101  
E: [info@k2sports.de](mailto:info@k2sports.de)

**RIDE JAPAN:**  
TMM Bldg.6F,  
1-10-5, Iwamoto-Cho, Chiyoda-Ku,  
Tokyo, Japan 101-0032  
T: 81 3 6858 2311