



Dealer Book

2026/2027



Boards

2026/2027

SpaceGlass™

- USA made aerospace composite
- Updated design for 2026
- Eliminates chatter
- Increases strength
- Reduces swing weight

Recess 3D

- Precision CNC machined core
- Reduces weight without sacrificing strength
- 3D angles increase fiberglass stiffness

S1 Pro Core

- Built off the tried and true S1 core.
- Reduces weight by strategically placing Paulownia wood throughout the core
- 5 Year warranty

Spectral Braid



- Patented fiber technology that allows the torsional flex and tip to tail flex of the board to be tuned independently
- Torsionally stiff in tip and tail for stability
- Torsionally soft in between bindings for maneuverability

HyperWeave™



- Bottom layer of fiberglass has been replaced with K2's ALL NEW HyperWeave™
- 100% Carbon Fiber Biax Weave
- Full carbon provides a huge increase in pop
- Significant weight z compared to fiberglass





K2



ALCHEMIST

148, 151, 154, 157, 160, 160W, 163, 163W, 166



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Directional Camber Profile	HyperWeave™	BioResin
S1 Pro Core	Spectral Braid™	Wax Infused Sintered 4001 Base
Triax Glass	Recess3D	Stone Ground Base
SpaceGlass™ Tip Insert	2x4 Inserts	

SIZE	EFF EDGE	TOP/WAIST/TAIL	SEECUT	STANCE	SETBACK	WT RANGE	WT RANGE
CM	CM	CM	M	IN	IN	LB	KG
148	112	26.4 - 24.0 - 27.8	6.6	10"	0.75"	100 - 150+	45 - 68+
151	114	26.8 - 24.3 - 28.2	7.3	10"	0.75"	110 - 160+	50 - 73+
154	117	26.9 - 24.7 - 28.7	7.3	11"	0.75"	120 - 170+	54 - 77+
157	119	26.7 - 25.0 - 29.1	7.8	11"	0.75"	130 - 200+	60 - 91+
160	122	26.1 - 25.3 - 28.5	8.0	12"	0.75"	140 - 210+	64 - 95+
160W	122	26.1 - 25.3 - 28.5	8.0	12"	0.75"	140 - 210+	64 - 95+
163	124	26.3 - 25.6 - 29.9	8.1	13"	0.75"	150 - 230+	68 - 104+
163W	124	26.3 - 25.6 - 29.9	8.1	13"	0.75"	150 - 230+	68 - 104+
166	127	27.2 - 26.2 - 30.6	8.3	13"	0.75"	160 - 250+	73 - 113+



K2



COMMONWEALTH

146, 149, 151, 154, 154W, 157, 157W, 159W, 160, 162W, 163




FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Camber Profile	Spectral Braid™	Stone Ground Base
A1 Core	BioResin	2x4 Inserts
Triax Glass	Wax Infused Sintered 4001 Base	SnoPhobic™ Topsheet

SIZE	EFF EDGE	TOP/WAIST/TAIL	SEECUT	STANCE	SETBACK	WT RANGE	WT RANGE
CM	CM	CM	M	IN	IN	LB	KG
146	109	28.8 - 24.3 - 29.0	5.3/7.3/4.8	10"	0.75"	90 - 180+	41 - 73+
149	112	29.2 - 24.8 - 28.4	5.5/7.5/5.0	10"	0.75"	90 - 180+	41 - 73+
151	113	29.4 - 24.9 - 28.6	5.6/7.6/5.1	10"	0.75"	100 - 190+	54 - 86+
154	116	29.0 - 25.2 - 25.1	5.6/7.6/5.3	11"	0.75"	120 - 190+	54 - 86+
154W	116	29.7 - 26.0 - 29.0	5.6/7.6/5.3	11"	0.75"	120 - 190+	54 - 86+
157	119	30.3 - 25.5 - 25.5	6.0/8.0/5.5	11"	0.75"	120 - 190+	54 - 86+
157W	119	31.1 - 26.2 - 31.1	6.0/8.0/5.5	11"	0.75"	120 - 190+	54 - 86+
159W	121	31.4 - 26.6 - 30.6	6.2/8.2/5.7	12"	0.75"	130 - 210+	59 - 95+
160	121	30.8 - 25.8 - 29.8	6.2/8.2/5.7	12"	0.75"	130 - 210+	59 - 95+
162W	123	31.8 - 26.8 - 31.8	6.4/8.4/5.9	13"	0.75"	140 - 230+	64 - 104+
163	123	31.8 - 26.8 - 31.8	6.4/8.4/5.9	13"	0.75"	140 - 230+	64 - 104+



K2

ANTIDOTE

154, 157, 159W, 159, 161W, 162, 163W



FLEX/FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

CAMBER PROFILE	SPECIALIST* INSERTS	STONE GRINDING BASE
AI CORE	REINFORCED	2x4 INSERTS
60° 70° TAPER BLADE WITH CARBON	NO REIN	30 BASE CONTROL
CARBON SANDWICH	WAX DIPS OVER STITCHED NOSE BASE	

SPECS

SIZE	OFF EDGE	TOP/MID/FTH	SHOULDER	STANCE	SETBACK	WT RANGE	WT RANGE
CM	CM	CM	M	IN	IN	lbs	kg
154	111	28.4-30.9-30.4	8.6/8.6/7	10"	0.50"	100-120	45-55
157	116	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
159W	121	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
159	121	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
161W	126	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
162	131	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
163W	136	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55



K2

MANIFEST

147, 150, 153, 156, 157W, 159, 160W, 162, 164W



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Directional Combination Camber Profile	Carbon DarkWeb™	Stone Grind Base
AI Core	BioResin	2x4 Inserts
KG™ 20 Triax Glass with Carbon	Sintered 4000 Base	

SPECS

SIZE	OFF EDGE	TOP/MID/FTH	SHOULDER	STANCE	SETBACK	WT RANGE	WT RANGE
CM	CM	CM	M	IN	IN	lbs	kg
147	111	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	90-100	41-45
150	116	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
153	121	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
156	126	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
157W	131	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
159	136	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
160W	141	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
162	146	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55
164W	151	28.5-31.2-30.5	8.6/8.6/7	10"	0.50"	100-120	45-55



K2



HYPNOTIST

149, 152, 154W, 155, 157W, 158, 160W, 161



FLEX / FEEL




TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Camber Profile SpaceGlass™ Inserts Stone Ground Base
BAP Core Carbon Backbone™ Carbon DarkWeb™
Triax Glass Wax Infused Sintered 400T Base Zx4 Inserts

SPECS

SIZE CM	EFF. EDGE CM	TOP/UNDERSTAIL CM	SHOULDER M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
149	117	26.8-24.5-26.8	7.8	20"	CENTERED	90-160+	41-73+
152	118	26.8-24.8-26.8	7.8	20"	CENTERED	100-180+	50-80+
154W	121	30.1-25.9-30.1	8.0	21"	CENTERED	120-190+	54-86+
155	120	29.4-25.3-29.4	8.0	21"	CENTERED	120-190+	54-86+
157W	123	30.5-26.2-30.5	8.2	21"	CENTERED	130-200+	59-90+
158	125	29.8-25.4-29.8	8.2	22"	CENTERED	130-200+	59-90+
160W	126	30.9-26.5-30.9	8.4	22"	CENTERED	130-200+	59-90+
161	127	30.2-25.7-30.2	8.4	23"	CENTERED	130-200+	59-90+



K2



EXCAVATOR

142, 146, 150, 154, 158, 162

RECOMMENDED SIZE 3-6 CM SHORTER THAN TRADITIONAL LENGTH



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Directional Camber Profile Carbon Power Fork™ Wax Infused Sintered 400T Base
S1 Core Volume Shift™ Stone Ground Base
IGS™ 10 Black Glass with Carbon SnpPhoto™ Topsheet Zx4 Inserts
BioResin

SPECS

SIZE CM	EFF. EDGE CM	TOP/UNDERSTAIL CM	SHOULDER M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
142	104	25.9-25.0-27.3	5.5/6.5	19"	0.75"	80-160+	41-73+
146	108	30.5-25.4-28.5	5.7/6.7	19"	0.75"	90-180+	41-73+
150	111	31.3-26.0-29.3	5.9/6.9	20"	0.75"	120-190+	54-86+
154	115	31.8-26.4-29.8	6.1/7.1	21"	0.75"	120-190+	54-86+
158	118	32.4-26.9-30.4	6.3/7.3	22"	0.75"	130-210+	59-95+
162	122	32.7-27.0-30.7	6.5/7.5	23"	0.75"	130-210+	59-95+



K2

SKY PILOT

148, 151, 154, 157, 160, 163



FLEX/FEEL

1 2 3 4 5 6 7 8 9 10
PLAYFUL PRECISE

TERRAIN PERFORMANCE

2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10
POWDER PARK / RAILS
2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10
GROOMERS PIPE / PARK

PROFILE



CONSTRUCTION



FEATURES

DIRECTIONAL COMBINATION CAMBER
BI-RESON
20 BASE CONTROL
11 CORE
WAX INFUSED OUTSIDE ADD BASE
TRUCK GLASS
STONE GROUND BASE
CARBON T GLASS™
Z4 INSERTS

SPECS

SIZE CM	DECK CM	TOPWAX/TAIL CM	SEECUT M	STANCE IN	OUTBACK IN	WT RANGE LBS	WT RANGE KG
148	148	28.0-28.3-28.6	8.5	10"	0.75"	90-100	41-73
151	151	28.0-28.3-28.6	11	10"	0.75"	90-100	41-73
154	154	28.0-28.3-28.6	13	10"	0.75"	90-100	41-73
157	157	28.0-28.3-28.6	15	10"	0.75"	90-100	41-73
160	160	28.0-28.3-28.6	17	10"	0.75"	90-100	41-73
163	163	28.0-28.3-28.6	19	10"	0.75"	90-100	41-73



K2

PASSPORT

146, 149, 151, 151W, 154, 154W, 157, 157W, 159W,
160, 162W, 163, 166W



FLEX / FEEL

1 2 3 4 5 6 7 8 9 10
PLAYFUL PRECISE

TERRAIN PERFORMANCE

1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10
POWDER PARK / RAILS
1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10
GROOMERS PIPE / PARK

PROFILE



CONSTRUCTION



FEATURES

Directional Combination Camber Profile
A1 Core
ICG™ 10 Triax Glass with Carbon
BioResin
Sintered ADDO Base
Stone Ground Base
Z4 Inserts

SPECS

SIZE CM	DECK CM	TOPWAX/TAIL CM	SEECUT M	STANCE IN	OUTBACK IN	WT RANGE LBS	WT RANGE KG
146	146	28.0-28.3-28.6	5.3/7.3/4.8	10"	0.75"	90-100	41-73
149	149	28.0-28.3-28.6	5.5/7.5/5.0	10"	0.75"	90-100	41-73
151	151	28.0-28.3-28.6	5.6/7.6/5.1	20"	0.75"	100-100	54-86
151W	151	28.0-28.3-28.6	5.6/7.6/5.1	20"	0.75"	100-100	54-86
154	154	28.0-28.3-28.6	5.6/7.6/5.1	21"	0.75"	100-100	54-86
154W	154	28.0-28.3-28.6	5.6/7.6/5.1	21"	0.75"	100-100	54-86
157	157	28.0-28.3-28.6	5.6/7.6/5.1	21"	0.75"	100-100	54-86
157W	157	28.0-28.3-28.6	5.6/7.6/5.1	21"	0.75"	100-100	54-86
159W	159	28.0-28.3-28.6	5.6/7.6/5.1	21"	0.75"	100-100	54-86
160	160	28.0-28.3-28.6	5.6/7.6/5.1	21"	0.75"	100-100	54-86
162W	162	28.0-28.3-28.6	5.6/7.6/5.1	21"	0.75"	100-100	54-86
163	163	28.0-28.3-28.6	5.6/7.6/5.1	21"	0.75"	100-100	54-86
166W	166	28.0-28.3-28.6	5.6/7.6/5.1	21"	0.75"	100-100	54-86



MEDIUM

147, 149, 152, 154W, 155, 157, 158W



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Camber Profile	Carbon DarkWeb™	Stone Ground Base
BAP Core	Carbon Backbone™	2x4 Inserts
Triax Glass	Sintered 4000 Base	

SPECS

SIZE CM	EFY EDGE CM	TOP/MASTAIL CM	DECEIT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
147	114	28.4-24.2-20.4	7.2	13"	CENTERED	90-100+	41-73+
149	116	28.8-24.4-20.6	7.3	20"	CENTERED	100-100+	50-80+
152	118	29.0-24.7-20.8	7.5	21"	CENTERED	100-100+	54-80+
154W	121	30.2-25.4-20.2	7.7	21"	CENTERED	100-200+	55-100+
155	121	29.4-25.1-20.4	7.7	21"	CENTERED	100-200+	55-100+
157	122	29.6-25.2-20.6	7.8	21"	CENTERED	100-200+	55-100+
158W	123	30.7-25.2-20.7	7.8	22"	CENTERED	100-200+	55-104+



ALMANAC

137, 141, 145, 149, 153, 157, 161

RECOMMENDED SIZE 3-6 CM SHORTER THAN TRADITIONAL LENGTH



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Twin Combination Camber	Carbon Backbone™	Stone Ground Base
BAP Core	Sintered 4000 Base	2x4 Inserts
Blax Glass	Volume Shift™	BioResin

SPECS

SIZE CM	EFY EDGE CM	TOP/MASTAIL CM	DECEIT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
137	102	28.7-24.2-27.5	6.6	18"	CENTERED	70-100+	32-73+
141	104	29.2-24.6-28.0	6.2	18"	CENTERED	90-100+	41-73+
145	106	29.8-25.1-28.6	6.4	20"	CENTERED	100-100+	50-80+
149	110	30.5-25.7-29.3	6.8	21"	CENTERED	100-200+	55-100+
153	114	31.3-26.3-30.1	6.9	21"	CENTERED	100-200+	55-104+
157	117	31.9-26.8-30.7	7.0	22"	CENTERED	100-200+	55-104+
161	121	32.4-27.2-31.2	7.8	23"	CENTERED	160-200+	84-104+



K2



EMBASSY

152, 155, 157, 157W, 159, 159W, 162, 162W, 165W



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Twin Combination Camber BAP Core ICG 10 Bias With Carbon Sintered 4000 Base Stone Ground Base 2x4 Inserts

SPECS

SIZE CM	EYE EDGE CM	TOP/MID/STAIL CM	DECUT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
152	118	28.5-24.4-20.5	7.5	20"	0.5"	110-160+	50-82+
155	118	28.9-24.7-20.9	7.7	21"	0.5"	120-165+	54-86+
157	118	29.1-24.9-21.1	7.8	21"	0.5"	125-165+	54-86+
157W	118	28.9-25.7-20.9	7.8	21"	0.5"	125-165+	54-86+
159	122	29.5-25.1-21.5	7.8	22"	0.5"	130-220+	59-100+
159W	122	30.3-25.9-21.9	7.8	22"	0.5"	130-220+	59-100+
162	123	29.7-25.4-21.7	8.1	23"	0.5"	140-230+	64-104+
165W	123	30.5-26.2-22.5	8.1	23"	0.5"	140-230+	64-104+
165W	126	31.0-26.8-23.0	8.3	23"	0.5"	140-230+	64-104+



K2



AFTERBLACK

149, 151, 154, 156W, 157, 159W, 160



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Twin Combination Camber Profile Carbon DarkWeb™ Stone Ground Base BAP Core Sintered 4000 Base 2x4 Inserts

SPECS

SIZE CM	EYE EDGE CM	TOP/MID/STAIL CM	DECUT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
149	114	28.5-24.3-20.5	7.5	19"	CENTERED	110-160+	50-82+
151	117	28.9-24.7-20.9	7.7	20"	CENTERED	120-160+	54-86+
154	118	29.3-25.1-21.3	7.9	21"	CENTERED	120-160+	54-86+
156W	122	30.5-26.2-22.5	8.1	21"	CENTERED	130-200+	59-100+
157	122	29.7-25.4-21.7	8.1	21"	CENTERED	130-200+	59-100+
159W	124	30.8-26.5-22.8	8.3	22"	CENTERED	130-200+	59-100+
160	124	31.0-26.7-23.0	8.3	22"	CENTERED	130-200+	59-100+



K2



WORLD PEACE

148, 151, 152W, 154, 155W, 157, 158W



FLEX / FEEL



TERRAIN PERFORMANCE



POWDER PARK / RAILS



GROOMERS PIPE / PARK

PROFILE



CONSTRUCTION



FEATURES


Twin Combination Camber Profile
Aspen Core

Bias Glass
Sintered 4000 Base

Stone Ground Base
2x4 Inserts

SPECS

SIZE CM	EFF. EDGE CM	TOP/UNITS/TOTAL CM	DECK CUT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
148	114	28.9 - 24.9 - 28.9	7.3/7.3/7.4	10"	CENTERED	90-160+	41-73+
151	117	29.2 - 24.9 - 29.2	7.6/7.6/7.6	10"	CENTERED	100-180+	54-80+
152W	117	30.0 - 25.7 - 30.0	7.6/7.6/7.8	10"	CENTERED	100-180+	54-80+
154	120	29.8 - 25.7 - 29.8	8.1/7.7/8.1	11"	CENTERED	100-180+	54-80+
155W	120	30.4 - 26.0 - 30.4	8.1/7.7/8.1	11"	CENTERED	100-180+	54-80+
157	122	29.8 - 25.4 - 29.8	8.3/7.8/8.3	12"	CENTERED	130-210+	59-95+
158W	122	30.7 - 26.2 - 30.7	8.3/7.8/8.3	12"	CENTERED	130-210+	59-95+



K2



GATEWAY POP

150, 153, 156, 157W, 159, 160W, 162, 164W



FLEX / FEEL



TERRAIN PERFORMANCE




POWDER PARK / RAILS



GROOMERS PIPE / PARK

PROFILE



CONSTRUCTION



FEATURES

Directional Rocker Profile
Aspen Core

ICG® 10 Bias Glass with Carbon
Extruded 2000 Base

Stone Ground Base
2x4 Inserts

SPECS

SIZE CM	EFF. EDGE CM	TOP/UNITS/TOTAL CM	DECK CUT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
150	117	29.2 - 24.2 - 29.2	7.5	10"	0.75"	110-180+	50-80+
153	117	29.8 - 24.5 - 29.8	7.8	11"	0.75"	120-190+	54-86+
156	118	29.7 - 24.7 - 29.7	8.0	12"	0.75"	130-190+	54-86+
157W	118	30.3 - 25 - 30.3	8.0	12"	0.75"	130-220+	59-100+
159	122	29.1 - 24.9 - 29.1	8.1	12"	0.75"	130-220+	59-91+
160W	122	30.7 - 26.3 - 30.7	8.1	12"	0.75"	130-220+	59-100+
162	125	29.5 - 25.1 - 29.5	8.2	13"	0.75"	130-220+	59-100+
164W	127	31.3 - 26.8 - 31.3	8.2	13"	0.75"	140-230+	64-104+



COURIER

147, 149, 152, 154W, 155, 157, 158W, 159, 162W



FLEX / FEEL



TERRAIN PERFORMANCE



POWDER PARK / RAILS



GROOMERS PIPE / PARK

PROFILE



CONSTRUCTION



FEATURES

Twin Combination Camber Profile
Aspen Core
Biax Glass

Extruded 2000 Base
Stone Ground Base

Catch-Free™ Tune
2x4 Inserts

SPECS

SIZE CM	EFF. EDGE CM	TOP/MID/STAIL CM	DECEIT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
147	114	28.4 - 24.2 - 28.4	7.2	18"	6.75"	90 - 160+	41 - 73+
149	116	28.8 - 24.4 - 28.8	7.3	20"	6.75"	100 - 180+	45 - 80+
152	118	29.2 - 24.7 - 29.2	7.5	21"	6.75"	120 - 190+	54 - 86+
154W	121	29.2 - 25.2 - 30.2	7.7	21"	6.75"	130 - 200+	59 - 90+
155	121	29.4 - 25.1 - 29.4	7.7	21"	6.75"	130 - 200+	59 - 90+
157	122	29.8 - 25.2 - 29.8	7.8	21"	6.75"	130 - 200+	59 - 90+
158W	123	30.2 - 26.2 - 30.2	7.9	22"	6.75"	130 - 210+	59 - 95+
159	123	29.9 - 25.4 - 29.9	7.9	22"	6.75"	130 - 210+	59 - 95+
162W	128	31.2 - 26.7 - 31.2	8.1	22"	6.75"	130 - 230+	59 - 104+




MARAUDER SPLIT PACKAGE

147, 151, 156, 158W, 159, 162, 163W, 166W



FLEX / FEEL



TERRAIN PERFORMANCE



POWDER PARK / RAILS



GROOMERS PIPE / PARK

PROFILE



CONSTRUCTION



FEATURES

Directional Combination Camber Profile
BAP Core
ICD™ 10 Biax Glass with Carbon

Sintered 4000 Base
Stone Ground Base
Splitrack™ Inserts

Package Complete with Skis,
Hardware, and Mounting Pucks

SPECS

SIZE CM	EFF. EDGE CM	TOP/MID/STAIL CM	DECEIT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
147	108	28.8 - 23.8 - 27.8	7.7	16"	1.0"	80 - 160+	41 - 73+
151	111	28.5 - 24.3 - 28.2	7.7	20"	1.0"	100 - 180+	45 - 80+
156	115	29.5 - 24.9 - 29.1	7.7	21"	1.0"	120 - 190+	54 - 86+
158W	116	30.4 - 25.6 - 30.0	7.7	22"	1.0"	130 - 200+	59 - 91+
159	117	29.8 - 25.2 - 29.4	7.7	22"	1.0"	130 - 210+	59 - 95+
162	118	30.2 - 25.2 - 29.8	7.7	23"	1.0"	130 - 210+	59 - 95+
163W	120	31.4 - 26.4 - 31.0	7.7	23"	1.0"	130 - 210+	59 - 95+
166W	122	32.1 - 26.9 - 31.7	7.7	23"	1.0"	140 - 230+	64 - 104+



K2



EXTRAVISION

139, 142, 145, 147, 149, 149W, 152, 152W




FLEX / FEEL



TERRAIN PERFORMANCE



POWDER PARK / RAILS



GROOMERS PIPE / PARK



PROFILE



CONSTRUCTION



FEATURES

Twin Combination Camber ICG 10 Block Stone Ground Base
Rhythm Core Sintered 4000 Base 2x4 Inserts

SPECS

SIZE	EFF. EDGE	TOP/MID/TAIL	SWAYCUT	STANCE	SETBACK	WT RANGE	WT RANGE
CM	CM	CM	M	IN	IN	LES	KG
139	105	25.3-23.0-20.3	6.6	18"	0.5"	70-100+	32-73+
142	106	27.3-23.4-21.3	6.8	18"	0.5"	70-100+	32-73+
145	107	27.3-23.5-21.3	7.0	18"	0.5"	80-100+	41-73+
147	108	28.0-24.0-20.0	7.1	18"	0.5"	80-100+	41-73+
149	110	28.2-24.2-20.2	7.25	18"	0.5"	80-100+	41-73+
149W	113	28.8-24.7-20.8	7.25	18"	0.5"	90-100+	41-73+
152	116	28.5-24.4-20.5	7.5	20"	0.5"	100-180+	50-80+
152W	118	29.3-25.2-21.3	7.5	20"	0.5"	100-180+	50-80+



K2



COPYCAT

138, 141, 144, 147, 150, 153



FLEX / FEEL



TERRAIN PERFORMANCE



POWDER PARK / RAILS



GROOMERS PIPE / PARK



PROFILE



CONSTRUCTION



FEATURES

Twin Combination Camber Profile Carbon DarkWeb™ Stone Ground Base
Rhythm™ Core Sintered 4000 Base 2x4 Inserts

SPECS

SIZE	EFF. EDGE	TOP/MID/TAIL	SWAYCUT	STANCE	SETBACK	WT RANGE	WT RANGE
CM	CM	CM	M	IN	IN	LES	KG
138	105	27.0-23.9-21.0	6.4	17"	CENTURED	70-100+	32-54+
141	106	27.4-23.2-21.4	6.6	18"	CENTURED	70-100+	32-54+
144	107	27.8-23.5-21.0	6.8	18"	CENTURED	80-100+	36-59+
147	110	28.2-23.8-20.2	7.0	18.5"	CENTURED	90-160+	41-64+
150	116	28.8-24.2-20.6	7.2	19.5"	CENTURED	100-180+	45-73+
153	118	29.0-24.5-20.8	7.4	20"	CENTURED	100-170+	50-77+



K2



DREAMSICLE


138, 142, 146, 149, 153



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Directional Rocker Profile ICB™ 10 Bias Glass with Carbon Stone Ground Base
Rhythm™ Core Extruded 2000 Base Zx4 Inserts

SPECS

SIZE CM	EFF. EDGE CM	TOP/WIDTH CM	SEECUT °	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
138	108	27.5-29.7-27.5	3.3	18"	0.75"	80-100+	41-73+
142	111	27.9-29.9-27.9	3.3	18"	0.75"	80-100+	41-73+
146	112	28.4-30.1-28.4	2.4	18"	0.75"	100-170+	45-77+
149	114	28.8-30.3-28.8	2.5	20"	0.75"	100-170+	45-77+
153	122	29.9-31.5-29.9	2.8	21"	0.75"	110-190+	50-86+



K2



METROPOLITAN


138, 142, 146, 149, 153



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Twin Combination Camber Profile Black Glass Stone Ground Base
Rhythm™ Core Extruded 2000 Base Zx4 Inserts

SPECS

SIZE CM	EFF. EDGE CM	TOP/WIDTH CM	SEECUT °	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
138	108	27.2-29.8-27.2	7.2	18"	CENTERED	80-100+	41-73+
142	112	27.5-29.8-27.5	7.3	18"	CENTERED	80-100+	41-73+
146	114	27.8-30.0-27.8	7.4	20"	CENTERED	100-170+	45-77+
149	117	28.4-30.2-28.4	7.5	20"	CENTERED	100-170+	45-77+
153	119	28.5-30.4-28.5	7.6	21"	CENTERED	110-190+	50-86+




CHLORO


138, 142, 146, 150, 154



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Twin Combination Camber Profile Extruded 2000 Base Catch-Free™ Tune
Aspen Core Stone Ground Base Zef Inserts
Biax Glass

SPECS

SIZE CM	OFF EDGE CM	TOP/MID/STAIL CM	ROSCUT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
138	108	27.3 - 23.2 - 27.3	7.1	16"	CENTERED	85 - 160+	41 - 73+
142	111	27.6 - 23.4 - 27.6	7.3	16"	CENTERED	95 - 180+	41 - 73+
146	116	28.0 - 23.8 - 28.0	7.5	16"	CENTERED	100 - 170+	45 - 77+
150	119	28.3 - 23.9 - 28.3	7.7	20"	CENTERED	100 - 170+	45 - 77+
154	121	28.6 - 24.2 - 28.6	7.9	20"	CENTERED	110 - 190+	50 - 88+



Boots

2026/2027



* Powered By H5

H5 BOA® Key Features

- **MULTI - DIRECTIONAL**
On-the-fly dial rotation for precise tightening and loosening.
- **COILER**
Increases boot entry speed by quickly taking up lace slack.
- **MIRRORED INTERFACE**
To tighten, H5 dials rotate forward on side-mounted locations and inward on tongue-mounted locations. To loosen, turn in reverse direction.
- **IMPACT PROTECTION**
Bayonet and cartridge design is engineered for the dial to release under heavy impact to prevent severe damage.



HOW TO DIAL IN THE H5 BOA® FIT SYSTEM.



**PUSH IN
TO ENGAGE**



**TURN FOR
PRECISION FIT
TIGHTEN**



**TURN FOR
PRECISION FIT
LOOSEN**



**PULL UP FOR
FAST RELEASE**

H5 BOA® COILER WITH TX3 LACING

- 2 High Powered H5 BOA® Dials
- Endless Adjustability
- Precise Fit

TARO TAMAI RS

RELEASABLE GUIDE

- Fully opens upper for ease of entry and exit

WRAPPING LEATHER UPPER

- Upper wrap for ultimate fit and comfort

REMOVABLE TONGUE STIFFENERS

- Two removable stiffeners to allow for the most precise medial and lateral flex

F.O.R.M. WRAP

-“Fit Optimization for Ride and Mobility”

- A new wrap solution system powered by BOA®
- 2 Independent Articulating Closure Flaps
- Engineered to hug the contours of the forefoot for a glove like fit.
- Even tension across the forefoot eliminates pressure points

RUBBER TOE CAP

- Maximum Protection and Durability
- All day comfort





[theory]

**H5 BOA® COILER
with TX3 Lacing**

- 2 High Powered H5 BOA® Dials
- Endless Adjustability
- Precise Fit

F.O.R.M. WRAP

-“Fit Optimization for Ride and Mobility”

- A new wrap solution system powered by BOA®
- 3 Independent Articulating Closure Flaps
- Engineered to hug the contours of the forefoot for a glove like fit.
- Even tension across the forefoot eliminates pressure points

RUBBER TOE CAP

- Maximum Protection and Durability
- All day comfort

**ENDURO
CONSTRUCTION
3.0**

- No Deformation. No Compromise
- Endless Durability
- Powerful Energy Return
- Structural Backbone

Vibram



Black/Brown

TARO RS

FEEL: 1 2 3 4 **5** 6 7 8 9 10

SIZES: 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 12

CONSTRUCTION FEATURES:

- F.O.R.M Wrap Solution - stands for "Fit Optimization for Ride and Mobility" ; a new wrap solution system powered by BOA®. A three panel design seamlessly creates a true custom fit to your foot and reduces pressure points - letting you ride harder and longer with less fatigue.
- H5 Coiler Zonal BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot. One dial controls the upper shell lacing, and the other maintains the lower shell lacing.
- Full Grain Leather Upper with Flex Zone – Premium leather for a classic long and long-lasting durability gives this boot a smooth flex.
- Intuition™ Pro Foam 3D Wrap Liner with SpaceHeater™ - A premium and heat-moldable wrap liner built with Intuition® foam and lined with breathable heat-reflective SpaceHeater™ technology for superior warmth and comfort.
- Removable 3-Point Harness Liner Lacing - A removable liner harness that allows you to customize the stiffness and flex of the boot.
- Vibram® RollSole™ with Eco-Harshmellow™ - Premium Vibram® rubber outsole with our RollSole design to allow maximum medial mobility for tweaks drop knee turns, cushioned with vibration damping Harshmellow™ foam.
- Internal and External J – Bars with Cored Ankle Pockets
- S'Café™ Coffee Mesh
- Eco-Harshmellow™ Pro Insole
- 6+3 Last



Black Olive

TARO TAMAI SNOWSURFER

FEEL: 1 2 3 **4** 5 6 7 8 9 10

SIZES: 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12

CONSTRUCTION FEATURES:

- H5 Coiler Zonal BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot. One dial controls the upper shell lacing, and the other maintains the lower shell lacing.
- 6+3 Last
- Rubber Reinforced Flex Zone Upper with HDR Premium Synthetics - Durable-as-hell HDR Premium synthetics with a design that lends to a distortion-free flex.
- Intuition™ Pro Foam 3D Wrap Liner with SpaceHeater™ - A premium and heat-moldable wrap liner built with Intuition® foam and lined with breathable heat-reflective SpaceHeater™ technology for superior warmth and comfort.
- Removable 3-Point Harness Liner Lacing - A removable liner harness that allows you to customize the stiffness and flex of the boot.
- Internal and External J – Bars with Cored Ankle Pockets
- S'Café™ Coffee Mesh
- Vibram® RollSole™ with Eco-Harshmellow™ - Premium Vibram® rubber outsole with our RollSole design to allow maximum medial mobility for tweaks drop knee turns, cushioned with vibration damping Harshmellow™ foam.
- Eco-Harshmellow™ Pro Insole

WAIVE



Black

FEEL: 1 2 3 4 5 6 7 **8** 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- Traditional Lacing with Synthetic Lace Cover - Keep your feet warm and dry all day. The synthetic lace cover keeps snow from getting in-between the tongue and the shell of your snowboard boot, whether you're in the skin track, the boot pack, and most importantly, when you're snowboarding
- Conda™ BOA® Liner Lacing - Proprietary liner lacing system that harnesses the power of BOA® to provide superior heel hold and support.
- Articulating Upper Cuff with HDR Premium Synthetics - Independent upper cuff articulation delivers a distortion-free flex while HDR synthetics improve overall shell durability.
- Full Grain Leather Upper with Endo™ 2.0 - Full grain leather provides exceptional durability and wear, while Endo™ 2.0 helps to retain flex and durability over the lifetime of the boot.
- Liner-Lite Snow Camp Ready Coating - An additional weather protective liner coating keeps your feet warm and dry in the harshest conditions.
- Rubber Reinforced Toe Cap
- Intuition™ Pro Foam 3D Liner with SpaceHeater™ - A premium and heat-moldable liner built with Intuition™ foam and lined with breathable heat-reflective SpaceHeater™ technology for superior warmth and comfort.
- Internal and External J – Bars with Cored Ankle Pockets
- S'Cafe™ Coffee Mesh
- Vibram® V5 Outsole with Eco-Harshmellow™ - Our premium rubber compound provides industry-leading durability and grip and is integrated with Harshmellow™ foam to absorb chatter and vibration.
- Eco-Harshmellow™ Pro Insole

THRAXIS



Black

FEEL: 1 2 3 4 5 6 7 8 9 **10**

SIZES: 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- H5 Coiler Zonal BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot. The H5 dial controls the upper shell lacing, and the M+2 dial controls the lower shell lacing.
- Rubber Reinforced Flex Zone Upper with Endo™ 2.0 - Reinforced materials in high wear and flex zones extend the boot's life while Endo™ 2.0 helps to retain boot flex and durability over the lifetime of the boot.
- Endo™ Construction - Replacing bulky material with an injected urethane heel counter makes this boot lightweight, gives it unrivaled rebound, and extends the life of the boot.
- Intuition™ Pro Foam 3D Liner with SpaceHeater™ - A premium and heat-moldable liner built with Intuition™ foam and lined with breathable heat-reflective SpaceHeater™ technology for superior warmth and comfort.
- Internal and External J – Bars with Cored Ankle Pockets
- Conda™ with BOA® Liner Lacing - Proprietary liner lacing system that harnesses the power of BOA® to provide superior heel hold and support.
- Vibram® V5 Outsole with Eco-Harshmellow™ - Our premium rubber compound provides industry-leading durability and grip and is integrated with Eco-Harshmellow™ foam to absorb chatter and vibration.
- S'Cafe™ Coffee Mesh
- Eco-Harshmellow™ Pro Insole

ORTON

FEEL: 1 2 3 4 5 6 7 **8** 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- H5 Coiler Zonal BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot. One dial controls the upper shell lacing, and the other maintains the lower shell lacing.
- TX3 BOA® Lace - A softer lace explicitly made for snowboard boots that provides a more even fit over the body of the boot shell versus a steel lace.
- Flex Zone Upper with Rubber Lower - Minimal seams, minimal parts, and durable as hell. A snowboarding-first, the all new one-piece rubber lower found in the Orton was designed and developed to meet the demands of Sage Kotsenburg
- Intuition™ Pro Foam 3D Liner - Heat moldable Intuition™ foam liner with internal and external J-Bars, cored ankle pockets, and strategically placed seams to keep your foot warm, dry, and comfortable all day long.



Black



Grey



Honey Brown

EVASION

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- No-Snow Lace Cover With Waterproof Zipper - Keep your foot dry and warm by keeping snow out of your laces (and the side of the tongue). A lace cover with a waterproof zipper gives you confidence for that extra moment in the bootpack.
- Rubber Reinforced Toe Box with Lateral Flex Zone and Medial Articulating Cuff Upper (True Flex, Y'Know?)
- Infinity Strap
- Endo™ Construction - Replacing bulky material with an injected urethane heel counter makes this boot lightweight, gives it unrivaled rebound, and extends the life of the boot.
- Intuition™ Pro Foam 3D Liner - Heat moldable Intuition™ foam liner with internal and external J-Bars, cored ankle pockets, and strategically placed seams to keep your foot warm, dry, and comfortable all day long.
- Internal and External J – Bars with Cored Ankle Pockets
- Conda™ with BOA® Liner Lacing - Proprietary liner lacing system that harnesses the power of BOA® to provide superior heel hold and support.
- S'Cafe™ Coffee Mesh
- Vibram® V5 Outsole with Eco-Harshmellow™ - Our premium rubber compound provides industry-leading durability and grip and is integrated with Harshmellow™ foam to absorb chatter and vibration.
- Harshmellow™ Plus Insole - Dual-Density EVA Insole with Harshmellow™ In Heel Pocket For Ultimate Impact Absorption.



Black

THEORY MENS

FEEL: 1 2 3 4 5 6 ⑦ 8 9 10

SIZES: 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

- F.O.R.M Wrap Solution - stands for "Fit Optimization for Ride and Mobility" ; a new wrap solution system powered by BOA®. A three panel design seamlessly creates a true custom fit to your foot and reduces pressure points - letting you ride harder and longer with less fatigue.
- H5 Coiler Zonal BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot. The front dial controls the upper shell lacing, while the side dial controls the lower shell lacing.
- TX3 BOA® Lace - A softer lace explicitly made for snowboard boots that provides a more even fit over the body of the boot shell versus a steel lace.



Black



Olive



White



Black

MAYSIS

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

- H5 Coiler/M+2 BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot.
- Rubber Reinforced Articulating Cuff Upper and NEW Endo™ 3.0 - Reinforced materials in high wear and flex zones extend the boot's life and deliver a distortion-free flex. At the same time, Endo™ 3.0 helps to retain boot flex and durability over the lifetime of the boot.
- Endo™ 3.0 Heel Counter
- Intuition™ Control Foam 3D Liner - Heat moldable medium and high-density Intuition™ foam forms to the exact shape of your leg, ankle, and foot for superior fit, warmth, and comfort.
- Internal and External J – Bars with Cored Ankle Pockets
- S'Cafe™ Coffee Mesh



Grey



Green Fatigue



White



Black

MAYSIS WIDE

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- H5 Coiler/M+2 BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot.
- Rubber Reinforced Articulating Cuff Upper and NEW Endo™ 3.0 - Reinforced materials in high wear and flex zones extend the boot's life and deliver a distortion-free flex. At the same time, Endo™ 3.0 helps to retain boot flex and durability over the lifetime of the boot.
- Intuition™ Control Foam 3D Liner - Heat moldable medium and high-density Intuition™ foam forms to the exact shape of your leg, ankle, and foot for superior fit, warmth, and comfort.
- Internal and External J – Bars with Cored Ankle Pockets
- Conda™ with BOA® Liner Lacing - Proprietary liner lacing system that harnesses the power of BOA® to provide superior heel hold and support.
- Harshmellow™ Plus Insole - Dual-Density EVA Insole with Harshmellow™ In Heel Pocket For Ultimate Impact Absorption.
- This Grips!™ Premium Rubber Outsole with Harshmellow™ - Our proprietary rubber compound delivers excellent grip and durability on all terrain types and is integrated with Harshmellow™ foam to dampen chatter and vibration.
- Endo™ 3.0 Heel Counter
- S'Cafe™ Coffee Mesh



Black

BOUNDARY

FEEL: 1 2 3 4 (5) 6 7 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- H5/M+2 Coiler Zonal BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot. One dial controls the upper shell lacing, and the other maintains the lower shell lacing.
- Flex Zone Upper with HDR Premium Synthetics - Durable-as-hell HDR Premium synthetics with a design that lends to a distortion-free flex.
- Intuition™ Control Foam 3D Liner - Heat moldable medium and high-density Intuition™ foam forms to the exact shape of your leg, ankle, and foot for superior fit, warmth, and comfort.
- Internal and External J – Bars with Cored Ankle Pockets
- 3-Point Harness Liner Lacing - A traditional liner harness with a pull lace and three contact points hugs the ankle and provides additional support.



Brown



Grey



Black

RAIDER

FEEL: 1 2 3 4 (5) 6 7 8 9 10

SIZES: 6, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

- H5 Coiler BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot.
- TX3 BOA® Lace - A softer lace explicitly made for snowboard boots that provides a more even fit over the body of the boot shell versus a steel lace.
- Intuition™ Comfort Foam 3D Liner - All-new liner pattern with heat moldable Intuition™ foam. Integrated internal and external J-Bars, cored ankle pockets.
- Internal and External J – Bars
- Harshmellow™ Insole - Freestyle-friendly single-density insole using Harshmellow™ from toe to heel for ultimate impact absorption.
- 3-Point Harness Liner Lacing - A traditional liner harness with a pull lace and three contact points hugs the ankle and provides additional support.



Grey



Sand



Black

ROSKO

FEEL: 1 2 3 **(4)** 5 6 7 8 9 10

SIZES: 6, 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

- H4 BOA® Fit System - Impact resistant, durable, and performance-driven, the H4 BOA® Dial ejects on severe impact and is easily re-inserted into the boot.
- TX3 BOA® Lace - A softer lace explicitly made for snowboard boots that provides a more even fit over the body of the boot shell versus a steel lace.
- Intuition™ Comfort Foam 3D Liner - Heat moldable and constructed with softer Intuition™ foam Zonaling on all-day comfort and long-lasting wear.
- Fast-In Liner Lacing - No frills liner lacing that stays tight and supports all-day resort riding.
- Die-Cut EVA Footbed - Provides cushioning and support, built from rigid EVA foam.
- PHY-Lite™ Outsole - EVA materials provide a uniform flex and durability in an extremely lightweight package.



Black

MARKET

FEEL: 1 2 **(3)** 4 5 6 7 8 9 10

SIZES: 6, 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14

CONSTRUCTION FEATURES:

- H4 BOA® Fit System - Impact resistant, durable, and performance-driven, the H4 BOA® Dial ejects on severe impact and is easily re-inserted into the boot.
- Articulating Cuff Upper - Independent upper cuff articulation delivers a distortion-free flex.
- Comfort EVA Foam Liner - Soft and warm foam Zoned on a forgiving flex and excellent out-of-the-box fit.
- Fast-In Liner Lacing - No frills liner lacing that stays tight and supports all-day resort riding.
- Die-Cut EVA Footbed - Provides cushioning and support, built from rigid EVA foam.
- Low-Pro™ Outsole - A lightweight and solid rubber outsole that grips hard and lasts long.
- Internal J - Bars

THEORY WOMENS



Black

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- F.O.R.M Wrap Solution - stands for "Fit Optimization for Ride and Mobility"; a new wrap solution system powered by BOA®. A three panel design seamlessly creates a true custom fit to your foot and reduces pressure points - letting you ride harder and longer with less fatigue.
- H5 Coiler Zonal BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot. The front dial controls the upper shell lacing, while the side dial controls the lower shell lacing.
- TX3 BOA® Lacing - A softer lace explicitly made for snowboard boots that provides a more even fit over the body of the boot shell versus a steel lace.



White

CONTOUR



Black

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- H5 Coiler/M+2 BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot.
- Intuition™ Control Foam 3D Liner - Heat moldable medium and high-density Intuition™ foam forms to the exact shape of your leg, ankle, and foot for superior fit, warmth, and comfort.
- Rubber Reinforced Articulating Cuff Upper and NEW Endo™ 3.0 - Reinforced materials in high wear and flex zones extend the boot's life and deliver a distortion-free flex. At the same time, Endo™ 3.0 helps to retain boot flex and durability over the lifetime of the boot.
- Internal and External J – Bars with Cored Ankle Pockets
- Conda™ with BOA® Liner Lacing - Proprietary liner lacing system that harnesses the power of BOA® to provide superior heel hold and support.
- Endo™ 3.0 Heel Counter



Grey



Nantucket Breeze

KINSLEY



Black

FEEL: 1 2 3 4 **5** 6 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- H5/M+2 Zonal BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot. The H4 dial controls the upper shell lacing, while the M+2 dial controls the lower shell lacing.
- Flex Zone Upper - A small flexible notch at the boot's instep allows for a smooth forward flex with minimal shell distortion.
- Intuition™ Control Foam 3D Liner - Heat moldable medium and high-density Intuition™ foam forms to the exact shape of your leg, ankle, and foot for superior fit, warmth, and comfort.
- Internal and External J – Bars with Cored Ankle Pockets
- Flex Zone Calf Panel



White



Fade

HAVEN



Black

FEEL: 1 2 3 **4** 5 6 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- H5 Coiler BOA® Fit System - Impact resistant, durable, and performance-driven, the H5 BOA® Dial ejects on severe impact and is easily re-inserted into the boot.
- TX3 BOA® Lace - A softer lace explicitly made for snowboard boots that provides a more even fit over the body of the boot shell versus a steel lace.
- Intuition™ Comfort Foam 3D Liner - Heat moldable and constructed with softer Intuition™ foam Zonaling on all-day comfort and long-lasting wear.
- Internal and External J – Bars
- Harshmellow™ Insole – Our premium vibration dampening material, designed to feel a bit more “quiet” underfoot, and extend your day
- 3-Point Harness Liner Lacing - A traditional liner harness with a pull lace and three contact points hugs the ankle and provides additional support.



Grey



Rose



Black

BENES

FEEL: 1 2 3 **4** 5 6 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- H4 BOA® Fit System with TX3 Lace
- Intuition™ Comfort Foam 3D Liner
- Internal J – Bars
- Fast-In Liner Lacing System
- Die Cut EVA Insole
- PHY-Lite™ Outsole



Black

BELIEF

FEEL: 1 2 **3** 4 5 6 7 8 9 10

SIZES: 5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 10

CONSTRUCTION FEATURES:

- H4 BOA® Fit System - Impact resistant, durable, and performance-driven, the H4 BOA® Dial ejects on severe impact and is easily re-inserted into the boot.
- Articulating Upper Cuff - Independent upper cuff articulation delivers a distortion-free flex.
- Comfort Foam EVA Liner - Soft and warm foam Zoned on a forgiving flex and excellent out-of-the-box fit.
- Internal J – Bars
- Fast-In Liner Lacing - No frills liner lacing that stays tight and supports all-day resort riding.
- Die-Cut EVA Insole - Provides cushioning and support, built from rigid EVA foam.
- Low-Pro™ Outsole - A lightweight and solid rubber outsole that grips hard and lasts long.



Bindings

2026/2027

**CASTORBEAN**
Based Components

- Maintain mechanical properties across all temperatures
- Optimized to reduce factory waste
- 40-70% reduction in CO2 emissions/ kg compared to TPU

**HARSHMELLOW**
Components

- Enhanced dampening performance
- Sustainably sourced from sugar cane
- 90% Reduction in CO2 emissions/ kg compared to EVA

REGRIND
Components

- Optimizes energy transfer through the binding
- Reduces 'disco foot' by increasing contact friction
- Made from 20% reground factory rubber

Module Chassis Binding

Designed with a no frills mentality. The Module Chassis binding utilizes high performing bio-based materials in a modern fit solution. This ethos yielded a comfortable lightweight product that enhances the snowboarding experience.

The Most Environmentally Friendly Binding on the Market™


Designed with a no frills mentality. The Module Chassis binding utilizes high performing bio-based materials in a modern fit solution. This ethos yielded a comfortable lightweight product that enhances the snowboarding experience.

GT1 ANKLE STRAP

- Castor Bean-based material
- Comfortable wrap at all temperatures
- Corrugated surface increases mobility
- Overstrap increases response

UNIVERSAL CLIP DISC

- Simplified mounting structure
- Clips into any chassis
- Bold angle indicators



FULL WRAP BASEPAD

- **Compression Locking Pods**
 - Promote stability in board contact
 - Increase friction in board mounting
- **Multi Density Regrind**
 - Rubber waste reduction
 - Promotes load distribution



ALL NEW FOOTBED

- **Multi-Density Harshmellow**
 - Double formed shockpad surface
 - Increased durability
 - 2X Dampening under foot.



GT1 ANKLE STRAP

- Castor Bean-based material
- Comfortable wrap at all temperatures
- Corrugated surface increases mobility
- Overstrap increases response

WRAP TOESTRAP

- Castor Bean-based material
- Comfortable wrap at all temperatures
- Web like structure stretches around boot
- 3 points of adjustment for perfect fit

CINCH HIGHBACK

- Medium flex nylon construction
- Integrated calypad
- Durable stainless steel cinch cable

CINCH CHASSIS

- Low profile canted footbeds
- Lightweight nylon heelcup and chassis

FAROUT

SIZES: S, M, L

CONSTRUCTION FEATURES:

- Splitboard Specific Puck Mounted Chassis- Based on a tried and true splitboard baseplate, this chassis works with a splitboard puck-mount system and features an easy-to-use rail and hook system to interchange walk and ride modes.
- Splitboard Specific Aluminum - Based on a tried-and-true baseplate, this chassis works with a puck-mount system and features an easy-to-use rail and hook system for the interchange between walk and ride modes.
- Farout Highback with Forward Lean Adjustment and Touring Mode- Forward lean block allows you to recline your highback on your Far Out splitboard binding for a more relaxed time in the skin track.
- Pinless Speed Rail System - No need for a cotter pin. Our Speed Rail mounting system lets you swap between ski/snowboard modes without removing gloves or mitts.
- SD1 Ankle Strap - Injected with castor-bean-based materials our SD1 ankle strap is lightweight and offers a fitting blend of flexibility and response. All new and feature on the women's Albany and Network binding, and the men's Edition and Bond binding
- Wrap Toe Strap - Manufactured out of castor-bean based materials, the Wrap Toe Strap is lightweight and can be worn over the top of the boot, or as a toe cap.



Black

PROGRAM

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: S, M, L

CONSTRUCTION FEATURES:

- MODULE™ Chassis - Featured on all K2's newest bindings, the Module™ chassis is composed of a fiberglass-infused nylon and minimizes "dead" board flex zones directly underneath the binding. This allows the rider to feel the flex and response of the entire board length while providing maximum support, security, comfort, and vibration damping. Integrated with our all-new Sugarcane EVA Canted Harshmellow™ Footbed.
- FR1 Highback - Injected with a castor-bean based materials, the FR1 is equal parts eco and ergo. Freeride focused, asymmetrically shaped, and a stiffer flex for a more responsive feel.
- DD1 Ankle Strap - A dual-density ankle strap offers the best of both worlds, a softer inner material provides a seamless connection to your boot, and more rigid outer material provides with unrivaled response. Injected with a castor-bean based materials.
- BetterWrap Toe Strap - A dual-density toe strap designed to shape to the contour of any snowboard boot - manufactured out of castor-bean based materials.
- This Grips!™ Basepad - Featured exclusively on our Module™ Chassis bindings, we upgraded our This Grips!™ Basepad. By adding a BUNCH more rubber, we added multicolored, multi-density pods to the bottom of the basepad for increased damping. When compressed into the snowboard, they create an even tighter connection between the binding and your board - adding better control and reducing the chance of surprise disco-foot
- Sugarcane EVA Footbed with Eco-Harshmellow™ Pods - Updated and upgraded, we dialed in our sustainably sourced Sugarcane EVA Foam footbed, exclusive to our Module™ Chassis bindings. Optimized thickness helps dampen impact on the fattest and flattest landings, while new 3D texturing not only enhances the fit between boot to binding - but creates a "snow-phobic" effect to reduce snow build up.



Storm Cycle

EDITION



Black

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: S, M, L

CONSTRUCTION FEATURES:

- **MODULE™ Chassis** - Featured on all K2's newest bindings, the Module™ chassis is composed of a fiberglass-infused nylon and minimizes "dead" board flex zones directly underneath the binding. This allows the rider to feel the flex and response of the entire board length while providing maximum support, security, comfort, and vibration damping. Integrated with our all-new Sugarcane EVA Canted Harshmellow™ Footbed.
- **AM1 Highback** – Injected with a castor-bean based materials, the AM1 is equal parts eco and lightweight. All-Mountain-focused, asymmetrically shaped, and a predictable middle of the road flex pattern.
- **SD1 Ankle Strap** – Injected with a castor-bean based materials our SD1 ankle strap is lightweight and offers a fitting blend of flexibility and response.



Grey

BOND



Black

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- **MODULE™ Chassis** - Featured on all K2's newest bindings, the Module™ chassis is composed of a fiberglass-infused nylon and minimizes "dead" board flex zones directly underneath the binding. This allows the rider to feel the flex and response of the entire board length while providing maximum support, security, comfort, and vibration damping. Integrated with our all-new Sugarcane EVA Canted Harshmellow™ Footbed.
- **Team Highback** – Injected with a castor-bean based materials, the Team Highback was designed with a softer flex to allow for full range of motion and a more relaxed feel.



White



Neon



Big Buck

FORMULA



Black

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: M, L, XL

CONSTRUCTION FEATURES:

- GF Profusion™ Chassis - Integrated fiberglass materials combine with a classic shape to deliver a lightweight and rugged framework that is the go-to standard in the K2 binding collection.
- AT Nylon Highback with Gap Eraser Forward Lean Adjustment - Stiff, durable, and temperature resistant nylon provide maximum responsiveness and support. Customize your forward lean without the need for tools or a traditional forward lean block.
- Bender™ Ankle Strap - A low-profile, padless, and highly flexible injection-molded ankle strap built to optimize freestyle mobility.
- Perfect Fit™ 2.0 Toe Strap - Patented toe strap technology uses flexible hinges and lock levers to custom fit the toe strap to any snowboard boot silhouette.
- 3° Canted Footbed - 3° of inward canting in the footbed places the rider in a natural riding position.
- 100% Tool-Less Adjustment - Once mounted to your board, all strap and highback adjustments can be made on-the-fly without screwdrivers or other tools.
- Aluminum Ratchets
- Forward Lean Block

FORMULA



Grey

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: M, L, XL

CONSTRUCTION FEATURES:

- GF Profusion™ Chassis - Integrated fiberglass materials combine with a classic shape to deliver a lightweight and rugged framework that is the go-to standard in the K2 binding collection.
- AT Nylon Highback with Gap Eraser Forward Lean Adjustment - Stiff, durable, and temperature resistant nylon provide maximum responsiveness and support. Customize your forward lean without the need for tools or a traditional forward lean block.
- Bender™ Ankle Strap - A low-profile, padless, and highly flexible injection-molded ankle strap built to optimize freestyle mobility.
- Perfect Fit™ 2.0 Toe Strap - Patented toe strap technology uses flexible hinges and lock levers to custom fit the toe strap to any snowboard boot silhouette.
- 3° Canted Footbed - 3° of inward canting in the footbed places the rider in a natural riding position.
- 100% Tool-Less Adjustment - Once mounted to your board, all strap and highback adjustments can be made on-the-fly without screwdrivers or other tools.
- Aluminum Ratchets
- Forward Lean Block

INDY



Black

FEEL: 1 2 3 **4** 5 6 7 8 9 10

SIZES: M, L, XL

CONSTRUCTION FEATURES:

- PC ProFusion™ Chassis - Polycarbonate materials combine with a classic shape to deliver a lightweight and rugged framework that is the go-to standard in the K2 binding collection.
- AT Nylon Highback with Gap Eraser Forward Lean Adjustment - Stiff, durable, and temperature-resistant nylon provide maximum responsiveness and support. Customize your forward lean without the need for tools or a traditional forward lean block.
- Custom Caddi™ Ankle Strap - Our most padded and cushy ankle strap option, featuring ladder covers and durable polyurethane laminate materials.
- Perfect Fit™ 2.0 Toe Strap - Patented toe strap technology uses flexible hinges and lock levers to custom fit the toe strap to any snowboard boot silhouette.
- 3° Canted Footbed - 3° of inward canting in the footbed places the rider in a natural riding position.



Grey



Sand

SONIC



Black

FEEL: 1 2 **3** 4 5 6 7 8 9 10

SIZES: M, L, XL

CONSTRUCTION FEATURES:

- PC ProFusion™ Chassis - Polycarbonate materials combine with a classic shape to deliver a lightweight and rugged framework that is the go-to standard in the K2 binding collection.
- AT Polycarbonate Highback with Gap Eraser Forward Lean Adjustment - Stiff, durable, and temperature-resistant polycarbonate materials provide maximum responsiveness and support. Customize your forward lean without the need for tools or a traditional forward lean block.
- P.I. Ankle Strap - A lightweight and durable injection-molded ankle strap designed primarily with comfort in mind.
- Perfect Fit™ 2.0 Toe Strap - Patented toe strap technology uses flexible hinges and lock levers to custom fit the toe strap to any snowboard boot silhouette.
- 3° Canted Footbed - 3° of inward canting in the footbed places the rider in a natural riding position.



Grey

CINCH GT

FEEL: 1 2 ③ 4 5 6 7 8 9 10

SIZES: M, L, XL

CONSTRUCTION FEATURES:

- GF Profusion™ Chassis - Integrated fiberglass materials combine with a classic shape to deliver a lightweight and rugged framework that is the go-to standard in the K2 binding collection.
- AT Nylon Highback - Stiff, durable, and temperature-resistant nylon provide maximum responsiveness and support.
- GT1 Ankle Strap - Paying tribute to the corrugated tubes that we know and love, the GT1 Ankle Strap is flexible and form-fitting by design, allowing the ankle strap to adapt to any boot shape and provide freedom of movement - all while providing a seamless boot-to-binding-to-snowboard connection.
- Perfect Fit™ 2.0 Toe Strap - Patented toe strap technology uses flexible hinges and lock levers to custom fit the toe strap to any snowboard boot silhouette.



Black



White

NETWORK



Black

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- **MODULE™ Chassis** - Featured on all K2's newest bindings, the Module™ chassis is composed of a fiberglass-infused nylon and minimizes "dead" board flex zones directly underneath the binding. This allows the rider to feel the flex and response of the entire board length while providing maximum support, security, comfort, and vibration damping. Integrated with our all-new Sugarcane EVA Canted Harshmellow™ Footbed.
- **Team Highback** - Injected with a castor-bean based materials, the Team Highback was designed with a softer flex to allow for full range of motion and a more relaxed feel.



Moss



White

BEDFORD



Black

FEEL: 1 2 3 **4** 5 6 7 8 9 10

SIZES: S, M, L

CONSTRUCTION FEATURES:

- **A-Line Chassis** - A classic one-piece chassis design designed for supportive durability and lightweight performance.
- **AT Polycarbonate Highback with Gap Eraser Forward Lean Adjustment** - Stiff, durable, and temperature-resistant polycarbonate materials provide maximum responsiveness and support. Customize your forward lean without the need for tools or a traditional forward lean block.
- **Custom Caddi™ Ankle Strap** - Our most padded and cushy ankle strap option, featuring ladder covers and durable polyurethane laminate materials.
- **Perfect Fit™ 2.0 Toe Strap** - Patented toe strap technology uses flexible hinges and lock levers to custom fit the toe strap to any snowboard boot silhouette.
- **3° Canted Footbed** - 3° of inward canting in the footbed places the rider in a natural riding position.



Grey

CASSETTE

FEEL: 1 2 ③ 4 5 6 7 8 9 10

SIZES: S, M, L

CONSTRUCTION FEATURES:

- A-Line Chassis - A classic one-piece chassis design designed for supportive durability and lightweight performance.
- Performance Tweakback™ Highback with Gap Eraser Forward Lean Adjustment - Injected urethane allows the highback to remain highly flexible regardless of temperature for a maximum medial and lateral tweak.
- P.I. Ankle Strap - A lightweight and durable injection-molded ankle strap designed primarily with comfort in mind.
- Perfect Fit™ 2.0 Toe Strap - Patented toe strap technology uses flexible hinges and lock levers to custom fit the toe strap to any snowboard boot silhouette.
- 3° Canted Footbed - 3° of inward canting in the footbed places the rider in a natural riding position.
- 100% Tool-Less Adjustment - Once mounted to your board, all strap and highback adjustments can be made on-the-fly without screwdrivers or other tools.



Black



White



Youth

2026/2027



PASSPORT JR

127, 131, 135, 139, 143



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Directional Combination Camber Profile Sintered 4000 Base Bias Glass
Aspen Core Stone Ground Base Zx4 Inserts

SPECS

SIZE CM	EFY CM	TOP/MASTAIL CM	SHOULDER M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
127	94	27.0 - 28.7 - 26.2	4.0/4.0/3.5	14"	0.75"	<100	<45
131	96	27.3 - 28.1 - 26.5	4.3/4.3/3.8	15"	0.75"	<110	<50
135	100	27.8 - 28.5 - 27.0	4.6/4.6/4.1	16"	0.75"	<120	<54
139	104	28.2 - 28.8 - 27.4	4.9/4.9/4.4	17"	0.75"	<130	<54
143	107	28.5 - 29.1 - 27.7	5.2/5.2/4.7	18"	0.75"	<130	<59



SIDECAR

129, 132, 134, 137, 142, 145W, 148W



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Twin Rocker Profile Bias Glass Catch-Free™ Tune
Aspen Core Extruded 2000 Base Zx4 Inserts

SPECS

SIZE CM	EFY CM	TOP/MASTAIL CM	SHOULDER M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
129	96	25.8 - 26.4 - 25.8	7.0	15"	CENTRO	<100	<54
132	100	27.1 - 27.1 - 27.1	6.2	17"	CENTRO	<120	<54
134	101	26.1 - 26.6 - 26.1	7.2	18"	CENTRO	<130	<59
137	109	26.8 - 27.3 - 26.8	7.3	18"	CENTRO	<130	<59
142	112	26.3 - 26.7 - 26.0	7.0	18"	CENTRO	<130	<59
145W	114	26.1 - 26.7 - 26.1	7.2	18"	CENTRO	<150	<68
148W	117	25.4 - 25.0 - 25.4	7.4	20"	CENTRO	<180	<73




LIL MINI


75, 90, 100, 110, 120, 130



FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Twin Rocker Profile
Aspen Core
Biax Glass

Extruded 2000 Base
Catch-Free™ Tune
2x4 Inserts

Tip/Tail Tow Grammets (<100cm)
3D Base Contour

SPECS

SIZE CM	OFF EDGE CM	TOP/WIDTH/TAIL CM	SIDE CUT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
75	56	20.0 - 18.0 - 20.0	6.5	12"	CENTERED	<90	<41
90	68	20.2 - 18.0 - 20.2	7.1	13"	CENTERED	<100	<45
100	75	21.8 - 19.0 - 21.8	7.5	14"	CENTERED	<110	<50
110	83	23.0 - 20.0 - 23.0	7.9	15"	CENTERED	<120	<54
120	90	24.8 - 21.5 - 24.8	8.5	16"	CENTERED	<130	<59
130	98	26.5 - 23.0 - 26.5	9.1	17"	CENTERED	<130	<59



LIL KAT


75, 90, 100, 110, 120




FLEX / FEEL



TERRAIN PERFORMANCE



PROFILE



CONSTRUCTION



FEATURES

Twin Rocker Profile
Aspen Core
Biax Glass

Extruded 2000 Base
Catch-Free™ Tune
2x4 Inserts

Tip/Tail Tow Grammets (<100cm)
3D Base Contour

SPECS

SIZE CM	OFF EDGE CM	TOP/WIDTH/TAIL CM	SIDE CUT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
75	56	20.0 - 18.0 - 20.0	6.5	12"	CENTERED	<90	<41
90	68	20.2 - 18.0 - 20.2	7.1	13"	CENTERED	<100	<45
100	75	21.8 - 19.0 - 21.8	7.5	14"	CENTERED	<110	<50
110	83	23.0 - 20.0 - 23.0	7.9	15"	CENTERED	<120	<54
120	90	24.8 - 21.5 - 24.8	8.5	16"	CENTERED	<130	<59



Black

SIDECAR

FEEL: 1 2 ③ 4 5 6 7 8 9 10

SIZES: 3, 4, 5, 6, 7

CONSTRUCTION FEATURES:

- Youth BOA® Fit System - Simple and secure shell lacing that tightens with the twist of the Youth BOA® Dial.
- TX3 BOA® Lacing - A softer lace explicitly made for snowboard boots that provides a more even fit over the body of the boot shell versus a steel lace.
- Flex Zone Upper - A small flexible notch at the boot's instep allows for a smooth forward flex with minimal shell distortion.
- Comfort Foam EVA Liner - Soft and warm foam Zoned on a forgiving flex and excellent out-of-the-box fit.
- Die-Cut EVA Insole with Grows-A-Long Shims - A set of three EVA shims that can be added or removed from the boot for multi-season use as your grom grows.



Black

LIL MINI

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: 9K, 10K, 11K, 12K, 13K, 1, 2, 3, 4, 5

CONSTRUCTION FEATURES:

- Youth BOA® Fit System - Simple and secure shell lacing that tightens with the twist of the Youth BOA Dial.
- TX3 BOA® Lacing - A softer lace explicitly made for snowboard boots that provides a more even fit over the body of the boot shell versus a steel lace.
- 80% Recycled. FSC® Certified Carboard Packaging99% Recycled Packaging Paper
- Linerless - Easy as pie. Our linerless construction on our youth snowboard boots are warm, comfortable, and easy to use.
- Die-Cut EVA Insole with Grows-A-Long Shims - A set of three EVA shims that can be added or removed from the boot for multi-season use as your grom grows.



Black

LIL KAT

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: 9K, 10K, 11K, 12K, 13K, 1, 2, 3, 4, 5

CONSTRUCTION FEATURES:

- Youth BOA® Fit System - Simple and secure shell lacing that tightens with the twist of the Youth BOA Dial.
- TX3 BOA® Lacing - A softer lace explicitly made for snowboard boots that provides a more even fit over the body of the boot shell versus a steel lace.
- 80% Recycled. FSC® Certified Carboard Packaging 99% Recycled Packaging Paper
- Linerless - Easy as pie. Our linerless construction on our youth snowboard boots are warm, comfortable, and easy to use.
- Die-Cut EVA Insole with Grows-A-Long Shims - A set of three EVA shims that can be added or removed from the boot for multi-season use as your grom grows.

SIDECAR

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: M

CONSTRUCTION FEATURES:

- ProFusion™ Chassis - Polycarbonate materials combine with a classic shape to deliver a lightweight and rugged framework that is the go-to standard in the K2 binding collection.
- Groms Tweakback™ - Injected urethane allows the highback to remain flexible and supportive in all temperatures.
- Tool Less Bender™ Ankle Strap - A low-profile, padless, and highly flexible injection-molded ankle strap built to optimize freestyle mobility.
- Perfect Fit™ 2.0 Toe Strap - Patented toe strap technology uses flexible hinges and lock levers to custom fit the toe strap to any snowboard boot silhouette.
- Mega PC Ratchet - Lightweight and dependable with a no-frills attitude. Our 4-click PC ratchet features a high-end spring inside for a secure hold.
- 100% Tool-Less Adjustment - Once mounted to your board, all strap and highback adjustments can be made on-the-fly without screwdrivers or other tools.



Black



Green

LIL MINI

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: XS, S

CONSTRUCTION FEATURES:

- Nylon Grom Chassis - Lightweight nylon construction with just the right amount of support.
- 100% Tool-Less Adjustment - Once mounted to your board, all strap and highback adjustments can be made on-the-fly without screwdrivers or other tools.
- Grom Highback - Adjustable highback positioning for perfect boot fit and centering on the snowboard.
- Single Strap - Quick, simple, and secure for strapping your grom in so they can do it all by themselves.



Turq

LIL KAT

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: XS, S

CONSTRUCTION FEATURES:

- Nylon Grom Chassis - Lightweight nylon construction with just the right amount of support.
- 100% Tool-Less Adjustment - Once mounted to your board, all strap and highback adjustments can be made on-the-fly without screwdrivers or other tools.
- Grom Highback - Adjustable highback positioning for perfect boot fit and centering on the snowboard.
- Single Strap - Quick, simple, and secure for strapping your grom in so they can do it all by themselves.



Bags / Accessories / Apparel

2026/2027

ROLL TOP SNOWBOARD SLEEVE

SIZES 1SZ

Overview

Adjustable in length and designed with rugged materials, this bag keeps your boards secure and protected whether you're road-tripping or flying to fresh powder.

Features

400D Nylon Double ripstop construction with reinforced 600D TPU Coating in high wear areas. Recycled polyester 210D Liner



Black

UNIVERSAL SNOWBOARD ROLLER BAG

SIZES 1SZ

Overview

One Size Fits All...Snowboards

Features

400D Double Ripstop weatherproof PM coated 600D waterproof materials - Adjustable Roll Top - Ski Divider - Ski Clips - External Pockets - Soft Skate Wheels for a Smooth Roll



Black

BOOT LOCKER

SIZES 1SZ

Features

400D Double Ripstop weatherproof PM coated 600D waterproof bottom panel

Overview


Boot compartment with drainage. Helmet compartment. Goggle compartment. External storage pocket.

Color(s)

Black Tan

Materials

600D ripstop nylon with PE backing. Padded tarpaulin lining. TPU-coated bottom.



Black



No Color

FAR OUT CRAMPON

SIZES

1SZ

Terrain

Backcountry, Sidecountry

Rider Ability

Intermediate to Expert

Riding Style

Splitboarding

Flex

N/A

Color(s)

Black



No Color

FAR OUT CRAMPON WIDE

SIZES

1SZ

Terrain

Backcountry, Sidecountry

Rider Ability

Intermediate to Expert

Riding Style

Splitboarding

Flex

N/A

Color(s)

Black

LOUD AND PROUD HOODIE

SIZES S, M, L, XL, XXL

Overview

Our work-from-home essential. Featuring a classic K2 stamp, it's the perfect way to rep your favorite brand all day, every day.

Features

70% Cotton, 30% Polyester



Heather Grey

CHAIN LOGO HOODIE

SIZES S, M, L, XL, XXL

Materials

70% COTTON - 30% POLYESTER

Color(s)

BLACK - Heather Gray - Military Green



Black

EMBROIDERED T-SHIRT

SIZES S, M, L, XL, XXL

Materials

100% COTTON

Color(s)

BLACK - CHARCOAL - DARK GREEN - TAN
BLACK - WHITE



Black

EMBROIDERED T-SHIRT

SIZES S, M, L, XL, XXL

Materials

100% COTTON

Color(s)

BLACK - WHITE



White

HERITAGE T-SHIRT

SIZES S, M, L, XL, XXL

Materials

100% COTTON

Color(s)

BLACK - GREY



Black

KNIT BEANIE

SIZES 1SZ


Color(s)

Black, Heather Grey

Black - Military Green - Cream - Brown - Hunter Orange

Materials

100% Acrylic



Black

KNIT BEANIE

SIZES 1SZ

Features

100% Acrylic Cuff Beanie

Materials

100% ACRYLIC

Color(s)

BLACK - NAVY - MILITARY - TAN



Military Green

OLD SCHOOL BEANIE

SIZES 1SZ

Color(s)

Red/White/Blue, Black/White

Features

100% Acrylic POM Beanie



Black/White

LARGE JACQUARD BEANIE

SIZES 1SZ

Features

Short skully no fold 100% acrylic



Black

K2 MEN'S SNOWBOARDS / 2026



ALCHEMIST
(UNISEX)



COMMONWEALTH
(UNISEX)



ANTIDOTE



MANIFEST
(UNISEX)



HYPNOTIST



EXCAVATOR
(UNISEX)




SKY PILOT
(UNISEX)



PASSPORT
(UNISEX)



MEDIUM
(UNISEX)



ALMANAC
(UNISEX)



EMBASSY




AFTERBLACK



COPYCAT
(UNISEX)



WORLD PEACE



GATEWAY POP



COURIER



MARAUDER SPLIT PACKAGE - C/O
(UNISEX)

K2 WOMEN'S SNOWBOARDS / 2026



ALCHEMIST
(UNISEX)



COMMONWEALTH
(UNISEX)



MANIFEST
(UNISEX)




EXCAVATOR
(UNISEX)



SKY PILOT
(UNISEX)



PASSPORT
(UNISEX)



MEDIUM
(UNISEX)



ALMANAC
(UNISEX)



EXTRAVISION



COPYCAT
(UNISEX)



DREAMSICLE



METROPOLITAN



CHLORO



MARAUDER SPLIT PACKAGE - C/O
(UNISEX)

K2 MEN'S SNOWBOARD BOOTS / 2026

TARO TAMAI
RS



BLACK / BROWN

TARO TAMAI
SNOWSURFER



OLIVE

WAIVE



BLACK

THRAXIS



BLACK

ORTON BY SAGE KOTSENBURG



BLACK



HONEY BROWN



GREY

EVASION BY CURTIS CISZEK



BLACK

THEORY MEN'S



BLACK



WHITE



OLIVE

MAYSIS



BLACK
(REGULAR & WIDE)



GREY



GREEN FATIGUE



WHITE

BOUNDARY



BLACK



BROWN



GREY

RAIDER



BLACK



GREY



SAND

ROSKO



BLACK

MARKET



BLACK

K2 WOMEN'S SNOWBOARD BOOTS / 2026

TARO TAMAI
RS



BLACK / BROWN

TARO TAMAI
SNOWSURFER



OLIVE

WAIVE



BLACK

THRAXIS



BLACK

ORTON BY SAGE KOTSENBURG



BLACK

THEORY WOMEN'S



BLACK



WHITE

CONTOUR



BLACK



GREY



NANTUCKET BREEZE

KINSLEY



BLACK



WHITE



FADE

HAVEN



BLACK



GREY



ROSE

BENES



BLACK

BELIEF



BLACK

K2 MEN'S SNOWBOARD BINDINGS / 2026

FAROUT



BLACK C/O

PROGRAM



DOPAMINE / STORM CYCLE (UNISEX)

EDITION



BLACK (UNISEX)



GREY (UNISEX)

BOND



BLACK



WHITE



NEON



BIG BUCK

FORMULA



BLACK C/O



GREY

INDY



BLACK



GREY



SAND

SONIC



BLACK



GREY

CINCH GT



BLACK



WHITE

K2 WOMEN'S SNOWBOARD BINDINGS / 2026

FAROUT



BLACK C/O

PROGRAM



DOPAMINE / STORM CYCLE (UNISEX)

EDITION



BLACK (UNISEX)



GREY (UNISEX)

NETWORK



BLACK



WHITE




MOSS



BEDFORD



BLACK




GREY

CASSETTE



BLACK



WHITE

CINCHGT



BLACK



WHITE

PASSPORT JR (UNISEX)



SIDECAR BLACK (UNISEX)



SIDECAR WHITE (UNISEX)



LIL MINI C/O



LIL KAT C/O



SIDECAR



BLACK

LIL MINI



BLACK C/O

LIL KAT



BLACK C/O

SIDECAR



BLACK

LIL MINI



GREEN C/O


LIL KAT



TURQ C/O

K2 FOUNDATION PACKS AND BAGS / 2026

UNIVERSAL SNOWBOARD
ROLLER BAG




BLACK

ROLL TOP
SNOWBOARD SLEEVE



BLACK

BOOT LOCKER



BLACK

K2 SNOWBOARD RENTAL / 2026

EMBASSY RENTAL



GATEWAY RENTAL



DEAMSICLE RENTAL



RENTAL



110 - 130

140 - 145

150 - 160

157W - 165W

MAYSIS RENTAL



BLACK C/O

HAVEN RENTAL



BLACK C/O

RAIDER RENTAL



BLACK C/O

VANDAL RENTAL



BLACK C/O

SR1



X-LARGE



LARGE



MEDIUM



SMALL

K2 USA

3305 160th Ave SE
Bellevue WA, 98008
T: 800 757 5806
F: 800 972 4066

K2 Canada

1 Westside Drive Unit #7
Toronto, ON M9C 1B2, Canada
T: 888 249 7433
F: 416 679 1218

K2 Europe

Seehaupter Strasse 62
Penzberg 82377, Germany
T: 49 8856 901 0
F: 49 8856 901 101
E: info@k2sports.de

K2 Japan

TMM Bldg.6F
1-10-5, Iwamoto-Cho, Chiyoda-Ku
Tokyo, Japan 101-0032
T: 81 3 6858 2311

K2SNOW.com



Dealer Book

2026/2027