





R



K2 Skates builds products to meet the yearround needs of the inline skating enthusiasts worldwide. In 1993 K2 revolutionized the skate industry by introducing the firstever Softboot inline skates. This patented K2 technology pushed the envelope for inline skate innovation and forever changed the performance of the sport.



#### TABLE OF CONTENTS

01	HARDBOOT	
	SURGE 80	06
	SURGE 84	10
	SURGE 100	14
	GRID 80	18
	GRID 90	
	GRID 110	
02	FITNESS	
	F.I.T. 80 PRO / ALEXIS 80 PRO	30
	F.I.T. 80 BOA® / ALEXIS 80 BOA®	31
	F.I.T. 80 ALU / ALEXIS 80 ALU	34
	F.I.T. 84 PRO / ALEXIS 84 PRO	35
	F.I.T. 84 BOA® / ALEXIS 84 BOA®	38
	F.I.T. 90 ALU / ALEXIS 90 ALU	
03	LIFESTYLE	
	UPTOWN	40
	TRIO LT 100	42
	TRIO LT BOA®	44
	TRIO 110	45
04	X-TRAINING	
	VO2 S 90 PRO	46
	VO2 S 90 BOA®	
	VO2 S 100 BOA®	
	VO2 S 100X BOA®	49
05	MARATHON	
	MOD 110	
	REDLINE 110	51
	REDLINE 125	51
06	YOUTH	
	RAIDER PRO / MARLEE PRO	
	RAIDER BOA® / MARLEE BOA®	
	SK8 HERO BOA® ALU / CHARM BOA® ALU	
	SPLASH	55
07	ACCESSORIES	
	HELMETS	
	PADS	
	FRAMES	
	BEARINGS + TOOLS	
	WHEELS	
_	BAGS + CARRIERS	
08	SIZING	
09	TECHNOLOGY	
10	SKATE OVERVIEW	68



# HARDBOOT

COMFOR



S.



## 01 HARDBOOT



#### SPRING / SUMMER 2025

## SURGE

	TPE Cuff – Polypropylene Composit
levels,	6061 Extruded 243mm* Frame
S	Speed + Traditional Lacing – 80mm
ort,	ILQ 5 Bearings – Threaded Hollow S
port,	Vortech Ventilation Technology



FEATURING POLYPROPYLENE SHELLS + TPE CUFFS FOR 360-DEGREE SUPPORT



M SURGE 84

IN SURGE 84

VORTECH AIRFLOW CHANNELS FOR COOLING + ADJUSTABLE INSTEP RATCHET STRAPS ENSURE A PERFECT FIT







#### SURGE 84

Designed for skaters of all levels, SURGE models offer K2 comfort, hardboot support, and durability. Elevate your skating experience. TPE Cuff – Polypropylene Composite Shell 6061 Extruded 260mm Frame Speed + Traditional Lacing – 84mm 82A Wheels ILQ 5 Bearings – Threaded Hollow Steel Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes



BUILT WITH RIGID 6061 ALUMINUM FRAMES OPTIMIZED FOR MANEUVERABILITY + STABILITY



SURGE MODELS COME WITH ENERGETIC 82A WHEELS + ILQ BEARINGS FOR A FAST RIDE

A2 SURGE 100



	C	
-	5,	

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes



# HARDBOOT

COMFOR





GRID

## HARDBOOT







Unparalleled , performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long.



Nylon Cuff – Nylon Shell 6061 Extruded 243mm\* Rocker Frame Speed + Traditional Lacing – 90mm 85A Wheels ILQ 9 Bearings - Threaded Alumnimum Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes \*Size 11-13 use 255mm frame



R



NYLON SHELLS + CUFFS FOR OPTIMAL SUPPORT AND A SMOOTH RIDE / BUILT-IN VORTECH AIRFLOW CHANNELS KEEP YOU COOL DURING LONG SESSIONS



gric

3-POSITION ALUMINUM MOUNTING BLOCKS ENABLE FRAME ADJUSTMENTS AND QUICK POWER TRANSFER / ADJUSTABLE INSTEP RATCHET STRAPS FINE-TUNE FIT



#### GRID 90

Unparalleled performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long. Nylon Cuff – Nylon Shell 6061 Extruded/Machined 273mm Rocker Frame Speed + Traditional Lacing – 90mm 85A Wheels ILQ 9 Bearings – Threaded Alumnimum Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes







FLEX LOCK FEATURE OFFERS EXTRA SUPPORT FOR INCREASED RANGE OF MOTION / 3 FAST FRAME-WHEEL CONFIGURATIONS



12 GRID 110

HIGH-ENERGY 85A WHEELS + CNC-MACHINES ALUMINUM FRAMES / FULLY HEAT-MOLDABLE K2/INTUITION GRID LINERS ENSURE LONG-LASTING RESPONSE AND THE PERFECT FIT



UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes





## 02 FITNESS

F.I.T + ALEXIS









#### F.I.T 80 PRO **ALEXIS 80 PRO**

For newcomers looking for performance and style; high-quality, tried + tested upper ensures that the skate is breathable and comfortable.

Stability Plus Cuff - F.B.I. Frame Speed Lacing – 80mm 80A Wheels ABEC 5 Bearings

**M** US: 5-13 EU: 36.5-48 UK: 4-12 **W** US: 6-11 EU: 36-42 UK: 3.5-8.5



#### F.I.T. 80 BOA® ALEXIS 80 BOA®

Combination of K2 Original SoftBoot, easyto-use BOA® Fit System + the vibration-damping Tec Composite frame gives the optimal support.

#### SPRING / SUMMER 2025

Stability Plus Cuff – F.B.I. Frame BOA® Fit System – 80mm 80A Wheels ABEC 5 Bearings

**M** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 **W** US: 6-11 EU: 36-42 UK: 3.5-8.5









R

#### F.I.T. 80 ALU **ALEXIS 80 ALU**

Take your full-body workout or cardio session outside. Our motto: Put your workout on wheels! An ideal package for anyone who wants to start skating.

Stability Plus Cuff - Stamped Aluminum Frame Speed Lacing – 80mm 80A Wheels ABEC 5 Bearings

**M** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 **W** US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5







#### F.I.T. 84 PRO **ALEXIS 84 PRO**

The most versatile skate – whether you're new to skating or an advanced skater; Offering everything you could possibly need in a skate.

#### SPRING / SUMMER 2025

Stability Plus Cuff - Stamped Aluminum Frame Speed Lacing - 84mm 80A Wheels ILQ 5 Bearings

**M** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 **W** US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5





CHALLENGE YOURSELF TO HIT NEW DISTANCES + SET NEW GOALS





#### F.I.T. 84 BOA® ALEXIS 84 BOA®

Legendary K2 Original SoftBoot, the easyto-use BOA® Fit System + the vibration-damping Tec Composite frame gives the optimal support.

Stability Plus Cuff - Stamped Aluminum Frame BOA® Fit System – 84mm 80A Wheels ILQ 7 Bearings – Flex Notch

**M** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 **W** US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5



#### F.I.T. 90 BOA® ALEXIS 90 BOA®

On sunny days the strenuous workout you planned for the gym can be moved to the outdoors with a focus on strength, endurance and coordination.

SPRING / SUMMER 2025

Stability Plus Cuff - Dye Cast Aluminum Frame BOA® Fit System – 90mm 83A Wheels ILQ 7 Bearings – Flex Notch

**M** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 **W** US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5

\*84mm wheels on women's sizes 4 and 5

## 03 LIFESTYLE



## UPTOWN



Aggressive Cuff Rockerable 243mm Aluminum Frame Traditional Lacing – 80mm 85A Wheels ILQ 7 Bearings – UFS Compatibility

UNISEX US: M 5-14 EU: 36.5-48 UK: 4-13 Unisex Sizing = US Men's \*Brake included. Assembly required.

## LIFESTYLE





#### TRIO LT 100 M TRIO LT 100 W

A lifestyle skate like no other. It's lighter than our previous TRIO skates for easier cruising, flexibility + mobility while skating. Good fit, more fun! Stability Plus Cuff - Stamped Aluminum Frame Speed Lacing - 100mm 83A Wheels ILQ 7 Bearings

MUS: 5, 6-11EU: 36.5, 38-49UK: 4, 5-13WUS: 6-11EU: 36-42.5UK: 3.5-8.5

\*90mm 83A Wheels on US W size 4-5 \*\*Max Wheel size 90mm on US W size 4-5



TRIO



R





#### TRIO LT BOA®

For fitness, commuting and exploration, all in one. Lighter than our previous TRIO skates, making cruising easier + ensuring flexibility + mobility while skating. Stability Plus Cuff – Stamped Aluminum Frame BOA® Fit System – 100mm 83A Wheels ILQ 7 Bearings

UNISEX US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13 Unisex Sizing = US Men's



## 

Unparalleled lifestyle skate and the big brother of the TRIO 100. Providing optimum support to be at the forefront while showing off a fashionable look.

#### SPRING / SUMMER 2025

Urban Cuff – Rockerable Trio 110 Frame Traditional Lacing – 110mm 90A Wheels ILQ 9 Bearings – UFS Compatibility

UNISEX US: M 6-13 EU: 38-49 UK: 4-13 Unisex Sizing = US Men's \*Brake included. Assembly required.

## 04 **X-TRAINING**





#### V02 S 90 PR0 M V02 S 90 PR0 W

Impressive power transmission for strenuous training sessions; the perfect choice for ambitious fitness skaters who like high speed + a smooth ride.

VO2 Cuff - VO2 S Frame Spped Lacing – 90mm 83A Wheels ILQ 9 S Bearings – Flex Notch Vortech Ventilation Technology

**M** US: 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13 **W** US: 6-11 EU: 36-42.5 UK: 3.5-8.5



**VO2 S 90 BOA**®

V02 S

Making a quick adjustment while going along is no longer a problem. The perfect choice for ambitious fitness skaters. Put your next workout on wheels!

VO2 Cuff - VO2 S Frame BOA® Fit System – 90mm 83A Wheels ILQ 9 S Bearings – Flex Notch Vortech Ventiliation Technology

#### UNISEX

US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13 Unisex Sizing = US Men's



#### VO2 S 100X BOA®

Bigger, faster with innovative singlesided frame on these performance-oriented X-Training skates. For ambitious athletes in a rush.

VO2 Cuff - VO2 S Frame BOA® Fit System – 100mm/90mm 83A Wheels ILQ 9 S Bearings – Flex Notch Vortech Ventilation Technology

#### UNISEX

US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13 Unisex Sizing = US Men's







The highend model of the new X-Training skates with lots of innovative tech. Maximum speed, a smooth + sleek ride with maximum shock absorption.

R

#### V02 S 100 B0A®

VO2 Cuff - VO2 S Frame BOA® Fit System – 100mm 83A Wheels ILQ 9 S Bearings – Flex Notch Vortech Ventilation Technology

UNISEX

US: M 8-14 EU: 40.5-49 UK: 7-13 Unisex Sizing = US Men's

# 05 MARATHON

## MOD + REDLINE



#### **REDLINE 110**

Madshus, the worldrenowned Nordic ski brand has teamed up with K2 Skates to bring endurance athletes the next evolution of marathon skates.







#### MOD 110

We know that when it comes to marathon skating one thing matters above all... speed. A premium endurance skate designed to go fast. Enjoy the ride! MOD 110 Dual Density Cuff MOD 110 Extruded 6000 Series Frame Speed Lacing – 110mm 85A Wheels ILQ 9 Pro Bearings – Custom Fit Foam Ventilated Microfiber Upper

UNISEX US: M 6-13 EU: 38-48 UK: 5-12 Unisex Sizing = US Men's



#### **REDLINE 125**

The next level of the Madshus X K2 Skates collab. An evolution in lightweight, highspeed marathon skates. Truly a force to be reckoned with.

#### SPRING / SUMMER 2025

Removable REDLINE Carbon Cuff Extruded 6000 Series Frame Traditional Lacing – 110mm 88A Wheels ILQ 9 Pro Bearings – REDLINE Carbon Base Ventilated Microfiber Upper

UNISEX US: M 6-13 EU: 38-48 UK: 5-12 Unisex Sizing = US Men's

Removable REDLINE Carbon Cuff Extruded 6000 Series Frame Traditional Lacing – 125mm 88A Wheels ILQ 9 Pro Bearings – REDLINE Carbon Base Ventilated Microfiber Upper

UNISEX US: M 6-13 EU: 38-48 UK: 5-12 Unisex Sizing = US Men's

#### 06 YOUTH RAIDER + MARLEE







#### **RAIDER PRO** MARLEE PRO

The perfect choice for kids who want to get into skating, these skates are great to learn and explore on. Just a single roll, pull and stow!

Stability Plus Cuff - F.B.I. Frame Speed Lacing – 72mm 80A Wheels ABEC 3 Bearings – 5 Size Adjustability

**US** S: 11-2 M: 1-5 L: 4-8 **EU** S: 29-34 M: 32-37 L: 35-40 **UK** S: 10-1 M: 13-4 L: 3-7 \*Max wheel size 76mm \*\*70mm 80A wheels on size S \*\*\*Max wheel size 72mm on size S



#### RAIDER BOA® MARLEE BOA®

A fantastic skate for your child – they both , feature high quality + performance so your child will have even more fun. Size adjustment for more fun than one season!

#### SPRING / SUMMER 2025

Stability Plus Cuff - F.B.I. Frame BOA® Fit System – 72mm 80A Wheels ABEC 3 Bearings – 5 Size Adjustability

**US** S: 11-2 M: 1-5 L: 4-8 **EU** S: 29-34 M: 32-37 L: 35-40 **UK** S: 10-1 M: 13-4 L: 3-7 \*Max wheel size 76mm \*\*70mm 80A wheels on size S \*\*\*Max wheel size 72mm on size S

R

YOUTH -SK8 HERO + CHARM





#### SK8 HERO BOA® ALU CHARM BOA® ALU

For the child that wants to skate like a champ; adjustable skates with the features + performance level to allow them to excel at the sport they love.

Stability Plus Cuff - Stamped Aluminum Frame BOA® Fit System – 76mm 80A Wheels ABEC 5 Bearings - 5 Size Adjustability

**US** M: 1-5 L: 4-8 **EU** M: 32-37 L: 35-40 **UK** M: 13-4 L: 3-7



#### SPLASH

Perfect for the creative and active kid. High quality coloring book style upper with multi-colored pens + wheels. Let your imagination run wild!

#### SPRING / SUMMER 2025

#### SPLASH

Stability Plus Cuff - F.B.I. Frame Speed Lacing – 72mm 80A Wheels ABEC 3 Bearings - 5 Size Adjustability

**US** S: 11-2 M: 1-5 L: 4-8 **EU** S: 29-34 M: 32-37 L: 35-40 **UK** S: 10-1 M: 13-4 L: 3-7 \*Max wheel size 76mm \*\*70mm 80A wheels on size S \*\*\*Max wheel size 72mm on size S

### 07 ACCESSORIES **HELMETS**





#### VARSITY MIPS®

Our tried + true Varsity helmet now featuring MIPS® Evolve technology. Still with comfortable and safe features.



#### VARSITY

Our Varsity helmet is designed for both kids and adults and is equipped with the features needed for a safe and comfortable skate session.



#### VARSITY PRO

Look sharp while staying safe with multiple features to keep you safe when you're rolling on the pavement.



#### SPRING / SUMMER 2025

ABS Shell - EPS Liner Sealed Fit Pads – Micro-Adjust Fit System CPSC + EN1078 Certifications Traditional Strap

COLORS: Black, Gray S:48-54cm M:55-58cm L:59-61cm

ABS Shell - EPS Liner Fit Pads – Ratchet Fit System CPSC + EN1078 Certifications Traditional Strap

M:55-58cm

L:59-61cm

COLORS: Black, White, Yellow, Seafoam S:48-54cm



ABS Shell - EPS Liner Sealed Fit Pads – Micro-Adjust Fit System CPSC + EN1078 Certifications **Reflective Strap** 

COLORS: Black, Gray, Dark Teal, Burgundy Orange S:48-54cm M:55-58cm L:59-61cm





#### ACCESSORIES PADS





PE protective caps – Shock resistant elastomers Front side adjustable fasteners Abrasion resistant contoured mesh – Reflective panels Cool Max Moisture Control Lining – Impact absorbing gel cushions UNISEX: S, M, L EN14120:2003+A1:2007



Secure + comfortable fit YOUTH: XS, S



## PERFORMANCE PAD SET

M: S, M, L



# UNISEX: S, M, L

#### MACH DUAL SUSPENSION PROTECTIVE GEAR

#### **RAIDER PRO + MARLEE PRO PAD SET**

Keep the kids skating scrap-free with a smile Durable plastic caps – Breathable mesh – Elastic straps

EN14120:2003+A1:2007

Premium protection within an athletic profile that is not too bulky Elbow pads – Knee pads – Wrist guards

> W: S, M, L EN14120:2003+A1:2007

#### **REDLINE RACE GUARD SET**

High speed, low drag protection – Knee guards – Elbow Guards – Gloves

#### ACCESSORIES



#### **TRIO 100 FRAME KIT**

Max wheel size 100mm

UFS Mounting Rockerable 2nd wheel 6061 Series Aluminum

S: 250mm | US M size 6-7.5 M: 270 mm | US M size 8-10.5 L: 285mm | US M size 11-13

\*Includes 6mm frame spacers, bearing spacers, and axles



#### **RC100 CNC ALUMINUM** FRAME KIT

Max wheel size 100mm

UFS Mounting Rockerable 311mm Wheelbase 6061 Series Aluminum

\*Includes 6mm frame spacers, bearing spacers, and axles (6mm frame spacers for rocker setups)



#### **TRIO 110 FRAME KIT**

Max wheel size 110mm

UFS Mounting Rockerable 2nd wheel 6061 Series Aluminum

S: 255mm | US M size 6-7.5 M: 270 mm | US M size 8-10.5 L: 285mm | US M size 11-13

\*Includes 6mm frame spacers, bearing spacers, and axles



#### **RC80 CNC ALUMINUM** FRAME KIT

Max wheel size 100mm

UFS Mounting Rockerable 343mm Wheelbase 6061 Series Aluminum

\*Includes 6mm frame spacers, bearing spacers, and axles (6mm frame spacers for rocker setups)







#### ILQ 5

Grease Lubricant **Steel Retainers** Double-Sided Metal Shield Pack of 16

Grease Lubricant Steel Retainers Double-Sided Metal Shield Pack of 16

ILQ 7



#### **K2 BREW TOOL**

This multi-tool helps you adjust your bearings and axles. Its longer length makes it easy to access the frame mount bolts through the wheels. Opens beer too!



060

### FRAMES + BEARINGS + TOOLS



ILQ 9

TK Gel 6-Ball Design Nylon Retainers One-Sided Metal Shield Pack of 16



ILQ 9 PRO

TK Gel 6-Ball Design Nylon Retainers Rubber Shield Pack of 16





#### **RUBBER BREAK** STOPPER

This classic brake fits most all K2 skates made since 1999.

### ACCESSORIES







BOOSTER BOOSTER 72mm/80A\* | 4 or 8 pack 76mm/80A\* | 4 or 8 pack 80mm/82A\*\* | 4 or 8 pack 84mm/82A\*\* | 4 or 8 pack

BOOSTER BOOSTER

### **BOLT SPEED WHEEL SERIES**

High-speed urethane with a race profile for a light + fast rol; High rebound and durability; the performance choice for X-Trainers.

90mm (4 + 8-packs) – 100mm (only 4-packs) ILQ-9 Bearings + spacers incl. Resuable storage bag incl.

#### **STROBE WHEEL SERIES**

Illuminate your skates! The new Strobe wheels light up the pavement when in motion with red LEDs powered by magnetic strip spacers.

72mm/85A - 80mm/85A 84mm/85A - 90mm/85A Available in 2-packs

#### **BOLT SPEED WHEEL SERIES**

High-speed urethane with a race profile for a light + fast roll; High rebound + durability; the performance choice for X-Trainers.

90mm (4 + 8-packs) – 100mm (only 4-packs) ILQ-9 Bearings + spacers incl. Resuable storage bag incl.

#### **BOLT URBAN WHEEL SERIES**

Full-wheel profile for speed, stability and versatility in the city + beyond.

80mm/Xtra Firm (4-packs) – 100mm/Xtra Firm (2-packs) – 110mm/Xtra Firm (2-packs) Resuable storage bag incl.











STROBE 72mm/85A | 2 pack

STROBE 80mm/85A | 2 pack

STROBE 84mm/85A | 2 pack

STROBE 90mm/85A | 2 pack



BOLT SPEED 90mm/85A | 4 or 8 pack 100mm/85A | 4 pack \*Includes ILQ-9 bearings and ALU Spacers



BOLT SPEED

BOLT URBAN 80mm/XTRA FIRM | 4 pack 100mm/XTRA FIRM | 2 pack

BOLT URBAN



BOLT URBAN 110mm/XTRA FIRM | 2 pack







FLASH DISC



FLASH DISC 110mm/XTRA FIRM | Single pack 125mm/XTRA FIRM | Single pack

#### **FLASH DISC WHEEL SERIES**

Made up of dual urethanes + an aerodynamic disc hub that provides support and speed, while reducing drag.

110mm/88A – 125mm/Xtra Firm Sold Individually – ILQ-9 Pro Bearings included Resuable storage bag included



RAINFLY 90mm/85A | 4 pack



RAINFLY 110mm/85A | 4 pack

#### **RAIN FLY WHEEL SERIES**

Grip it and rip it with dual- injected wheels with high rebound + high grip; designed for skating in wet conditions.

90mm/85A - 110mm/85A Available in 4-packs

R

### **BAGS + CARRIERS**



ACCESSORIES



#### SKATE CARRIERS

Our carriers are a convenient way to store and travel with you skating gear. It's designed to fit a pair of skates, helmet and pad set and features three external zippered pockets and ventilation panels.

Skate – Alliance – F.I.T.







#### K2 BACKPACK

The new K2 Backpack is a 30-liter all-purpose pack ready to take on anything that comes its way. Loaded with functional features like a padded back panel and laptop sleeve, external zip pocket and water bottle storage, adjustable chest strap, bicycle light clip and external bungee storage. This pack is ready for work, play and anything in between. SIZING

# 08

**MEN'S SIZING CHART** 

US MEN'S	US WOMEN'S	UK ADULT	EURO ADULT	FOOT LNGTH (CM)
5	6	4	36.5	23
6	7	5	38	24
6.5	7.5	5.5	39	24.5
7	8	6	39.5	25
7.5	8.5	6.5	40	25.5
8	9	7	40.5	26
8.5	9.5	7.5	41.5	26.5
9	10	8	42	27
9.5	10.5	8.5	42.5	27.5
10	11	9	43.5	28
10.5		9.5	44	28.5
11		10	44.5	29
11.5		10.5	45	29.5
12		11	46	30
12.5		11.5	47	30.5
13		12	48	31
14		13	49	32

#### WOMEN'S SIZING CHART

US WOMEN'S	UK ADULT	EURO ADULT	FOOT LNGTH (CM)
4	1.5	34	21
5	2	35	22
6	3.5	36	23
6.5	4	36.5	23.5
7	4.5	37	24
7.5	5	38	24.5
8	5.5	39	25
8.5	6	39.5	25.5
9	6.5	40	26
9.5	7	40.5	26.5
10	7.5	41.5	27
10.5	8	42	27.5
11	8.5	42.5	28

#### YOUTH SIZING CHART

US JUNIOR	UK JUNIOR	EURO JUNIOR	FOOT LENGTH (CM)
11 - 2	10 - 1	29 - 34	17 - 20.5
1 - 5	13 - 4	32 - 37	19.5 - 23
4 - 8	3 - 7	35 - 40	22 - 25.5

#### **HELMET SIZING CHART**

HELMET SIZE	HEAD CIRCUMFERENCE (IN)	HEAD CIRCUMFERENCE (CM)
S	18.8 - 21.2	48 - 54
М	21.6 - 22.8	55 - 58
L	23.2 - 24	59 - 61

# 09

TECHNOLOGY

#### CLOSURE TECHNOLOGY

#### Traditional Lacing Customize your lacing and knot the

same way you tie your shoes.

#### Speed Lacing

Secure your skates with one pull. The K2 Speed Lacing System makes it easy to get in and out of your skates. Just one pull of the lace, roll, and stow and you're ready to skate - that easy.

#### THE BOA® **FIT SYSTEM**

#### Agility and Speed

The BOA Fit System enables faster, more powerful directional changes through a seamless connection between body and equipment.

#### Power and Precision

Power without compromising precision, the BOA® Fit System delivers more explosive action and unparalleled accuracy,

#### **Endurance and Health**

Go further, faster, and stronger. The BOA® Fit System saves energy by improving circulation and efficiency.

#### **Durability and Quality**

Engineered with high quality, durable materials, the BOA® Fit System is guaranteed to perform in any environment.

#### REDLINE 110/125 Frame

195mm mounting).

TRIO Frame

#### TECHNOLOGY

FRAME

F.B.I Frame

Composite recreational frame that establishes a low center of gravity and absorbs road vibtration.

#### Stamped Aluminum Frame

Responsive, stiff and durable stamped aluminum for acceleration and speed.

#### D.C Aluminum Frame

Responsive and stiff die cast aluminum for acceleration, speed and control.

VO2 S Frame Single sided extruded & machine 6061 aluminum frames for bigger wheel XT skates – Responsive, fast and vibration absorbing.

Extruded & machine 6061 aluminum; UFS 2 bolt for 3x100 wheels & rockered set up options.

Extruded & machine 6061 aluminum; Single sided UFD 2 bolt frame for

#### R100/R80 Frames

Extruded & machined 6061 aluminum; UFS 2 bolt frame for 4x100 or 4x80 wheels and rockered set up options.

#### MOD 110 Frame

Extruded & machined 6061 aluminum; 2 bolt mount (180mm or 195mm mounting), for 4x100 wheels.

Stiff and responsive, machined 6061 aluminum; 2 bolt mount (180mm or

#### CUFF TECHNOLOGY

#### Stability Plus Cuff

The perfect blend of support, flexibility and comfort for a wide range of skater.

#### VO2 Cuff

A lightweight supportive cuff for bigger wheels and higher speeds.

#### Aggressive Cuff

Beefy support for big tricks.

#### MOD 110 Dual Density Cuff

Anatomical low profile cuff with 2 materials providing both stiffness and flexibility.

#### **REDLINE Removable Carbon Cuff**

Anatomically designed with carbon for lightweight low profile suppoer with the option to skate cuff-free.

SURGE 84

TPE Cuff - Polypropylene Composite Shell 6061 Extruded 260mm Frame Speed + Traditional Lacing - 84mm 82A Wheels ILO 5 Bearings - Threaded Hollow Steel Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12

Unisex Sizing = US Men's Only available in full sizes

F.I.T. 80 BOA®

TRIO LT 100 W

Stability Plus Cuff – Stamped Alumin Speed Lacing – 100mm 83A Wheels ILQ 7 Bearings

\*90mm 83A Wheels on US W size 4-5 \*\*Max Wheel size 90mm on US W size 4-5

M US: 5, 6-11 EU: 36.5, 38-49 UK: 4, 5-13 W US: 6-11 EU: 36-42.5 UK: 3.5-8.5

ALEXIS 80 BOA®

Stability Plus Cuff – F.B.I. Frame BOA® Fit System – 80mm 80A Wheels ABEC 5 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 W US: 6-11 EU: 36-42 UK: 3.5-8.5

UNISEX

# 

## SKATE OVERVIEW

#### HARDBOOT



SURGE 80 UNISEX TPE Cuff – Polypropylene Composite Shell 6061 Extruded 243mm\* Frame Speed + Traditional Lacing – 80mm 82A Wheel ILO 5 Bearings – Threaded Holtow Steel Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's Only available in full sizes \*Size 11-13 use 255mm frame

**FITNESS** 



F.I.T. 80 PRO ALEXIS 80 PRO Stability Plus Cuff – F.B.I. Frame Speed Lacing – 80mm 80A Wheels ABEC 5 Bearings M US: 5-13 EU: 36.5-48 UK: 4-12 W US: 6-11 EU: 36-42 UK: 3.5-8.5

LIFESTYLE



UPTOWN UNISEX

068

Aggressive Cuff Rockerable 243mm Aluminum Frame Traditional Lacing – 80mm 85A Wheels ILQ 7 Bearings – UFS Compatibility

UNISEX US: M 5-14 EU: 36.5-48 UK: 4-13 Unisex Sizing = US Men's \*Brake included. Assembly required.



SURGE 100 UNISEX

TPE Cuff - Polypropylene Composite Shell 6061 Extruded 265mm Frame Speed + Traditional Lacing - 100mm 82A Wheel ILO 7 Bearings - Threaded Hollow Steel Axles Vortech Ventilation Technology UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12

F.I.T. 80 ALU

ALEXIS 80 ALU

Stability Plus Cuff - Stamped Alumi Speed Lacing - 80mm 80A Wheels ABEC 5 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 W US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5

Unisex Sizing = US Men's Only available in full sizes



GRID 80 UNISEX

TPE Cuff - Polypropylene Composite Shell 6061 Extruded 243mm\* Frame Speed + Traditional Lacing - 80mm 82A Wheel ILO 5 Bearings - Threaded Hollow Steel Axles Vortech Ventilation Technology UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's Only available in full sizes \*Size 11-13 use 255mm fram



GRID 90

UNISEX

Nylon Cuff - Nylon Shell 6061 Extruded/Machined 273mm Rocker Fran Speed + Traditional Lacing - 90mm 85A Wheels ILO 9 Bearings - Threaded Alumnimum Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's Only available in full sizes



GRID 110 UNISEX

Nylon Cuff - Nylon Shell 6061 Extruded/Machined 255mm Rocker Frame Speed + Traditional Lacing - 110mm B5A Wheels ILQ 9 Bearings - Threaded Alumninum Axles Vortech Ventilation Technology UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12

Unisex Sizing = US Men's Only available in full sizes





**X-TRAINING** 

V02 S 90 PRO M

VO2 S 90 PRO W

VO2 Cuff - VO2 S Frame Spped Lacing - 90mm 83A Wheels ILQ 9 S Bearings - Flex Notch Vortech Ventilation Technology

M US: 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13 W US: 6-11 EU: 36-42.5 UK: 3.5-8.5





VO2 S 90 BOA® VO2 S 100X BOA® UNISEX VO2 Cuff - VO2 S Frame BOA® Fit System - 100mm/90mm 83A Whe ILQ 9 S Bearings - Flex Notch Vortech Ventilation Technology

VO2 Cuff - VO2 S Frame BOA® Fit System - 90mm 83A Wheels ILO 9 S Bearings - Flex Notch Vortech Ventiliation Technology

UNISEX US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-12

UNISEX

Unisex Sizing = US Men's

UNISEX US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-12

#### MARATHON



MOD 110 UNISEX MOD 110 Dual Density Cuff MOD 110 Extruded 6000 Series Frame Speed Lacing - 110mm 85A Wheels ILQ 9 Pro Bearings - Custom Fit Foam Ventilated Microfiber Upper

UNISEX US: M 6-13 EU: 38-48 UK: 5-12

UNISEX US: M 6-13 EU: 38-48 UK: 5-12

UNISEX

UNISEX US: M 6-13 EU: 38-48 UK: 5-12 Unisex Sizing = US Men's

Removable REDLINE Carbon Cuff Extruded 6000 Series Frame Traditional Lacing - 125mm 88A Wheels ILO 9 Pro Bearings - REDLINE Carbon Base Ventilated Microfiber Upper

#### YOUTH



RAIDER PRO MARLEE PRO



RAIDER BOA®

SK8 HERO BOA® ALU CHARM BOA® ALU

Stability Plus Cuff – Stamped Aluminum BDA® Fit System – 76mm 8DA Wheels ABEC 5 Bearings – 5 Size Adjustability



TRIO LT BOA® UNISEX Stability Plus Cuff - Stamped Aluminum BOA® Fit System - 100mm 83A Wheels ILQ 7 Bearings

UNISEX US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13 Unisex Sizing = US Men's



TRIO 110 UNISEX Urban Cuff - Rockerable Trio 110 Frame Traditional Lacing - 110mm 90A Wheels

ILQ 9 Bearings - UFS Compatibility UNISEX US: M 6-13 EU: 38-49 UK: 4-13 Unisex Sizing = US Men's \*Brake included. Assembly required.

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 W US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5

Stability Plus Cuff – Stamped Aluminum Frame Speed Lacing – 84mm 80A Wheels ILO 5 Bearings

F.I.T. 84 PRO

ALEXIS 84 PRO



F.I.T. 84 BOA® ALEXIS 84 BOA® Stability Plus Cuff – Stamped Aluminu BOA® Fit System – 84mm 80A Wheels ILQ 7 Bearings – Flex Notch

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 W US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5



ALEXIS 90 BOA® Stability Plus Cuff - Dye Cast Aluminum Frame BDA® Fit System - 90mm 83A Wheels ILQ 7 Bearings - Flex Notch

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 W US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5 \*84mm wheels on women's sizes 4 and 5





Stability Plus Cuff – F.B.I. Frame Speed Lacing – 72mm 80A Wheels ABEC 3 Bearings – 5 Size Adjustabilit



MARLEE BOA®

\*Max wheel size 76mm \*\*70mm 80A wheels on size S \*\*\*Max wheel size 72mm on siz

US M:1-5 L:4-8 EU M:32-37 L:35-40 UK M:13-4 L:3-7









UNISEX



#### V02 S 100 BOA® UNISEX

VO2 Cuff - VO2 S Frame BOA® Fit System - 100mm 83A Wheels ILO 9 S Bearings - Flex Notch Vortech Ventilation Technology

UNISEX US: M 8-14 EU: 40.5-49 UK: 7-13 Inisex Sizing = US Men's





SPLASH UNISEX

Stability Plus Cuff – F.B.I. Frame Speed Lacing – 72mm 80A Wheels ABEC 3 Bearings – 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8 EU S: 29-34 M: 32-37 L: 35-40 UK S: 10-1 M: 13-4 L: 3-7

\*Max wheel size 76mm \*\*70mm 80A wheels on size S \*\*\*Max wheel size 72mm on size S

