



SKATES

SPRING / SUMMER 2025



K2 Skates builds products to meet the year-round needs of the inline skating enthusiasts worldwide. In 1993 K2 revolutionized the skate industry by introducing the first-ever Softboot inline skates. This patented K2 technology pushed the envelope for inline skate innovation and forever changed the performance of the sport.



TABLE OF CONTENTS

- 01 HARDBOOT
 - SURGE 80.....06
 - SURGE 84.....10
 - SURGE 100.....14
 - GRID 80.....18
 - GRID 90.....22
 - GRID 110.....26
- 02 FITNESS
 - F.I.T. 80 PRO / ALEXIS 80 PRO.....30
 - F.I.T. 80 BOA® / ALEXIS 80 BOA®.....31
 - F.I.T. 80 ALU / ALEXIS 80 ALU.....34
 - F.I.T. 84 PRO / ALEXIS 84 PRO.....35
 - F.I.T. 84 BOA® / ALEXIS 84 BOA®.....38
 - F.I.T. 90 ALU / ALEXIS 90 ALU.....39
- 03 RECREATIONAL
 - KINETIC 80.....40
 - KINETIC 80 PRO.....41
- 04 LIFESTYLE
 - UPTOWN.....42
 - TRIO LT 100.....44
 - TRIO LT BOA®.....46
 - TRIO 110.....47
- 05 X-TRAINING
 - VO2 S 90 PRO.....48
 - VO2 S 90 BOA®.....49
 - VO2 S 100 BOA®.....50
 - VO2 S 100X BOA®.....51
- 06 MARATHON
 - MOD 110.....52
 - REDLINE 110.....53
 - REDLINE 125.....53
- 07 YOUTH
 - RAIDER / MARLEE.....54
 - RAIDER PRO / MARLEE PRO.....55
 - RAIDER BOA® / MARLEE BOA®.....55
 - SK8 HERO BOA® ALU / CHARM BOA® ALU.....56
 - SPLASH.....57
- 08 ACCESSORIES
 - HELMETS.....58
 - PADS.....60
 - FRAMES.....62
 - BEARINGS + TOOLS.....63
 - WHEELS.....64
 - BAGS + CARRIERS.....66
- 09 SIZING.....68
- 10 TECHNOLOGY.....69
- 11 SKATE OVERVIEW.....70

01



HARDBOOT

COMFORT



SUPPORT

CONTROL

PERFORMANCE



DURABILITY

SURGE

01

HARDBOOT

SURGE



SURGE 80

Designed for skaters of all levels, SURGE models offer K2 comfort, hardboot support, and durability. Elevate your skating experience.

TPE Cuff - Polypropylene Composite Shell
 6061 Extruded 243mm* Frame
 Speed + Traditional Lacing - 80mm 82A Wheels
 ILQ 5 Bearings - Threaded Hollow Steel Axles
 Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12
 Unisex Sizing = US Men's / Only available in full sizes
 *Size 11-13 use 255mm frame



FEATURING
POLYPROPYLENE SHELLS
+ TPE CUFFS FOR
360-DEGREE SUPPORT



VORTECH AIRFLOW CHANNELS
FOR COOLING + ADJUSTABLE
INSTEP RATCHET STRAPS
ENSURE A PERFECT FIT



SURGE 84

Designed for skaters of all levels, SURGE models offer K2 comfort, hardboot support, and durability. Elevate your skating experience.

TPE Cuff - Polypropylene Composite Shell
 6061 Extruded 260mm Frame
 Speed + Traditional Lacing - 84mm 82A Wheels
 ILQ 5 Bearings - Threaded Hollow Steel Axles
 Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12
 Unisex Sizing = US Men's / Only available in full sizes



BUILT WITH RIGID 6061 ALUMINUM FRAMES OPTIMIZED FOR MANEUVERABILITY + STABILITY



SURGE MODELS COME WITH ENERGETIC 82A WHEELS + ILQ BEARINGS FOR A FAST RIDE



SURGE 100

Designed for skaters of all levels, SURGE models offer K2 comfort, hardboot support, and durability. Elevate your skating experience.

TPE Cuff - Polypropylene Composite Shell
 6061 Extruded 265mm Frame
 Speed + Traditional Lacing - 100mm 82A Wheels
 ILQ 7 Bearings - Threaded Hollow Steel Axles
 Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12
 Unisex Sizing = US Men's / Only available in full sizes



HARDBOOT

GRID



GRID 80

Unparalleled performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long.

Nylon Cuff - Nylon Shell
6061 Extruded 243mm* Rocker Frame
Speed + Traditional Lacing - 90mm 85A Wheels
ILQ 9 Bearings - Threaded Aluminum Axles
Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12
Unisex Sizing = US Men's / Only available in full sizes
*Size 11-13 use 255mm frame





NYLON SHELLS + CUFFS FOR OPTIMAL SUPPORT AND A SMOOTH RIDE / BUILT-IN VORTECH AIRFLOW CHANNELS KEEP YOU COOL DURING LONG SESSIONS



3-POSITION ALUMINUM MOUNTING BLOCKS ENABLE FRAME ADJUSTMENTS AND QUICK POWER TRANSFER / ADJUSTABLE INSTEP RATCHET STRAPS FINE-TUNE FIT



GRID 90

Unparalleled performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long.

Nylon Cuff - Nylon Shell
 6061 Extruded/Machined 273mm Rocker Frame
 Speed + Traditional Lacing - 90mm 85A Wheels
 ILQ 9 Bearings - Threaded Aluminum Axles
 Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12
 Unisex Sizing = US Men's / Only available in full sizes





FLEX LOCK FEATURE OFFERS EXTRA SUPPORT FOR INCREASED RANGE OF MOTION / 3 FAST FRAME-WHEEL CONFIGURATIONS



HIGH-ENERGY 85A WHEELS + CNC-MACHINES ALUMINUM FRAMES / FULLY HEAT-MOLDABLE K2/INTUITION GRID LINERS ENSURE LONG-LASTING RESPONSE AND THE PERFECT FIT



GRID 110

Unparalleled performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long.

Nylon Cuff - Nylon Shell
 6061 Extruded/Machined 255mm Rocker Frame
 Speed + Traditional Lacing - 110mm 85A Wheels
 ILQ 9 Bearings - Threaded Aluminum Axles
 Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12
 Unisex Sizing = US Men's / Only available in full sizes



02

FITNESS

F.I.T + ALEXIS



**F.I.T 80 PRO
ALEXIS 80 PRO**

For newcomers looking for performance and style; high-quality, tried + tested upper ensures that the skate is breathable and comfortable.

Stability Plus Cuff - F.B.I. Frame
Speed Lacing - 80mm 80A Wheels
ABEC 5 Bearings

M US: 5-13 EU: 36.5-48 UK: 4-12
W US: 6-11 EU: 36-42 UK: 3.5-8.5



**F.I.T. 80 BOA®
ALEXIS 80 BOA®**

Combination of K2 Original SoftBoot, easy-to-use BOA® Fit System + the vibration-damping Tec Composite frame gives the optimal support.

Stability Plus Cuff - F.B.I. Frame
BOA® Fit System - 80mm 80A Wheels
ABEC 5 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12
W US: 6-11 EU: 36-42 UK: 3.5-8.5



DESIGNED WITH A STABLE + SUPPORTIVE FRAME, PROVIDING YOU WITH A STRONG FOUNDATION



CHALLENGE YOURSELF TO HIT NEW DISTANCES + SET NEW GOALS



**F.I.T. 80 ALU
ALEXIS 80 ALU**

Take your full-body workout or cardio session outside. Our motto: Put your workout on wheels! An ideal package for anyone who wants to start skating.

Stability Plus Cuff - Stamped Aluminum Frame
Speed Lacing - 80mm 80A Wheels
ABEC 5 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12
W US: 4, 5, 6-11 EU: 34, 35, 36-42.5
UK: 1.5, 2, 3.5-8.5



**F.I.T. 84 PRO
ALEXIS 84 PRO**

The most versatile skate - whether you're new to skating or an advanced skater; Offering everything you could possibly need in a skate.

Stability Plus Cuff - Stamped Aluminum Frame
Speed Lacing - 84mm 80A Wheels
ILQ 5 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12
W US: 4, 5, 6-11 EU: 34, 35, 36-42.5
UK: 1.5, 2, 3.5-8.5



EMBRACE YOUR FULL POTENTIAL
AS YOU PUSH THE BOUNDARIES OF
WHAT YOU THOUGHT POSSIBLE



CHALLENGE YOURSELF TO
HIT NEW DISTANCES + SET
NEW GOALS



**F.I.T. 84 BOA®
ALEXIS 84 BOA®**

Legendary K2 Original SoftBoot, the easy-to-use BOA® Fit System + the vibration-damping Tec Composite frame gives the optimal support.

Stability Plus Cuff - Stamped Aluminum Frame
BOA® Fit System - 84mm 80A Wheels
ILQ 7 Bearings - Flex Notch

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12
W US: 4, 5, 6-11 EU: 34, 35, 36-42.5
UK: 1.5, 2, 3.5-8.5



**F.I.T. 90 BOA®
ALEXIS 90 BOA®**

On sunny days the strenuous workout you planned for the gym can be moved to the outdoors with a focus on strength, endurance and coordination.

Stability Plus Cuff - Dye Cast Aluminum Frame
BOA® Fit System - 90mm 83A Wheels
ILQ 7 Bearings - Flex Notch

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12
W US: 4, 5, 6-11 EU: 34, 35, 36-42.5
UK: 1.5, 2, 3.5-8.5

*84mm wheels on women's sizes 4 and 5

03

RECREATIONAL

KINETIC



KINETIC 80 M
KINETIC 80 W

The perfect skate for the beginner or casual skater. These are the perfect skates for a leisurely neighborhood cruise or a few laps around the park.

Stability Plus Cuff - F.B.I. Frame
Traditional Lacing - 80mm 80A Wheels
ABEC 5 Bearings

M US: 5-14 EU: 36.5-49 UK: 4-13
W US: 6-11 EU: 36-42 UK: 3.5-8.5



KINETIC 80 PRO M
KINETIC 80 PRO W

An excellent value for those looking for a recreational skate that brings the tech, but not the price tag; the perfect skate that brings the fun to the pavement!

Stability Plus Cuff - F.B.I. Frame
Speed Lacing - 80mm 80A Wheels
ABEC 5 Bearings

M US: 5-14 EU: 36.5-49 UK: 4-13
W US: 6-11 EU: 36-42 UK: 3.5-8.5

04

LIFESTYLE

UPTOWN



UPTOWN

A look that strikes the balance of modern aesthetic + timeless style. A versatile, durable skate with style to spare; making itself at home everywhere.

Aggressive Cuff
 Rockerable 243mm Aluminum Frame
 Traditional Lacing - 80mm 85A Wheels
 ILQ 7 Bearings - UFS Compatibility

UNISEX US: M 5-14 EU: 36.5-48 UK: 4-13
 Unisex Sizing = US Men's
 *Brake included. Assembly required.

LIFESTYLE

TRIO



TRIO LT 100 M
TRIO LT 100 W

A lifestyle skate like no other. It's lighter than our previous TRIO skates for easier cruising, flexibility + mobility while skating. Good fit, more fun!

Stability Plus Cuff - Stamped Aluminum Frame
Speed Lacing - 100mm 83A Wheels
ILQ 7 Bearings

M US: 5, 6-11 EU: 36.5, 38-49 UK: 4, 5-13
W US: 6-11 EU: 36-42.5 UK: 3.5-8.5

*90mm 83A Wheels on US W size 4-5
**Max Wheel size 90mm on US W size 4-5



TRIO LT BOA®

For fitness, commuting and exploration, all in one. Lighter than our previous TRIO skates, making cruising easier + ensuring flexibility + mobility while skating.

Stability Plus Cuff - Stamped Aluminum Frame
BOA® Fit System - 100mm 83A Wheels
ILQ 7 Bearings

UNISEX

US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13
Unisex Sizing = US Men's



TRIO 110

Unparalleled lifestyle skate and the big brother of the TRIO 100. Providing optimum support to be at the forefront while showing off a fashionable look.

Urban Cuff - Rockerable Trio 110 Frame
Traditional Lacing - 110mm 90A Wheels
ILQ 9 Bearings - UFS Compatibility

UNISEX US: M 6-13 EU: 38-49 UK: 4-13
Unisex Sizing = US Men's
*Brake included. Assembly required.

05

X-TRAINING

V02 S



**V02 S 90 PRO M
V02 S 90 PRO W**

Impressive power transmission for strenuous training sessions; the perfect choice for ambitious fitness skaters who like high speed + a smooth ride.

V02 Cuff - V02 S Frame
Sped Lacing - 90mm 83A Wheels
ILQ 9 S Bearings - Flex Notch
Vortech Ventilation Technology

M US: 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13
W US: 6-11 EU: 36-42.5 UK: 3.5-8.5



V02 S 90 BOA®

Making a quick adjustment while going along is no longer a problem. The perfect choice for ambitious fitness skaters. Put your next workout on wheels!

V02 Cuff - V02 S Frame
BOA® Fit System - 90mm 83A Wheels
ILQ 9 S Bearings - Flex Notch
Vortech Ventilation Technology

UNISEX
US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13
Unisex Sizing = US Men's



V02 S 100X BOA®

Bigger, faster with innovative single-sided frame on these performance-oriented X-Training skates. For ambitious athletes in a rush.

V02 Cuff - V02 S Frame
BOA® Fit System - 100mm/90mm 83A Wheels
ILQ 9 S Bearings - Flex Notch
Vortech Ventilation Technology

UNISEX

US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13
Unisex Sizing = US Men's



V02 S 100 BOA®

The highest model of the new X-Training skates with lots of innovative tech. Maximum speed, a smooth + sleek ride with maximum shock absorption.

V02 Cuff - V02 S Frame
BOA® Fit System - 100mm 83A Wheels
ILQ 9 S Bearings - Flex Notch
Vortech Ventilation Technology

UNISEX

US: M 8-14 EU: 40.5-49 UK: 7-13
Unisex Sizing = US Men's

06

MARATHON

MOD + REDLINE



REDLINE 110

Madshus, the world-renowned Nordic ski brand has teamed up with K2 Skates to bring endurance athletes the next evolution of marathon skates.

Removable REDLINE Carbon Cuff
 Extruded 6000 Series Frame
 Traditional Lacing - 110mm 88A Wheels
 ILQ 9 Pro Bearings - REDLINE Carbon Base
 Ventilated Microfiber Upper

UNISEX US: M 6-13 EU: 38-48 UK: 5-12
 Unisex Sizing = US Men's



MOD 110

We know that when it comes to marathon skating one thing matters above all... speed. A premium endurance skate designed to go fast. Enjoy the ride!

MOD 110 Dual Density Cuff
 MOD 110 Extruded 6000 Series Frame
 Speed Lacing - 110mm 85A Wheels
 ILQ 9 Pro Bearings - Custom Fit Foam
 Ventilated Microfiber Upper

UNISEX US: M 6-13 EU: 38-48 UK: 5-12
 Unisex Sizing = US Men's



REDLINE 125

The next level of the Madshus X K2 Skates collab. An evolution in lightweight, high-speed marathon skates. Truly a force to be reckoned with.

Removable REDLINE Carbon Cuff
 Extruded 6000 Series Frame
 Traditional Lacing - 125mm 88A Wheels
 ILQ 9 Pro Bearings - REDLINE Carbon Base
 Ventilated Microfiber Upper

UNISEX US: M 6-13 EU: 38-48 UK: 5-12
 Unisex Sizing = US Men's

07

YOUTH

RAIDER + MARLEE



**RAIDER PRO PACK
MARLEE PRO PACK**

The perfect starter kit for kids! High quality + powerful performance. Pro Pack includes skates, knee and elbow pads and wrist guards.

Stability Plus Cuff - F.B.I. Frame
Speed Lacing - 72mm 80A Wheels
ABEC 3 Bearings - 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8
EU S: 29-34 M: 32-37 L: 35-40
UK S: 10-1 M: 13-4 L: 3-7

*Max wheel size 76mm
**70mm 80A wheels on size S
***Max wheel size 72mm on size S



**RAIDER
MARLEE**

A great first pair of skates for the kids; vibration absorbing composite frame interlocked with the base, keeping children more balanced.

Stability Plus Cuff - F.B.I. Frame
Traditional Lacing - 70mm 80A Wheels
ABEC 3 Bearings - 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8
EU S: 29-34 M: 32-37 L: 35-40
UK S: 10-1 M: 13-4 L: 3-7

*Max wheel size 76mm
**Max wheel size 72mm on size S



**RAIDER BOA®
MARLEE BOA®**

A fantastic skate for your child - they both feature high quality + performance so your child will have even more fun. Size adjustment for more fun than one season!

Stability Plus Cuff - F.B.I. Frame
BOA® Fit System - 72mm 80A Wheels
ABEC 3 Bearings - 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8
EU S: 29-34 M: 32-37 L: 35-40
UK S: 10-1 M: 13-4 L: 3-7

*Max wheel size 76mm
**70mm 80A wheels on size S
***Max wheel size 72mm on size S

YOUTH — SK8 HERO + CHARM

SPLASH



**SK8 HERO BOA@ ALU
CHARM BOA@ ALU**

For the child that wants to skate like a champ; adjustable skates with the features + performance level to allow them to excel at the sport they love.

Stability Plus Cuff - Stamped Aluminum Frame
BOA@ Fit System - 76mm 80A Wheels
ABEC 5 Bearings - 5 Size Adjustability

US M: 1-5 L: 4-8
EU M: 32-37 L: 35-40
UK M: 13-4 L: 3-7



SPLASH

Perfect for the creative and active kid. High quality coloring book style upper with multi-colored pens + wheels. Let your imagination run wild!

Stability Plus Cuff - F.B.I. Frame
Speed Lacing - 72mm 80A Wheels
ABEC 3 Bearings - 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8
EU S: 29-34 M: 32-37 L: 35-40
UK S: 10-1 M: 13-4 L: 3-7

*Max wheel size 76mm
**70mm 80A wheels on size S
***Max wheel size 72mm on size S

08

ACCESSORIES

HELMETS



Varsity MIPS®

Our tried + true Varsity helmet now featuring MIPS® Evolve technology. Still with comfortable and safe features.

ABS Shell - EPS Liner
Sealed Fit Pads - Micro-Adjust Fit System
CPSC + EN1078 Certifications
Traditional Strap

COLORS: Black, Gray

S:48-54cm M:55-58cm L:59-61cm



Varsity

Our Varsity helmet is designed for both kids and adults and is equipped with the features needed for a safe and comfortable skate session.

ABS Shell - EPS Liner
Fit Pads - Ratchet Fit System
CPSC + EN1078 Certifications
Traditional Strap

COLORS: Black, White, Yellow, Seafoam

S:48-54cm M:55-58cm L:59-61cm



Varsity Pro

Look sharp while staying safe with multiple features to keep you safe when you're rolling on the pavement.

ABS Shell - EPS Liner
Sealed Fit Pads - Micro-Adjust Fit System
CPSC + EN1078 Certifications
Reflective Strap

COLORS: Black, Gray, Dark Teal, Burgundy Orange

S:48-54cm M:55-58cm L:59-61cm



ACCESSORIES

PADS



MACH DUAL SUSPENSION PROTECTIVE GEAR

PE protective caps - Shock resistant elastomers
 Front side adjustable fasteners
 Abrasion resistant contoured mesh - Reflective panels
 Cool Max Moisture Control Lining - Impact absorbing gel cushions
 UNISEX: S, M, L EN14120:2003+A1:2007



RAIDER PRO + MARLEE PRO PAD SET

Keep the kids skating scrap-free with a smile
 Durable plastic caps - Breathable mesh - Elastic straps
 Secure + comfortable fit
 YOUTH: XS, S EN14120:2003+A1:2007



JUNIOR PAD SET

Knee pads - Elbow pads - Wrist guards - Durable plastic caps
 Protect from impacts + abrasions
 YOUTH: XS, S EN14120:2003+A1:2007



PERFORMANCE PAD SET

Premium protection within an athletic profile that is not too bulky
 Elbow pads - Knee pads - Wrist guards
 M: S, M, L W: S, M, L EN14120:2003+A1:2007



MOTO PAD SET

Elbow pads - Knee pads - Wrist guards - Durable plastic caps
 Breathable mesh panels - Elastic straps for secure fit
 MEN'S: S, M, L, XL EN14120:2003+A1:2007



ALEXIS PAD SET

Designed specifically for women - Elbow pads - Knee pads - Wrist guards
 Durable plastic caps - Breathable mesh panels - Elastic straps for secure fit
 WOMEN'S: S, M, L, XL EN14120:2003+A1:2007



REDLINE RACE GUARD SET

High speed, low drag protection - Knee guards - Elbow Guards - Gloves
 UNISEX: S, M, L

ACCESSORIES

FRAMES + BEARINGS + TOOLS



TRIO 100 FRAME KIT

Max wheel size 100mm

UFS Mounting
Rockerable 2nd wheel
6061 Series Aluminum

S: 250mm | US M size 6-7.5
M: 270 mm | US M size 8-10.5
L: 285mm | US M size 11-13

*Includes 6mm frame spacers, bearing spacers, and axles



TRIO 110 FRAME KIT

Max wheel size 110mm

UFS Mounting
Rockerable 2nd wheel
6061 Series Aluminum

S: 255mm | US M size 6-7.5
M: 270 mm | US M size 8-10.5
L: 285mm | US M size 11-13

*Includes 6mm frame spacers, bearing spacers, and axles



RC100 CNC ALUMINUM FRAME KIT

Max wheel size 100mm

UFS Mounting
Rockerable 311mm Wheelbase
6061 Series Aluminum

*Includes 6mm frame spacers, bearing spacers, and axles (6mm frame spacers for rocker setups)



RC80 CNC ALUMINUM FRAME KIT

Max wheel size 100mm

UFS Mounting
Rockerable 343mm Wheelbase
6061 Series Aluminum

*Includes 6mm frame spacers, bearing spacers, and axles (6mm frame spacers for rocker setups)



ILQ 5

Grease Lubricant
Steel Retainers
Double-Sided Metal Shield
Pack of 16



ILQ 7

Grease Lubricant
Steel Retainers
Double-Sided Metal Shield
Pack of 16



ILQ 9

TK Gel 6-Ball Design
Nylon Retainers
One-Sided Metal Shield
Pack of 16



ILQ 9 PRO

TK Gel 6-Ball Design
Nylon Retainers
Rubber Shield
Pack of 16



K2 BREW TOOL

This multi-tool helps you adjust your bearings and axles. Its longer length makes it easy to access the frame mount bolts through the wheels. Opens beer too!




RUBBER BREAK STOPPER

This classic brake fits most all K2 skates made since 1999.

ACCESSORIES

WHEELS




BOOSTER 72mm/80A* | 4 or 8 pack
 BOOSTER 76mm/80A* | 4 or 8 pack
 BOOSTER 80mm/82A** | 4 or 8 pack
 BOOSTER 84mm/82A** | 4 or 8 pack

BOLT SPEED WHEEL SERIES

High-speed urethane with a race profile for a light + fast roll; High rebound and durability; the performance choice for X-Trainers.

90mm (4 + 8-packs) - 100mm (only 4-packs)
 ILQ-9 Bearings + spacers incl.
 Resuable storage bag incl.



STROBE 72mm/85A | 2 pack
 STROBE 80mm/85A | 2 pack
 STROBE 84mm/85A | 2 pack
 STROBE 90mm/85A | 2 pack

STROBE WHEEL SERIES

Illuminate your skates! The new Strobe wheels light up the pavement when in motion with red LEDs powered by magnetic strip spacers.

72mm/85A - 80mm/85A
 84mm/85A - 90mm/85A
 Available in 2-packs



BOLT SPEED 90mm/85A | 4 or 8 pack
 BOLT SPEED 100mm/85A | 4 pack
 *Includes ILQ-9 bearings and ALU Spacers

BOLT SPEED WHEEL SERIES

High-speed urethane with a race profile for a light + fast roll; High rebound + durability; the performance choice for X-Trainers.

90mm (4 + 8-packs) - 100mm (only 4-packs)
 ILQ-9 Bearings + spacers incl.
 Resuable storage bag incl.



BOLT URBAN 80mm/XTRA FIRM | 4 pack
 BOLT URBAN 100mm/XTRA FIRM | 2 pack
 BOLT URBAN 110mm/XTRA FIRM | 2 pack

BOLT URBAN WHEEL SERIES

Full-wheel profile for speed, stability and versatility in the city + beyond.

80mm/Xtra Firm (4-packs) - 100mm/Xtra Firm (2-packs) - 110mm/Xtra Firm (2-packs)
 Resuable storage bag incl.



FLASH DISC 110mm/XTRA FIRM | Single pack
 FLASH DISC 125mm/XTRA FIRM | Single pack

FLASH DISC WHEEL SERIES

Made up of dual urethanes + an aerodynamic disc hub that provides support and speed, while reducing drag.

110mm/88A - 125mm/Xtra Firm
 Sold Individually - ILQ-9 Pro Bearings included
 Resuable storage bag included



RAINFLY 90mm/85A | 4 pack
 RAINFLY 110mm/85A | 4 pack

RAIN FLY WHEEL SERIES

Grip it and rip it with dual- injected wheels with high rebound + high grip; designed for skating in wet conditions.

90mm/85A - 110mm/85A
 Available in 4-packs

ACCESSORIES

BAGS + CARRIERS



SKATE CARRIERS

Our carriers are a convenient way to store and travel with your skating gear. It's designed to fit a pair of skates, helmet and pad set and features three external zippered pockets and ventilation panels.

Skate - Alliance - F.I.T.



K2 BACKPACK

The new K2 Backpack is a 30-liter all-purpose pack ready to take on anything that comes its way. Loaded with functional features like a padded back panel and laptop sleeve, external zip pocket and water bottle storage, adjustable chest strap, bicycle light clip and external bungee storage. This pack is ready for work, play and anything in between.

09

SIZING

MEN'S SIZING CHART

US MEN'S	US WOMEN'S	UK ADULT	EURO ADULT	FOOT LENGH (CM)
5	6	4	36.5	23
6	7	5	38	24
6.5	7.5	5.5	39	24.5
7	8	6	39.5	25
7.5	8.5	6.5	40	25.5
8	9	7	40.5	26
8.5	9.5	7.5	41.5	26.5
9	10	8	42	27
9.5	10.5	8.5	42.5	27.5
10	11	9	43.5	28
10.5		9.5	44	28.5
11		10	44.5	29
11.5		10.5	45	29.5
12		11	46	30
12.5		11.5	47	30.5
13		12	48	31
14		13	49	32

WOMEN'S SIZING CHART

US WOMEN'S	UK ADULT	EURO ADULT	FOOT LENGH (CM)
4	1.5	34	21
5	2	35	22
6	3.5	36	23
6.5	4	36.5	23.5
7	4.5	37	24
7.5	5	38	24.5
8	5.5	39	25
8.5	6	39.5	25.5
9	6.5	40	26
9.5	7	40.5	26.5
10	7.5	41.5	27
10.5	8	42	27.5
11	8.5	42.5	28

YOUTH SIZING CHART

US JUNIOR	UK JUNIOR	EURO JUNIOR	FOOT LENGTH (CM)
11 - 2	10 - 1	29 - 34	17 - 20.5
1 - 5	13 - 4	32 - 37	19.5 - 23
4 - 8	3 - 7	35 - 40	22 - 25.5

HELMET SIZING CHART

HELMET SIZE	HEAD CIRCUMFERENCE (IN)	HEAD CIRCUMFERENCE (CM)
S	18.8 - 21.2	48 - 54
M	21.6 - 22.8	55 - 58
L	23.2 - 24	59 - 61

10

TECHNOLOGY

CLOSURE TECHNOLOGY

Traditional Lacing
Customize your lacing and knot the same way you tie your shoes.

Speed Lacing
Secure your skates with one pull. The K2 Speed Lacing System makes it easy to get in and out of your skates. Just one pull of the lace, roll, and stow and you're ready to skate - that easy.

THE BOA® FIT SYSTEM

Agility and Speed
The BOA Fit System enables faster, more powerful directional changes through a seamless connection between body and equipment.

Power and Precision
Power without compromising precision, the BOA® Fit System delivers more explosive action and unparalleled accuracy,

Endurance and Health
Go further, faster, and stronger. The BOA® Fit System saves energy by improving circulation and efficiency.

Durability and Quality
Engineered with high quality, durable materials, the BOA® Fit System is guaranteed to perform in any environment.

FRAME TECHNOLOGY

F.B.I Frame
Composite recreational frame that establishes a low center of gravity and absorbs road vibration.

Stamped Aluminum Frame
Responsive, stiff and durable stamped aluminum for acceleration and speed.

D.C Aluminum Frame
Responsive and stiff die cast aluminum for acceleration, speed and control.

V02 S Frame
Single sided extruded & machine 6061 aluminum frames for bigger wheel XT skates - Responsive, fast and vibration absorbing.

TRIO Frame
Extruded & machine 6061 aluminum; UFS 2 bolt for 3x100 wheels & rockered set up options.

TRIO S Frame
Extruded & machine 6061 aluminum; Single sided UFD 2 bolt frame for 3x100 wheels.

R100/R80 Frames
Extruded & machined 6061 aluminum; UFS 2 bolt frame for 4x100 or 4x80 wheels and rockered set up options.

MOD 110 Frame
Extruded & machined 6061 aluminum; 2 bolt mount (180mm or 195mm mounting), for 4x100 wheels.

REDLINE 110/125 Frame
Stiff and responsive, machined 6061 aluminum; 2 bolt mount (180mm or 195mm mounting).

CUFF TECHNOLOGY

Stability Plus Cuff
The perfect blend of support, flexibility and comfort for a wide range of skater.

V02 Cuff
A lightweight supportive cuff for bigger wheels and higher speeds.

Aggressive Cuff
Beefy support for big tricks.

MOD 110 Dual Density Cuff
Anatomical low profile cuff with 2 materials providing both stiffness and flexibility.

REDLINE Removable Carbon Cuff
Anatomically designed with carbon for lightweight low profile support with the option to skate cuff-free.

11

SKATE OVERVIEW

HARDBOOT



SURGE 80 UNISEX

TPE Cuff - Polypropylene Composite Shell
6061 Extruded 243mm* Frame
Speed + Traditional Lacing - 80mm 82A Wheels
ILO 5 Bearings - Threaded Hollow Steel Axles
Vortech Ventilation Technology

UNISEX
US: M 5-13 EU: 36.5-48 UK: 4-12
Unisex Sizing + US Men's
Only available in full sizes
*Size 11-13 use 255mm frame



SURGE 84 UNISEX

TPE Cuff - Polypropylene Composite Shell
6061 Extruded 255mm Frame
Speed + Traditional Lacing - 84mm 82A Wheels
ILO 5 Bearings - Threaded Hollow Steel Axles
Vortech Ventilation Technology

UNISEX
US: M 5-13 EU: 36.5-48 UK: 4-12
Unisex Sizing + US Men's
Only available in full sizes



SURGE 100 UNISEX

TPE Cuff - Polypropylene Composite Shell
6061 Extruded 255mm Frame
Speed + Traditional Lacing - 100mm 82A Wheels
ILO 7 Bearings - Threaded Hollow Steel Axles
Vortech Ventilation Technology

UNISEX
US: M 5-13 EU: 36.5-48 UK: 4-12
Unisex Sizing + US Men's
Only available in full sizes



GRID 80 UNISEX

TPE Cuff - Polypropylene Composite Shell
6061 Extruded/Machined 243mm* Frame
Speed + Traditional Lacing - 80mm 82A Wheels
ILO 5 Bearings - Threaded Hollow Steel Axles
Vortech Ventilation Technology

UNISEX
US: M 5-13 EU: 36.5-48 UK: 4-12
Unisex Sizing + US Men's
Only available in full sizes
*Size 11-13 use 255mm frame



GRID 90 UNISEX

Nylon Cuff - Nylon Shell
6061 Extruded/Machined 273mm Rocker Frame
Speed + Traditional Lacing - 90mm 85A Wheels
ILO 9 Bearings - Threaded Aluminum Axles
Vortech Ventilation Technology

UNISEX
US: M 5-13 EU: 36.5-48 UK: 4-12
Unisex Sizing + US Men's
Only available in full sizes



GRID 110 UNISEX

Nylon Cuff - Nylon Shell
6061 Extruded/Machined 255mm Rocker Frame
Speed + Traditional Lacing - 110mm 85A Wheels
ILO 9 Bearings - Threaded Aluminum Axles
Vortech Ventilation Technology

UNISEX
US: M 5-13 EU: 36.5-48 UK: 4-12
Unisex Sizing + US Men's
Only available in full sizes

X-TRAINING



VO2 S 90 PRO M VO2 S 90 PRO W

VO2 Cuff - VO2 S Frame
Spped Lacing - 90mm 83A Wheels
ILO 9 S Bearings - Flex Notch
Vortech Ventilation Technology

M US: 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13
W US: 6-11 EU: 36-42.5 UK: 3.5-8.5



VO2 S 90 BOA@ UNISEX

VO2 Cuff - VO2 S Frame
BOA@ Fit System - 90mm 83A Wheels
ILO 9 S Bearings - Flex Notch
Vortech Ventilation Technology

UNISEX
US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-12
Unisex Sizing + US Men's



VO2 S 100X BOA@ UNISEX

VO2 Cuff - VO2 S Frame
BOA@ Fit System - 100mm/90mm 83A Wheels
ILO 9 S Bearings - Flex Notch
Vortech Ventilation Technology

UNISEX
US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-12
Unisex Sizing + US Men's



VO2 S 100 BOA@ UNISEX

VO2 Cuff - VO2 S Frame
BOA@ Fit System - 100mm 83A Wheels
ILO 9 S Bearings - Flex Notch
Vortech Ventilation Technology

UNISEX
US: M 8-14 EU: 40.5-49 UK: 7-13
Unisex Sizing + US Men's

FITNESS



F.I.T. 80 PRO ALEXIS 80 PRO

Stability Plus Cuff - F.B.I. Frame
Speed Lacing - 80mm 80A Wheels
ABEC 5 Bearings

M US: 5-13 EU: 36.5-48 UK: 4-12
W US: 6-11 EU: 36-42 UK: 3.5-8.5



F.I.T. 80 BOA@ ALEXIS 80 BOA@

Stability Plus Cuff - F.B.I. Frame
BOA@ Fit System - 80mm 80A Wheels
ABEC 5 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12
W US: 6-11 EU: 36-42 UK: 3.5-8.5



F.I.T. 80 ALU ALEXIS 80 ALU

Stability Plus Cuff - Stamped Aluminum Frame
Speed Lacing - 80mm 80A Wheels
ABEC 5 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12
W US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5



F.I.T. 84 PRO ALEXIS 84 PRO

Stability Plus Cuff - Stamped Aluminum Frame
Speed Lacing - 84mm 80A Wheels
ILO 7 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12
W US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5



F.I.T. 84 BOA@ ALEXIS 84 BOA@

Stability Plus Cuff - Stamped Aluminum Frame
BOA@ Fit System - 84mm 80A Wheels
ILO 7 Bearings - Flex Notch

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12
W US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5



F.I.T. 90 BOA@ ALEXIS 90 BOA@

Stability Plus Cuff - Dye Cast Aluminum Frame
BOA@ Fit System - 90mm 80A Wheels
ILO 7 Bearings - Flex Notch

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12
W US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5

*84mm wheels on women's sizes 4 and 5

RECREATIONAL



KINETIC 80 M KINETIC 80 W

Stability Plus Cuff - F.B.I. Frame
Traditional Lacing - 80mm 80A Wheels
ABEC 5 Bearings

M US: 5-14 EU: 36.5-49 UK: 4-13
W US: 6-11 EU: 36-42 UK: 3.5-8.5



KINETIC 80 PRO M KINETIC 80 PRO W

Stability Plus Cuff - F.B.I. Frame
Speed Lacing - 80mm 80A Wheels
ABEC 5 Bearings

M US: 5-14 EU: 36.5-49 UK: 4-13
W US: 6-11 EU: 36-42 UK: 3.5-8.5

MARATHON



MOD 110 UNISEX

MOD 110 Dual Density Cuff
MOD 110 Extruded 6000 Series Frame
Speed Lacing - 110mm 85A Wheels
ILO 9 Pro Bearings - Custom Fit Foam
Ventilated Microfiber Upper

UNISEX
US: M 6-13 EU: 38-48 UK: 5-12
Unisex Sizing + US Men's



REDLINE 110 UNISEX

Removable REDLINE Carbon Cuff
Extruded 6000 Series Frame
Traditional Lacing - 110mm 88A Wheels
ILO 9 Pro Bearings - REDLINE Carbon Base
Ventilated Microfiber Upper

UNISEX
US: M 6-13 EU: 38-48 UK: 5-12
Unisex Sizing + US Men's



REDLINE 125 UNISEX

Removable REDLINE Carbon Cuff
Extruded 6000 Series Frame
Traditional Lacing - 125mm 88A Wheels
ILO 9 Pro Bearings - REDLINE Carbon Base
Ventilated Microfiber Upper

UNISEX
US: M 6-13 EU: 38-48 UK: 5-12
Unisex Sizing + US Men's

LIFESTYLE



UPTOWN UNISEX

Aggressive Cuff
Rockerable 243mm Aluminum Frame
Traditional Lacing - 80mm 85A Wheels
ILO 7 Bearings - UFS Compatibility

UNISEX
US: M 5-14 EU: 36.5-48 UK: 4-13
Unisex Sizing + US Men's
*Brake included. Assembly required.



TRIO LT 100 M TRIO LT 100 W

Stability Plus Cuff - Stamped Aluminum Frame
Speed Lacing - 100mm 83A Wheels
ILO 7 Bearings

M US: 5, 6-11 EU: 36.5, 38-49 UK: 4, 5-13
W US: 6-11 EU: 36-42.5 UK: 3.5-8.5
*80mm 83A Wheels on US W size 4-5
**Max wheel size 80mm on US W size 4-5



TRIO LT BOA@ UNISEX

Stability Plus Cuff - Stamped Aluminum Frame
BOA@ Fit System - 100mm 83A Wheels
ILO 7 Bearings

UNISEX
US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13
Unisex Sizing + US Men's



TRIO 110 UNISEX

Urban Cuff - Rockerable Trio 110 Frame
Traditional Lacing - 110mm 90A Wheels
ILO 9 Bearings

UNISEX
US: M 6-13 EU: 38-49 UK: 4-13
Unisex Sizing + US Men's
*Brake included. Assembly required.

YOUTH



RAIDER MARLEE

Stability Plus Cuff - F.B.I. Frame
Traditional Lacing - 70mm 80A Wheels
ABEC 3 Bearings - 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8
EU S: 29-34 M: 32-37 L: 35-40
UK S: 10-1 M: 13-4 L: 3-7
**Max wheel size 70mm
***Max wheel size 72mm on size 5



RAIDER PRO + PRO PACK MARLEE PRO + PRO PACK

Stability Plus Cuff - F.B.I. Frame
Speed Lacing - 72mm 80A Wheels
ABEC 3 Bearings - 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8
EU S: 29-34 M: 32-37 L: 35-40
UK S: 10-1 M: 13-4 L: 3-7
**Max wheel size 70mm
***Max wheel size 72mm on size 5



RAIDER BOA@ MARLEE BOA@

Stability Plus Cuff - F.B.I. Frame
BOA@ Fit System - 72mm 80A Wheels
ABEC 3 Bearings - 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8
EU S: 29-34 M: 32-37 L: 35-40
UK S: 10-1 M: 13-4 L: 3-7
**Max wheel size 70mm
***Max wheel size 72mm on size 5



SK8 HERO BOA@ ALU CHARM BOA@ ALU

Stability Plus Cuff - Stamped Aluminum Frame
BOA@ Fit System - 76mm 80A Wheels
ABEC 3 Bearings - 5 Size Adjustability

US M: 1-5 L: 4-8
EU S: 29-34 M: 32-37 L: 35-40
UK M: 13-4 L: 3-7



SPLASH UNISEX

Stability Plus Cuff - F.B.I. Frame
Speed Lacing - 72mm 80A Wheels
ABEC 3 Bearings - 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8
EU S: 29-34 M: 32-37 L: 35-40
UK S: 10-1 M: 13-4 L: 3-7
**Max wheel size 70mm
***Max wheel size 72mm on size 5



K2SKATES.COM
