



DEALER BOOK
26/27

RIDE | ®

01 BOARDS



CURRENT

145, 148, 151, 154, 157, 157W,
160, 160W, 163, 163W, 166

Tapered Radial Sidecut

Single radius sidecut with a wider nose than tail

Directional Multi Camber

Rocker between the inserts, camber under the inserts, rocker at the tip and tail

Sintered, Stone Ground Base

Premium stone ground finish for a faster base

Performance™ Light Core

Ride's Lightest core, Aspen, Bamboo, and Paulownia

Linear Carbon 10

Stiffens the Board from tip to tail with lightweight carbon strands

Carbon Slimewalls

Carbon and Slimewall material from insert to contact point

Roll-In Construction

Increases board strength and prevents top sheet chips

Single Impact Plates


Glass weaves under the binding area for improved strength of the board

Carbon Array 5™

Wide Spread carbon stringers for power initiation and quicker turn initiation

Hybrid Glass

Triaxial on top, biaxial on base





VANTUM

145, 148, 151, 153, 155, 157,
159, 162, 165

Tapered Quadratic Sidecut

Blending of three radii to improve turn initiation and exit

Sintered, Stone Ground Base

Premium stone ground finish for a faster base

Performance™ Core

Balancing strength and weight Aspen, Bamboo and Paulownia

Slimewalls®

Urethane sidewalls for a smoother and damper feel

Roll-In Construction

Increases board strength and prevents top sheet chips

Urethane Channel

Reduces vibrations through the nose of the snowboard

Zonal Carbon Rails


Applies force to the contact point directly from the inserts

Single Impact Plates

Urethane weaves under the binding area for improved strength

Hybrid Glass


Triaxial on top, biaxial on base





DEEP FAKE

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Extra Camber — Linear Quadratic Sidecut — Sintered, Stone Ground Race Base
Bio Resin — Performance[®] Core — Metal Slim Walls —
Single Impact Plates — Carbon Array 5" — Pre-Cured Glass

SIZE	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M)	ENTRY	FOCUS	EXIT	TIP & TAIL WIDTH (MM)	SET BACK ± (MM)	REF STANCE (MM)	RIDER WEIGHT LBS / KG
148	243	243	9.1	6.3	STRAIGHT	288 / 293	508			75 - 165 / 34 - 75
155	249	249	8.6	6.6	STRAIGHT	297 / 291	509			115 - 195 / 52 - 88
157	251	251	8.8	6.7	STRAIGHT	298 / 293	509			120 - 200 / 55 - 91
159	252	252	10.0	6.7	STRAIGHT	301 / 295	509			125 - 205 / 57 - 93
162	256	256	10.5	6.7	STRAIGHT	306 / 300	509			130 - 210 / 59 - 95
167W	259	259	9.6	6.7	STRAIGHT	307 / 301	509			135 - 205 / 62 - 93
167W	263	263	10.5	6.7	STRAIGHT	313 / 307	509			160 - 220+ / 73 - 100+
169W	267	267	10.7	6.8	STRAIGHT	316 / 312	584			170 - 220+ / 77 - 100+



PRODUCER:
RIDE SNOWBOARDS
200 SOUTH AVE. 80
BELLVILLE, ON
CANADA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERG STRASSE 42
82277 FRIEDRICHSTADT
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2004
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR. #7
SCARBOROUGH, ONTARIO M1H 3K1
CANADA


RIDE JAPAN IMPORTER
TWIN BLADE LTD.
1-10-1 HIRAKAWA-CHO
CHITOSE, TOKYO
JAPAN 161-0032

RIDESNOWBOARDS.COM



ALGORITHM

DESIGN	SPECIALTY	RESPONSE
DIRECTIONAL TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Twin Standard Camber — Quadratic Sidecut — Sintered, Stone Ground Base
Performance[®] Core — Carbon Slimwalls[™] — Single Impact Plates
Carbon Array 5" — Pre-Cured Glass — Roll-In Construction

SIZE	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M)	ENTRY	FOCUS	EXIT	TIP & TAIL WIDTH (MM)	SET BACK ± (MM)	REF STANCE (MM)	RIDER WEIGHT LBS / KG
151	1121	248	9.1	6.6	9.1	291 / 291	533			100 - 180 / 45 - 82
154	1147	251	9.2	6.7	9.2	296 / 296	539			115 - 195 / 52 - 88
157	1172	254	9.3	6.8	9.3	300 / 300	558			125 - 205 / 57 - 93
161	1197	257	9.4	6.9	9.4	304 / 304	559			130 - 210 / 59 - 95
159W	1150	258	9.2	6.7	9.2	304 / 304	559			125 - 205 / 57 - 93
160W	1197	264	9.4	6.9	9.4	311 / 311	559			160 - 220+ / 73 - 100+
164W	1223	266	9.5	7.0	9.5	315 / 315	584			170 - 220+ / 77 - 100+



PRODUCER:
RIDE SNOWBOARDS
200 SOUTH AVE. 80
BELLVILLE, ON
CANADA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERG STRASSE 42
82277 FRIEDRICHSTADT
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2004
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR. #7
SCARBOROUGH, ONTARIO M1H 3K1
CANADA


RIDE JAPAN IMPORTER
TWIN BLADE LTD.
1-10-1 HIRAKAWA-CHO
CHITOSE, TOKYO
JAPAN 161-0032

RIDESNOWBOARDS.COM



CURRENT

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL MULTI CAMBER	PARK GROOMERS POW	MELOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Multi Camber — Radial Sidecut — Sintered, Stone Ground Base
Bio Resin — Performance[®] Light Core — Carbon Slime Walls — Linear Carbon 10
Single Impact Plates — Carbon Array 5" — Hybrid Glass — Roll-In Construction

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M) ENTRY FOCUS EXIT	TIP & TAIL WIDTH (MM)	SET BACK ± (MM) REF STANCE (MM)	RIDER WEIGHT (LBS / KG)
145	1096	236	7.2 7.2 7.2	279 / 274	457	100 - 145 / 45 - 64
148	1125	241	7.4 7.4 7.4	283 / 278	483	110 - 150 / 50 - 68
151	1145	245	7.6 7.6 7.6	288 / 283	508	110 - 150 / 50 - 68
154	1175	248	7.8 7.8 7.8	292 / 287	533	120 - 160 / 54 - 73
157	1205	251	8 8 8	296 / 291	558	130 - 180 / 59 - 82
160	1235	254	8.2 8.2 8.2	301 / 296	583	140 - 200 / 64 - 91
163	1265	257	8.4 8.4 8.4	304 / 299	608	150 - 220 / 68 - 100
166	1285	265	8.6 8.6 8.6	313 / 308	684	160 - 220 / 73 - 100
157W	1205	259	8 8 8	304 / 299	533	130 - 180 / 59 - 82
160W	1235	262	8.2 8.2 8.2	308 / 303	558	140 - 200 / 64 - 91
163W	1265	265	8.4 8.4 8.4	312 / 307	584	150 - 220+ / 73 - 100+

R0261888



PRODUCER:
RIDE SNOWBOARDS
200 10TH AVE SE
BELLEVILLE, ON
CANADA K7V 1B6

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERGER STRASSE 42
82277 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2004 BIR
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
TORONTO ONTARIO M9C1B3
CANADA


RIDE JAPAN IMPORTER
THE BLUE SP
1-14-14 MIYAKOTO-CHO
CHITOSE, AKI
TOKYO JAPAN 161-0032

RIDESNOWBOARDS.COM



MODERATOR

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Extra Camber — Linear Quadratic Sidecut — Sintered, Stone Ground Base
Bio-Resin — Performance[®] Light Core — Slim Walls — Linear Carbon 5 — Single Impact Plates
Carbon Array 3" — Hybrid Glass

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M) ENTRY FOCUS EXIT	TIP & TAIL WIDTH (MM)	SET BACK ± (MM) REF STANCE (MM)	RIDER WEIGHT (LBS / KG)
144	1088	240	6.6 6.1 STRAIGHT	284 / 279	457	80 - 120 / 37 - 73
148	1120	243	6.1 6.3 STRAIGHT	289 / 283	483	75 - 115 / 34 - 75
151	1152	246	6.3 6.4 STRAIGHT	293 / 287	508	100 - 140 / 45 - 63
155	1177	249	6.6 6.6 STRAIGHT	297 / 291	533	115 - 160 / 52 - 88
157	1190	251	6.8 6.7 STRAIGHT	299 / 293	558	120 - 200 / 50 - 91
159	1203	252	10.0 6.7 STRAIGHT	301 / 295	583	125 - 205 / 57 - 93
162	1228	256	10.5 6.7 STRAIGHT	306 / 300	558	130 - 210 / 59 - 95
157W	1177	258	9.6 6.7 STRAIGHT	307 / 301	558	125 - 205 / 57 - 93
161W	1228	263	10.5 6.7 STRAIGHT	313 / 307	558	160 - 220+ / 73 - 100+
163W	1253	267	10.7 6.8 STRAIGHT	316 / 312	584	170 - 220+ / 77 - 100+

R0261852



PRODUCER:
RIDE SNOWBOARDS
200 10TH AVE SE
BELLEVILLE, ON
CANADA K7V 1B6


IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERGER STRASSE 42
82277 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2004 BIR
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
TORONTO ONTARIO M9C1B3
CANADA

RIDE JAPAN IMPORTER
THE BLUE SP
1-14-14 MIYAKOTO-CHO
CHITOSE, AKI
TOKYO JAPAN 161-0032


RIDESNOWBOARDS.COM



RIDE |

SUPERPIG

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Bi-Radial Sidecut — Sintered, Stone Ground Race Base — Bio-Resin Performance™ Core — Cleave Edge™ — Carbon Slim Walls — Double Impact Plates — Carbon Array 5™ — Carbon Infused Glass

SIZE	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M)	ENTRY	FOCUS	EXIT	TIP & TAIL WIDTH (MM)	SET BACK ± 0 (MM)	REF STANCE (MM)	RIDER WEIGHT (LBS / KG)
X-SMALL	1044	250	4.6	STRAIGHT	5.6	301 / 291	483			60 - 140 / 27 - 73
SMALL	1095	260	5.1	STRAIGHT	6.2	311 / 301	533			100 - 205 / 45 - 93
MEDIUM	1121	265	5.4	STRAIGHT	6.5	316 / 306	559			130 - 210 / 59 - 95
LARGE	1148	270	5.6	STRAIGHT	6.9	321 / 311	559			140 - 220+ / 64 - 100+
X-LARGE	1171	277	5.9	STRAIGHT	7.3	326 / 316	584			170 - 250+ / 77 - 100+

R021854



PRODUCER:
RIDE SNOWBOARDS
200 10TH AVE SE
BELLEVILLE, ON
CANADA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERG STRASSE 42
82377 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
NORSTREVEEN 25
N-2004 BIØR
NORWAY

RIDE CANADA IMPORTER
1 WESTSIDE DR #7
CANADIAN WOODWORKS
CANADA

RIDE JAPAN IMPORTER
TWIN BLADE LTD
1-10-1 NAKAMOTO-CHO
CHOFU-CITY
TOKYO JAPAN 181-0032


RIDESNOWBOARDS.COM



RIDE |

BURNOUT

DESIGN	SPECIALTY	RESPONSE
TWIN EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Extra Camber — Linear Twin Sidecut — Sintered, Stone Ground Base — Performance™ Core — Cleave Edge™ — Carbon Slimwalls™ — Double Impact Plates — Carbon Array 5™ — Hybrid Glass — Flat Kick Tips — Roll-In Construction

SIZE	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M)	ENTRY	FOCUS	EXIT	TIP & TAIL WIDTH (MM)	SET BACK ± 0 (MM)	REF STANCE (MM)	RIDER WEIGHT (LBS / KG)
152	1208	249	STRAIGHT	7.8	STRAIGHT	293 / 293	559			100 - 180 / 45 - 82
155	1234	250	STRAIGHT	7.8	STRAIGHT	296 / 296	559			125 - 205 / 57 - 93
158	1258	251	STRAIGHT	8.0	STRAIGHT	298 / 298	559			130 - 210 / 59 - 95
154W	1221	258	STRAIGHT	7.9	STRAIGHT	302 / 303	559			130 - 210 / 59 - 95
157W	1247	259	STRAIGHT	8.0	STRAIGHT	306 / 306	559			140 - 220+ / 64 - 100+

R021855



PRODUCER:
RIDE SNOWBOARDS
200 10TH AVE SE
BELLEVILLE, ON
CANADA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERG STRASSE 42
82377 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
NORSTREVEEN 25
N-2004 BIØR
NORWAY

RIDE CANADA IMPORTER
1 WESTSIDE DR #7
CANADIAN WOODWORKS
CANADA

RIDE JAPAN IMPORTER
TWIN BLADE LTD
1-10-1 NAKAMOTO-CHO
CHOFU-CITY
TOKYO JAPAN 181-0032


RIDESNOWBOARDS.COM



RIDE |

BERZERKER

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Quadratic Sidecut — Sintered Stone Ground Base
Bio Resin — Performance™ Core — Carbon Slimerods™ 2.0 — Slimewalls™
Double Impact Plates — Carbon Array 3™ — Hybrid Glass — Roll-In Construction

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST THICK (MM)	SIDE-CUT RADIUS (M)	ENTRY	FOCUS	EXIT	TIP & TAIL WIDTH (MM)	SET BACK +19 (MM) REF STANCE	RIDER WEIGHT (LBS / KG)
156	1177	247	4.7	7.8	4.1	290 / 290	559	125 - 205 / 57 - 93	
159	1203	249	5.1	8.0	4.6	300 / 292	559	130 - 200 / 59 - 91	
162	1228	251	5.7	8.2	5.2	302 / 294	559	140 - 210 / 64 - 95	
157W	1177	255	4.8	7.8	4.0	306 / 298	559	140 - 210 / 64 - 95	
160W	1203	257	5.1	8.0	4.8	308 / 300	559	150 - 220+ / 68 - 100+	
163W	1228	259	5.7	8.2	5.2	310 / 302	559	160 - 220+ / 73 - 100+	
167W	1253	261	6.8	8.4	6.5	312 / 304	584	170 - 220+ / 77 - 100+	

R0261856



PRODUCER:
RIDE SNOWBOARDS
200 10TH AVE SE
BELLEVILLE, ON
CANADA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENWEG STRASSE 42
82277 FRIEDBERG
GERMANY

RIDE NORWAY IMPORTER
HOLSTENVEGEN 25
N-2006
NORWAY

RIDE CANADA IMPORTER
1 WILKINSON DR #7
TORONTO ONTARIO M9C1B3
CANADA

RIDE JAPAN IMPORTER
THE BLUE AT
1-14-1 WAKATOCHI-CHO
CHOFU-CITY
TOKYO JAPAN 161-0032


RIDESNOWBOARDS.COM



RIDE |

WARPIG

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL ZERO CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Zero Camber — Tapered Bi-Radial Sidecut — Sintered Stone Ground Base — Bio Resin
Performance™ Core — Cleave-Edge™ — Slim Walls — Double Impact Plates — Carbon Array 3™ — Hybrid Glass

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M) ENTRY	FOCUS	EXIT	TIP & TAIL WIDTH (MM)	SET BACK + 0 (MM) REF STANCE (MM)	RIDER WEIGHT (LBS / KG)
X-SMALL	1044	250	4.8	-	5.6	301 / 291	483	60 - 160 / 27 - 73
SMALL	1090	260	5.1	-	6.2	311 / 301	533	100 - 205 / 45 - 93
MEDIUM	1121	265	5.4	-	6.5	316 / 306	558	130 - 210 / 59 - 95
LARGE	1148	270	5.8	-	6.9	321 / 311	559	140 - 220+ / 64 - 100+
X-LARGE	1171	277	5.9	-	7.2	326 / 316	584	170 - 220+ / 77 - 100+

R0261857



PRODUCER:
RIDE SNOWBOARDS
200 10TH AVE SE
BELLEVILLE, ON
CANADA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENWEG STRASSE 42
82277 FRIEDBERG
GERMANY

RIDE NORWAY IMPORTER
HOLSTENVEGEN 25
N-2006
NORWAY

RIDE CANADA IMPORTER
1 WILKINSON DR #7
TORONTO ONTARIO M9C1B3
CANADA

RIDE JAPAN IMPORTER
THE BLUE AT
1-14-1 WAKATOCHI-CHO
CHOFU-CITY
TOKYO JAPAN 161-0032


RIDESNOWBOARDS.COM



RIDE |

BENCHWARMER

DESIGN	SPECIALTY	RESPONSE
ASYMMETRICAL TWIN EXTRA CAMBER	PARK GROOMERS POW	MELOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Extra Camber — Asymmetrical Quadratic Sidecut — Sintered Stone Ground Base
Performance™ Core — Cleave Edge™ — Carbon Slim Walls — Double Impact Plates
Carbon Array 3™ — Hybrid Glass

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M) ENTRY FOCUS EXIT	TOP & TAIL WIDTH (MM)	SET BACK ± 0 (MM) REF STANCE (MM)	RIDER WEIGHT LBS / KG
147	1152	245	8.0 / 6.8 7.0 / 5.9 8.0 / 6.8	285 / 293	0	80 - 160 / 36 - 73
151	1178	248	8.2 / 7.1 7.2 / 6.1 8.2 / 7.1	291 / 297	0	100 - 180 / 45 - 82
155	1203	252	8.4 / 7.2 7.4 / 6.2 8.4 / 7.2	302 / 302	0	120 - 205 / 59 - 93
159	1228	256	8.6 / 7.4 7.6 / 6.4 8.6 / 7.4	307 / 307	0	140 - 210 / 64 - 95
154W	1203	258	8.4 / 7.2 7.4 / 6.2 8.4 / 7.2	306 / 306	0	125 - 205 / 57 - 93
157W	1216	260	8.5 / 7.3 7.5 / 6.3 8.5 / 7.3	310 / 310	0	130 - 210 / 59 - 95

R0261858



PRODUCER:
RIDE SNOWBOARDS
200 100TH AVE SE
BELLEVILLE, WA
USA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENHOFER STRASSE 42
82277 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2004 BIR
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
SCARBOROUGH ONTARIO M1C 1B3
CANADA

RIDE JAPAN IMPORTER
TWIN BLADE ST
1-14-1 HANAYO-CHO
CHITOSE, AK
TOKYO JAPAN 161-0032


RIDESNOWBOARDS.COM



RIDE |

SHADOWBAN

DESIGN	SPECIALTY	RESPONSE
DIRECTIONAL TWIN STANDARD CAMBER	PARK GROOMERS POW	MELOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Twin Standard Camber — Quadratic Sidecut — Sintered Stone Ground Base
Performance™ Core — Slimwalls™ — Single Impact Plates
Carbon Array 3™ — Pre-Cured Glass — Roll-In Construction

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M) ENTRY FOCUS EXIT	TOP & TAIL WIDTH (MM)	SET BACK ± 10 (MM) REF STANCE (MM)	RIDER WEIGHT LBS / KG
147	1096	245	9.0 6.5 9.0	287 / 287	008	75 - 165 / 34 - 75
151	1121	248	9.1 6.6 9.1	291 / 291	033	100 - 180 / 45 - 82
154	1147	251	9.2 6.7 9.2	296 / 296	058	115 - 195 / 52 - 88
157	1172	254	9.3 6.8 9.3	300 / 300	059	125 - 205 / 57 - 93
161	1197	257	9.4 6.9 9.4	304 / 304	059	130 - 210 / 59 - 95
159W	1159	258	9.2 6.7 9.2	304 / 304	059	125 - 205 / 57 - 93
160W	1197	264	9.4 6.9 9.4	311 / 311	058	160 - 220+ / 73 - 100+
160W	1223	266	9.5 7.0 9.5	315 / 315	084	170 - 220+ / 77 - 100+

R0261961



PRODUCER:
RIDE SNOWBOARDS
200 100TH AVE SE
BELLEVILLE, WA
USA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENHOFER STRASSE 42
82277 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2004 BIR
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
SCARBOROUGH ONTARIO M1C 1B3
CANADA

RIDE JAPAN IMPORTER
TWIN BLADE ST
1-14-1 HANAYO-CHO
CHITOSE, AK
TOKYO JAPAN 161-0032


RIDESNOWBOARDS.COM



RIDE |

VANTUM

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Standard Camber — Linear Quadratic Sidecut — Sintered, Stone Ground Base
Bio Resin — Performance™ Core — Zonal Carbon Rails — Slimwalls™ — Single Impact Plates
Urethane Channels — Hybrid Glass — Roll-In Construction

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M) ENTRY FOCUS EXIT	TIP & TAIL WIDTH (MM)	SET BACK ±19 (MM) REF STANCE (MM)	RIDER WEIGHT LBS / KG
145	1092	245	7.3 5.8 4.4	287 / 290	483	80 - 140 / 27 - 73
148	1118	249	7.8 6.4 4.5	290 / 292	495	85 - 150 / 30 - 74
151	1143	251	8.0 6.8 5.0	301 / 294	508	75 - 155 / 34 - 75
153	1168	254	8.5 7.0 5.0	303 / 296	521	100 - 160 / 45 - 82
155	1188	257	8.8 7.3 5.5	305 / 298	533	115 - 165 / 52 - 88
157	1191	258	9.0 7.4 5.7	307 / 299	546	120 - 200 / 55 - 91
159	1194	261	9.3 7.5 6.0	309 / 302	559	125 - 205 / 57 - 93
162	1219	263	9.5 7.9 6.2	311 / 304	572	130 - 210 / 59 - 95
165	1245	265	9.7 8.2 6.5	313 / 306	584	150 - 220+ / 68 - 100+

RD362028



PRODUCER:
RIDE SNOWBOARDS
200 NORTH AVE. 8E
BELLAVILLE, WA
USA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENWEGSTRASSE 42
82277 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2008
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
TORONTO ONTARIO M9C1R5
CANADA

RIDE JAPAN IMPORTER
TWIN BLADE ST
1-14-1 WAKUOTO-CHO
CHITOSE, AKI
TOKYO JAPAN 161-0032


RIDESNOWBOARDS.COM



RIDE |

ZERO

DESIGN	SPECIALTY	RESPONSE
ASYMMETRICAL TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Sintered, Stone Ground Base
Performance™ Core — Cleave-Edge™ — Slim Walls — Double Impact Plates — Carbon Array 3™
Biaxial Glass — Flat Kick Tips

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M) ENTRY FOCUS EXIT	TIP & TAIL WIDTH (MM)	SET BACK ±0 (MM) REF STANCE (MM)	RIDER WEIGHT LBS / KG
142	1114	242	7.8 / 6.7 6.8 / 5.7 7.8 / 6.7	288 / 288	0	80 - 150 / 27 - 68
147	1132	245	8.0 / 6.9 7.0 / 5.9 8.0 / 6.9	293 / 293	0	80 - 160 / 36 - 73
151	1178	248	8.2 / 7.1 7.2 / 6.1 8.2 / 7.1	297 / 297	0	100 - 180 / 45 - 82
155	1203	252	8.4 / 7.2 7.4 / 6.2 8.4 / 7.2	302 / 302	0	130 - 205 / 59 - 93
159	1228	254	8.6 / 7.4 7.6 / 6.4 8.6 / 7.4	307 / 307	0	140 - 210 / 64 - 95
154W	1203	258	8.4 / 7.2 7.4 / 6.2 8.4 / 7.2	308 / 308	0	125 - 205 / 57 - 93
157W	1228	260	8.2 / 7.2 7.4 / 6.2 8.2 / 7.2	310 / 310	0	130 - 210 / 59 - 95
161W	1261	262	8.8 / 7.5 7.8 / 6.5 8.8 / 7.5	314 / 314	0	140 - 220+ / 64 - 100+

RD261939



PRODUCER:
RIDE SNOWBOARDS
200 NORTH AVE. 8E
BELLAVILLE, WA
USA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENWEGSTRASSE 42
82277 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2008
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
TORONTO ONTARIO M9C1R5
CANADA


RIDE JAPAN IMPORTER
TWIN BLADE ST
1-14-1 WAKUOTO-CHO
CHITOSE, AKI
TOKYO JAPAN 161-0032

RIDESNOWBOARDS.COM



TWINPIG

DESIGN	SPECIALTY	RESPONSE
ASYMMETRICAL TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Sintered Stone Ground Base — Bio-Resin Performance™ Core — Cleave Edge™ — Slim Walls — Double Impact Plates — Hybrid Glass

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M) ENTRY FOCUS EXIT	TP & TAIL WIDTH (MM)	SET BACK ± 0 (MM) REF STANCE (MM)	RIDER WEIGHT LBS / KG
136	1009	240	6.2 / 5.3 5.2 / 4.3 6.2 / 5.3	287 / 287	483	60 - 130 / 27 - 59
142	1047	250	6.4 / 5.5 5.4 / 4.5 6.4 / 5.5	298 / 298	508	60 - 130 / 27 - 73
148	1085	257	6.6 / 5.7 5.6 / 4.7 6.6 / 5.7	307 / 307	533	100 - 200 / 45 - 93
151	1110	263	6.8 / 5.8 5.8 / 4.8 6.8 / 5.8	314 / 314	553	130 - 210 / 59 - 95
154	1123	268	6.9 / 5.9 5.9 / 4.9 6.9 / 5.9	320 / 320	569	140 - 220+ / 64 - 100+
156W	1136	275	6.9 / 5.9 5.9 / 4.9 6.9 / 5.9	320 / 320	559	170 - 220+ / 77 - 100+
157	1148	270	7.0 / 6.0 6.0 / 5.0 7.0 / 6.0	323 / 323	569	160 - 220+ / 73 - 100+

R0261860



PRODUCER:
RIDE SNOWBOARDS
200 SOUTH AVE. 10
BELLVILLE, ON
CANADA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENWEG 43
82277 FRIEDBERG
GERMANY

RIDE NORWAY IMPORTER
HOLSTENVEGEN 25
N-2006 BIJL
NORWAY

RIDE CANADA IMPORTER
1 WESTSIDE DR. #7
TORONTO ONTARIO M6C1B3
CANADA


RIDE JAPAN IMPORTER
THE BLUE AT
1-10-0 WAKATOCHI-CHO
CHOFU-CITY
TOKYO JAPAN 161-0032

RIDESNOWBOARDS.COM



SMOKESCREEN

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Standard Camber — Tapered Elliptical Progressive Sidecut — Sintered Stone Ground Base
Performance™ Core — Slimwalls™ — Double Impact Plates
Carbon Array 3™ — Hybrid Glass — Roll-In Construction

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M) ENTRY FOCUS EXIT	TP & TAIL WIDTH (MM)	SET BACK ± 10 (MM) REF STANCE (MM)	RIDER WEIGHT LBS / KG
153	1165	250	- 8.0 -	294 / 296	533	100 - 180 / 45 - 82
155	1177	254	- 8.0 -	300 / 290	559	125 - 200 / 57 - 93
156	1203	257	- 10.0 -	303 / 293	569	130 - 210 / 59 - 95
162	1239	261	- 11.0 -	307 / 297	559	140 - 220+ / 64 - 100+
157W	1190	264	- 10.0 -	310 / 300	559	140 - 220+ / 64 - 100+

R0261862



PRODUCER:
RIDE SNOWBOARDS
200 SOUTH AVE. 10
BELLVILLE, ON
CANADA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENWEG 43
82277 FRIEDBERG
GERMANY

RIDE NORWAY IMPORTER
HOLSTENVEGEN 25
N-2006 BIJL
NORWAY

RIDE CANADA IMPORTER
1 WESTSIDE DR. #7
TORONTO ONTARIO M6C1B3
CANADA


RIDE JAPAN IMPORTER
THE BLUE AT
1-10-0 WAKATOCHI-CHO
CHOFU-CITY
TOKYO JAPAN 161-0032

RIDESNOWBOARDS.COM



KINK

DESIGN	SPECIALTY	RESPONSE
TWIN EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Extra Camber — Quadratic Sidecut — Extruded Stone Ground Base
Foundation Core — Cleave Edge™ — Slim Walls — Double Impact Plates
Biaxial Glass

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)	ENTRY	FOCUS	EXIT	TOP & TAIL WIDTH (MM)	SET BACK ± 0 (MM)	REF STANCE (MM)	RIDER WEIGHT LBS / KG
143	1084	245	8.1	6.7	8.1	287 / 287	483			80 - 150 / 37 - 68
147	1132	248	8.3	6.9	8.3	291 / 291	508			80 - 150 / 36 - 73
151	1157	251	8.5	7.1	8.5	295 / 295	533			100 - 180 / 45 - 82
155	1183	254	8.7	7.3	8.7	299 / 299	558			120 - 200 / 55 - 91
158	1208	257	8.9	7.5	8.9	303 / 303	583			140 - 210 / 64 - 95+
154R	1183	251	8.7	7.3	8.7	306 / 306	558			125 - 205 / 57 - 93+
157W	1208	254	8.9	7.5	8.9	310 / 310	583			130 - 210 / 58 - 95+

R0261863



PRODUCER:
RIDE SNOWBOARDS
200 10TH AVE SE
BELLEVILLE, ON
CANADA K7V 1B6

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERGER STRASSE 42
82274 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
HOLSTENVEGEN 25
N-2006 BIJL
NORWAY

RIDE CANADA IMPORTER
1 WESTFORD DR #7
TORONTO ONTARIO M9C1R5
CANADA

RIDE JAPAN IMPORTER
THE BLUE SP
1-15-1 NAKANOJO-CHO
CHOFU-CITY
TOKYO JAPAN 181-0032

RIDESNOWBOARDS.COM



MANIC

DESIGN	SPECIALTY	RESPONSE
DIRECTIONAL STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Standard Camber — Quadratic Sidecut — Extruded Stone Ground Base
Foundation™ Core — Slimwalls™ — Linear Carbon — Single Impact Plates
Biaxial Glass — Roll-In Construction

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)	ENTRY	FOCUS	EXIT	TOP & TAIL WIDTH (MM)	SET BACK ± 10 (MM)	REF STANCE (MM)	RIDER WEIGHT LBS / KG
151	1152	248	8.2	6.9	7.8	293 / 293	533			100 - 180 / 45 - 82
154	1177	250	8.3	7.0	8.0	296 / 296	558			125 - 205 / 57 - 93
157	1203	252	8.5	7.2	8.2	299 / 299	583			150 - 210 / 68 - 95
160	1215	254	8.6	7.3	8.3	301 / 301	598			140 - 220 / 64 - 100
163	1241	257	8.8	7.5	8.5	305 / 305	598			160 - 220+ / 73 - 100+
158W	1203	253	8.4	7.1	8.1	310 / 310	558			150 - 220+ / 68 - 100+
161W	1215	256	8.6	7.3	8.3	313 / 313	558			160 - 220+ / 73 - 100+

R0261864



PRODUCER:
RIDE SNOWBOARDS
200 10TH AVE SE
BELLEVILLE, ON
CANADA K7V 1B6

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERGER STRASSE 42
82274 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
HOLSTENVEGEN 25
N-2006 BIJL
NORWAY

RIDE CANADA IMPORTER
1 WESTFORD DR #7
TORONTO ONTARIO M9C1R5
CANADA


RIDE JAPAN IMPORTER
THE BLUE SP
1-15-1 NAKANOJO-CHO
CHOFU-CITY
TOKYO JAPAN 181-0032

RIDESNOWBOARDS.COM



AGENDA

DESIGN	SPECIALTY	RESPONSE
TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Quadratic Sidecut
Extruded, Stone Ground Base — Foundation™ Core — Slimwalls™
Single Impact Plates — Biaxial Glass — Roll-In Construction

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M) ENTRY FOCUS EXIT	TIP & TAIL WIDTH (MM)	SET BACK ± 0 (MM) REF STANCE (MM)	RIDER WEIGHT LBS / KG
149	1165	250	9.2 7.7 9.2	291 / 291	533	75 - 165 / 34 - 75
152	1190	251	9.3 7.8 9.3	291 / 291	559	100 - 190 / 45 - 92
155	1216	252	9.4 7.9 9.4	296 / 296	589	125 - 205 / 57 - 93
158	1241	253	9.5 8.0 9.5	296 / 296	609	150 - 210 / 68 - 95
159W	1253	260	9.4 7.9 9.4	303 / 303	609	150 - 210 / 68 - 95
161W	1228	262	9.5 8.0 9.5	306 / 306	659	140 - 220+ / 64 - 100+
161W	1267	263	9.7 8.2 9.7	306 / 309	659	150 - 220+ / 68 - 100+

R0261865



PRODUCER:
RIDE SKATEBOARDS
200 10TH AVE SE
BELLEVILLE, ON
CANADA K7V 1G6

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERGER STRASSE 42
82277 FRIEDRICHSDORF
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2004 RAN
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
SCARBOROUGH ONTARIO M1S 1B3
CANADA


RIDE JAPAN IMPORTER
TWIN BLADE ST
1-10-0 MARUOTO-CHO
CHUO-KU
TOKYO JAPAN 101-0032

RIDESNOWBOARDS.COM



PSYCHOCANDY

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL ZERO CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Zero Camber — Tapered Bi-Radius Sidecut — Sintered, Stone Ground Base — Bio-Resin
Performance™ Light Core — Carbon Slimwalls™ — Double Impact Plates — Carbon Array 5™
Carbon Infused Glass — Roll-In Construction

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE-CUT RADIUS (M) ENTRY FOCUS EXIT	TIP & TAIL WIDTH (MM)	SET BACK ± 0 (MM) REF STANCE (MM)	RIDER WEIGHT LBS / KG
138	1019	243	4.4 - 5.4	295 / 295	457	60 - 130 / 27 - 59
142	1044	250	4.7 - 5.7	302 / 302	483	80 - 160 / 37 - 73
146	1070	257	4.8 - 5.8	309 / 309	508	100 - 205 / 45 - 93
150	1095	264	5.2 - 6.2	316 / 316	533	130 - 210 / 59 - 95
154	1121	267	5.4 - 6.4	316 / 316	553	140 - 220+ / 64 - 100+
158	1146	269	5.7 - 6.8	320 / 310	559	170 - 220+ / 77 - 100+

R0261866



PRODUCER:
RIDE SKATEBOARDS
200 10TH AVE SE
BELLEVILLE, ON
CANADA K7V 1G6

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERGER STRASSE 42
82277 FRIEDRICHSDORF
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2004 RAN
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
SCARBOROUGH ONTARIO M1S 1B3
CANADA


RIDE JAPAN IMPORTER
TWIN BLADE ST
1-10-0 MARUOTO-CHO
CHUO-KU
TOKYO JAPAN 101-0032

RIDESNOWBOARDS.COM



MAGIC STICK

DESIGN	SPECIALTY	RESPONSE
TAPERED DIRECTIONAL EXTRA CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Extra Camber — Tapered Bi-Radial Sidecut — Sintered Stone Ground Base
Performance™ Light Core — Cleave Edge™ — Stinewalls™ — Linear Carbon — Single Impact Plates
Carbon Array 3™ — Hybrid Glass — Roll-In Construction

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	ENTRY RADIUS (M)	FOCUS	EXIT RADIUS (M)	TIP & TAIL WIDTH (MM)	SET BACK +19 (MM) REF STANCE (MM)	RIDER WEIGHT LBS / KG
143	1034	240	4.7	-	5.8	291 / 291	457	80-100 / 37-45
147	1065	242	5.2	-	6.4	293 / 293	483	85-110 / 39-50
151	1111	244	5.4	-	6.6	296 / 296	508	100-110 / 45-50
154	1138	246	5.7	-	7.1	299 / 299	533	115-140+ / 52-73+

R021867



PRODUCER:
RIDE SNOWBOARDS
200 NORTH AVE. SE
BELLEVILLE, ON
CANADA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERG STRASSE 42
82277 FRIEDBERG
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2004
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
TORONTO ONTARIO M9C1R5
CANADA


RIDE JAPAN IMPORTER
TWIN BLADE ST
1-1-1 HANAYAMA-CHO
CHUO-KU
TOKYO JAPAN 101-0032

RIDESNOWBOARDS.COM



SATURDAY

DESIGN	SPECIALTY	RESPONSE
TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Quadratic Sidecut — Sintered Stone Ground Base
Performance™ Light Core — Slim Wall — Linear Carbon — Carbon Array 3™
Single Impact Plates — Hybrid Glass

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	ENTRY RADIUS (M)	FOCUS	EXIT RADIUS (M)	TIP & TAIL WIDTH (MM)	SET BACK +0 (MM) REF STANCE (MM)	RIDER WEIGHT LBS / KG
138	1022	236	6.0	5.0	6.0	292 / 292	432	60-100 / 27-45
142	1060	238	6.3	5.3	6.3	296 / 296	457	70-100 / 32-50
146	1086	240	6.4	5.4	6.4	299 / 299	483	85-110 / 39-50
150	1111	243	6.6	5.6	6.6	292 / 292	508	100-110 / 45-50
154	1138	246	6.7	5.7	6.7	297 / 297	533	115-140+ / 52-73+

R021868



PRODUCER:
RIDE SNOWBOARDS
200 NORTH AVE. SE
BELLEVILLE, ON
CANADA

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERG STRASSE 42
82277 FRIEDBERG
GERMANY

RIDE NORWAY IMPORTER
NORDBREIDEN 25
N-2004
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
TORONTO ONTARIO M9C1R5
CANADA


RIDE JAPAN IMPORTER
TWIN BLADE ST
1-1-1 HANAYAMA-CHO
CHUO-KU
TOKYO JAPAN 101-0032

RIDESNOWBOARDS.COM



COMPACT

DESIGN	SPECIALTY	RESPONSE
DIRECTIONAL STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Directional Standard Camber — Quadratic Sidecut
Extruded Stone Ground Base — Performance™ Light Core — Slimwalls®
Single Impact Plates — Biaxial glass — Roll-In Construction

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)			TIP & TAIL WIDTH (MM)	SET BACK ± 0 (MM) REF STANCE (MM)	RIDER WEIGHT (LBS / KG)
			ENTRY	FOCUS	EXIT			
138	1012	236	9.2	6.7	9.2	272 / 272	457	60 - 100 / 27 - 45
142	1027	238	9.3	6.8	9.3	275 / 275	483	70 - 100 / 32 - 50
146	1070	240	9.4	6.9	9.4	279 / 279	508	85 - 130 / 38 - 59
150	1101	242	9.5	7.0	9.5	283 / 283	533	100 - 150 / 45 - 68
154	1126	244	9.6	7.1	9.6	286 / 286	589	115 - 180+ / 52 - 73+

R0261869



PRODUCER:
RIDE SNOWBOARDS
2001 10TH AVE SE
BELLEVILLE, ON
CANADA K7V 1G6

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERG STRASSE 42
82277 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
NORDBREKKEN 25
N-2634 BIR
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
TORONTO ONTARIO M9C1B3
CANADA


RIDE JAPAN IMPORTER
TWIN BLUE LTD
1-15-1 SHIMOTO-CHO
CHOFU-CITY
TOKYO JAPAN 181-0032

RIDESNOWBOARDS.COM



HEARTBREAKER

DESIGN	SPECIALTY	RESPONSE
TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Quadratic Sidecut — Extruded Stone Ground Base
Performance™ Light Core — Slimwalls® — Single Impact Plates — Biaxial Glass

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDE CUT RADIUS (M)			TIP & TAIL WIDTH (MM)	SET BACK ± 0 (MM)	RIDER WEIGHT (LBS / KG)
			ENTRY	FOCUS	EXIT		REF STANCE (MM)	
138	1076	234	9.3	6.8	9.3	274 / 274	432	60 - 100 / 27 - 45
142	1101	236	9.4	6.9	9.4	277 / 277	457	70 - 100 / 32 - 50
147	1127	238	9.5	7.0	9.5	281 / 281	483	85 - 130 / 38 - 59
150	1152	240	9.6	7.1	9.6	285 / 285	508	100 - 150 / 45 - 68

R0261870



PRODUCER:
RIDE SNOWBOARDS
2001 10TH AVE SE
BELLEVILLE, ON
CANADA K7V 1G6

IMPORTER:
RIDE EUROPE IMPORTER
RECHENBERG STRASSE 42
82277 FRIEDLERS
GERMANY

RIDE NORWAY IMPORTER
NORDBREKKEN 25
N-2634 BIR
NORWAY

RIDE CANADA IMPORTER
1 WESTVIEW DR #7
TORONTO ONTARIO M9C1B3
CANADA

RIDE JAPAN IMPORTER
TWIN BLUE LTD
1-15-1 SHIMOTO-CHO
CHOFU-CITY
TOKYO JAPAN 181-0032

RIDESNOWBOARDS.COM

RIDE | ®

02 BOOTS



INSANO

NEW FEATURES:

- NEW! Dual High Power BOA® H5 multi-directional dials
- NEW! FLEX SLIME Tongue™ 2.0
- NEW! Closer™ Wrap lower lacing
- NEW! Sequence upper lacing
- NEW! External Lace Cover
- NEW! Calf Adjustment Tech (C.A.T.)
- NEW! Tall Transition Wrap Harness
- NEW! HDR Skin TPU Premium Synthetic
- NEW! TPU Injected Toe Cap
- ECO+SLIME Midsole¹
- IMPACTO ELITE Insole with ECO+SLIME²

BOA® FIT SYSTEM powered by H5



FLEX SLIME 2.0

**HDR
SKIN**

Premium TPU Skin designed for durability and wear resistance.

**TRANSITION WRAP
HARNESS**

Two piece tall harness stitched to shell creates improved foot/heel hold. Lower harness wraps from medial side creates anatomical fit.

¹ ECO+SLIME Midsole EVA made up of 32% bio content
² ECO+SLIME Insole EVA made up of 18% bio content



adjustable calf panel for custom fit on shell.

**SEQUENCE
LACING**



CLOSER WRAP

Wrapping panels eliminate hard plastic guides on top of the foot and uniformly distributes pressure for improved fit and feel.





CADENCE

NEW FEATURES:

- NEW! Dual High Power BOA® H5 multi-directional dials
- NEW! FLEX SLIME Tongue™ 2.0
- NEW! Closer™ Wrap lower lacing
- NEW! Sequence upper lacing
- NEW! External Lace Cover
- NEW! Tall Transition Wrap Harness
- NEW! HDR Skin TPU Premium Synthetic
- NEW! TPU Injected Toe Cap
- Calf Adjustment Tech (C.A.T.)
- ECO+SLIME Midsole¹
- IMPACTO ELITE Insole with ECO+SLIME²

BOA® FIT SYSTEM powered by H5



TURN TO
TIGHTEN

BOA
H5

TURN TO
LOOSEN

FLEX SLIME 2.0



adjustable calf panel
for custom fit on
shell and liner.

HDR
SKIN

Premium TPU Skin
designed for durability
and wear resistance.

TRANSITION WRAP HARNESS

Two piece tall harness stitched to shell
creates improved foot/heel hold.
Lower harness wraps from medial side
creates anatomical fit.

SEQUENCE
LACING

TURN TO
TIGHTEN

BOA
H5

TURN TO
LOOSEN

CLOSER WRAP

Wrapping panels eliminate hard plastic
guides on top of the foot and uniformly
distributes pressure for improved fit
and feel.

¹ ECO+SLIME Midsole EVA made up of 32% bio content

² ECO+SLIME Insole EVA made up of 18% bio content



MICHELIN
TECHNICAL SOLES

BOA

DIALED IN.
PRECISION FIT.

MADE WITH

INTUITION

PREMIUM HEAT MOLDABLE FOAM



FLEX SLIME 2.0 TONGUE

NEW FEATURES:

- NEW! BOA® H5 Dial housing compatible
- Integrated Tongue Tied™ side lace channels
- NEW! BOA® TX3 Lace Compatible
- Engineered 3D shaped support and flex zones
- Optional Closer™ Guide compatible
- Durable TPU material

3D geometric support
shaping creates stability
and resistance

BOA® FIT SYSTEM *powered by H5*



Injected TPU improves durability
and toughness while maintaining
lively flex and rebound.



Integrated Tongue Tied™
lace paths reduces parts
and additional stitching.
BOA® TX3 lace compatible.



Closer™ guide compatible.
Lace guide distributes
pressure uniformly across
forefoot.

3D geometric shaping
drives flex at the ankle.





LASSO PRO

NEW FEATURES:

- NEW! Dual High Power BOA® H5 multi-directional dials
- NEW! External Lace Cover
- NEW! BOA® H5 powered Tongue Tied™ Hybrid Harness
- NEW! Dual Density EVA Tongue
- ECO+SLIME Midsole¹
- IMPACTO ELITE Insole with ECO+SLIME²



¹ ECO+SLIME Midsole EVA made up of 22% bio content

² ECO+SLIME Insole EVA made up of 18% bio content



MICHELIN
TECHNICAL SOLES

BOA

DIALED IN.
PRECISION FIT.

MADE WITH

INTUITION

PREMIUM HEAT MOLDABLE FOAM



HERA PRO

NEW FEATURES:

- NEW! Dual High Power BOA® H5 multi-directional dials
- NEW! External Lace Cover
- NEW! BOA H5 powered Tongue Tied™ Hybrid Harness
- NEW! Dual Density EVA Tongue
- ECO+SLIME Midsole¹
- IMPACTO ELITE Insole with ECO+SLIME²



adjustable calf panel for custom fit on liner and shell.



Lace guide distributes pressure uniformly across forefoot.

BOA® FIT SYSTEM powered by H5



TONGUE TIED™
HYBRID

BOA® H5 powered internal heel hold facing system with added upper harness support.

¹ECO+SLIME Midsole EVA made up of 22% bio content

²ECO+SLIME Insole EVA made up of 18% bio content



MICHELIN
TECHNICAL SOLES

BOA®

DIALED IN.
PRECISION FIT.

MADE WITH

INTUITION

PREMIUM HEAT MOLDABLE FOAM



LASSO

KEY FEATURES:

- NEW! BOA® H5 multi-directional Coiler Tongue Dial
- NEW! TPU Rebound Heel Counter
- NEW! HDR Skin TPU Premium Synthetic
- NEW! Rubber Toe material
- BOA® powered Tongue Tied™
- The Closer™ guide
- ECO+SLIME midsole¹



The Closer

Lace guide distributes pressure uniformly across forefoot.

HDR SKIN

Premium TPU Skin designed for durability and wear resistance.

TONGUE TIED™

BOA® powered Internal heel hold lacing system.



adjustable calf panel for custom fit on shell.



BOA® FIT SYSTEM
powered by H5



Injected TPU external heel counter improves durability and toughness while maintaining lively flex.

¹ ECO+SLIME Midsole EVA made up of 18% bio content

BOA®

**DIALED IN.
PRECISION FIT.**

MADE WITH
INTUITION
PREMIUM HEAT MOLDABLE FOAM



HERA

KEY FEATURES:

- NEW! BOA® H5 multi-directional Coiler Tongue Dial
- NEW! TPU Rebound Heel Counter
- NEW! HDR Skin TPU Premium Synthetic
- NEW! Rubber Toe material
- BOA® powered Tongue Tied™
- The Closer™ guide
- ECO+SLIME midsole¹



adjustable calf panel for custom fit on shell and liner.

HDR SKIN

Premium TPU Skin designed for durability and wear resistance.



BOA® FIT SYSTEM powered by H5



¹ ECO+SLIME Midsole EVA made up of 18% bio content

BOA®

DIALED IN.
PRECISION FIT.

MADE WITH

INTUITION
PREMIUM HEAT MOLDABLE FOAM

BOA® FIT SYSTEM

powered by H5

KEY FEATURES:

- **MULTI-DIRECTIONAL**
 - On-the-fly dial rotation for precise tightening and loosening.
- **COILER**
 - Increases boot entry speed by quickly taking up lace slack.
- **MIRRORED INTERFACE**
 - To tighten, H5 dials rotate forward on side-mounted locations and inward on tongue-mounted locations. To loosen, turn in the reverse direction.
- **IMPACT PROTECTION**
 - Bayonet and cartridge design is engineered for the dial to release under heavy impact to prevent severe damage.
- **DURABLE**
 - Engineered and guaranteed to perform in the toughest conditions.



HOW TO DIAL IN THE H5 BOA® FIT SYSTEM.



**PUSH IN
TO ENGAGE**



**TURN FOR
PRECISION FIT
TIGHTEN**



**TURN FOR
PRECISION FIT
LOOSEN**



**PULL UP FOR
FAST RELEASE**



**DIALED IN.
PRECISION FIT.**

**THE BOA®
GUARANTEE**

Boa® is a registered trademark of
Boa Technology Inc.



Black

TORRENT

FEEL: 1 2 3 4 5 6 ⑦ 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff
- Pebax Toe Cap, Pebax Heel Cap
- Michelin® Hybrid Traverse Outsole, Eco +Slime Midsole
- BOA® Zonal Fit System, TX3 Lace, The Closer™
- C.A.T System
- Internal/External J Bars with Cored Pockets
- Intuition™ Dream Liner, Black Gold™ Liner Mesh, Tongue Tied™ Hybrid Harness
- Eco +Slime Impacto Elite Insole
- Slip Grip top closure, Lace Lock, Shell Harness



Black

TRIDENT

FEEL: 1 2 3 4 5 6 7 8 ⑨ 10

SIZES: 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- 1:1 Lasting, Wide Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, The Closer™
- TPU Toe Cap, Rebound Heel Counter™, Flex Slime Tongue™
- Michelin® Hybrid Traverse Outsole, Eco +Slime Midsole
- BOA® Zonal Fit System, BOA® Tongue Tied Hybrid Harness, TX3 Lace, The Closer™
- Slip/Grip top closure, Internal J Bars with Cored Pockets
- Intuition™ Dream Liner, Wrap Liner, Black Gold™ Liner Mesh
- Eco +Slime Impacto Elite Insole

THE 92

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff, Adjustable Power Strap
- Heat Reflective Foil, Floating Tongue, HDR Premium Synthetics™
- TPU Toe Cap, Rebound Heel Counter™, Flex Slime Tongue™
- Michelin® Hybrid Fiberlite Outsole, Eco +Slime Midsole
- BOA® Tongue Tied™ Zonal Fit System, The Closer™
- Slip Grip top closure, Wrap Liner, Black Gold™ Liner Mesh
- Internal/External J Bars with Cored Pockets
- Intuition™ Mobile Foam Liner
- Eco +Slime Impacto Elite Insole



Black

INSANO

FEEL: 1 2 3 4 5 6 7 8 9 **10**

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15, 16, 17

CONSTRUCTION FEATURES:

- 1:1 Lasting, Sliver Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™, Lace Cover
- TPU Toe Cap, Rebound Heel Counter™ 2.0, Flex Slime Tongue™ 2.0, C.A.T System
- Michelin® Hybrid Traverse Outsole, Eco +Slime Midsole
- BOA® Closer Wrap, TX3 Lace, The Closer™
- Slip Grip Top Closure, Center Tongue Liner
- Internal/External J Bars with Cored Pockets
- Intuition™ Dream Liner, Black Gold™ Liner Mesh
- Lace Lock, Tallboy Harness™, Eco +Slime Impacto Elite Insole



Black



Brown

LASO PRO



Black

FEEL: 1 2 3 4 5 6 7 **8** 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™, Lace Cover
- Rubber Toe, Rebound Heel Counter™
- Michelin® Hybrid Fiberlite Outsole, Eco +Slime Midsole
- BOA® H5 Coiler Fit System, BOA® Tongue Tied™ Hybrid Harness, TX3 Lace, The Closer™
- Slip Grip Top Closure, Internal/External J Bars with Cored Pockets
- Intuition™ Dream Liner, Wrap Liner, Black Gold™ Liner Mesh
- Eco +Slime Impacto Elite Insole



Brown



Swamp Camo

LASO PRO WIDE



Black

FEEL: 1 2 3 4 5 6 7 **8** 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- 1:1 Lasting, Wide Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™, Lace Cover
- Rubber Toe, Rebound Heel Counter™
- Michelin® Hybrid Fiberlite Outsole, Eco +Slime Midsole
- BOA® H5 Coiler Fit System, BOA® Tongue Tied™ Hybrid Harness, TX3 Lace, The Closer™
- Slip Grip Top Closure, Internal/External J Bars with Cored Pockets
- Intuition™ Dream Liner, Wrap Liner, Black Gold™ Liner Mesh
- Eco +Slime Impacto Elite Insole

DEADBOLT ZONAL

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™, C.A.T System
- Ride Fusion Rubber, Impact Rubber Cup Sole, Eco +Slime Midsole
- BOA® Zonal Fit System, TX3 Lace
- Center Tongue Liner, Internal/External J Bars
- Intuition™ Support Foam Liner, Black Gold™ Liner Mesh, Tongue Tied™ Hybrid
- Harness, Lace Lock, Impacto Ultra Insole



Black



Brown

FUSE



Black

FEEL: 1 2 3 4 5 6 7 **8** 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™
- Rebound Heel Counter™, Flex Slime Tongue®, TPU Toe Cap
- Michelin® Hybrid Fiberlite Sole, Eco +Slime Midsole
- Traditional Lace, Tongue Tied™ Hybrid Harness

Liner:

- Slip/Grip top closure, Internal/External J Bars with Cored Pockets
- Intuition™ Trap Wrap Liner, Black Gold™ Liner Mesh
- Eco +Slime Impacto Elite Insole

FUSE



Tan

FEEL: 1 2 3 4 5 6 7 **8** 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™
- Rebound Heel Counter™, Flex Slime Tongue®, TPU Toe Cap
- Michelin® Hybrid Fiberlite Outsole, Eco +Slime Midsole
- Traditional Lace, BOA® Tongue Tied™ Hybrid Harness
- Slip Grip top closure, Internal/External J Bars with Cored Pockets
- Intuition™ Dream Liner, Wrap Liner, Black Gold™ Liner Mesh
- Eco +Slime Impacto Elite Insole

LASSO



Black

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™, C.A.T System
- Rebound Heel Counter™ 3.0, Fusion Rubber, Impact Rubber Cup Sole, Eco +Slime Midsole
- BOA® H5 Coiler Fit System, BOA® Tongue Tied™, TX3 Lace, The Closer™
- Center Tongue Liner, Internal/External J Bars
- Intuition™ Support Foam Liner, Black Gold™ Liner Mesh
- Lock Down™ Turbo, Lace Lock, Impacto Ultra Insole



Grey



White



Swamp Camo

OCTAVE



Black

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff, Heat Reflective Foil
- C.A.T. System
- Flex Lite 2.0 Outsole, +SLIME midsole
- BOA® Zonal Fit System, TX3 Lace, Tongue Tied™ Hybrid Harness
- Internal/External J Bars
- Intuition™ Support Foam Liner, Lace Lock
- Impacto Primo Insole



Brown



Tan

ANTHEM

FEEL: 1 2 3 4 **5** 6 7 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff, C.A.T System
- Heat Reflective Foil
- Fusion Rubber, Grip Lite 2.0 Outsole, +Slime Midsole
- H5 BOA® Coiler Fit System, The Closer™
- Center Tongue Liner, Internal J Bars
- Intuition™ Plush Foam Liner
- Lock Down™ Turbo, Lace Lock
- Die Cut EVA Insole



Black



Brown



Swamp Camo

ROOK

FEEL: 1 2 3 **4** 5 6 7 8 9 10

SIZES: 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

CONSTRUCTION FEATURES:

- 1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff
- Shell:
 - 1:1 Lasting, Grey Last, IN2GRATED™
 - Grip Lite 2.0 Outsole, +Slime Midsole
 - Articulated Cuff
 - H4 BOA® Fit System
 - Center Tongue Liner, Internal J Bars
 - Intuition™ Plush Foam Liner
 - Lock Down™ Turbo, Lace Lock
- Liner:
 - Die Cut EVA Insole



Black



Black

ORION

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff
- 1:1 Lasting, Grey Last, IN2GRATED™
- Fusion Rubber, Grip Lite 2.0 Outsole, +Slime Midsole
- Articulated Cuff
- Traditional Lace
- Center Tongue Liner, Internal J Bars
- Intuition™ Plush Foam Liner

Liner:

- Lock Down™ Turbo, Lace Lock
- Die Cut EVA Insole

CADENCE

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™, Lace Cover
- TPU Toe Cap, Rebound Heel Counter™ 2.0, Flex Slime Tongue™ 2.0, C.A.T System
- Michelin® Hybrid Traverse Outsole, Eco +Slime Midsole,
- BOA® Closer Wrap, TX3 Lace, The Closer™
- Slip Grip Top Closure, Center Tongue Liner
- Internal/External J Bars with Cored Pockets
- Intuition™ Dream Liner, Black Gold™ Liner Mesh
- Lace Lock, Tallboy Harness™, Eco +Slime Impacto Elite Insole



Black

HERA PRO

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
- C.A.T. System, Heat Reflective Foil, Lace Cover
- HDR Premium Synthetics™, Rebound Heel Counter™
- Michelin® Hybrid Summit Outsole, Eco +Slime Midsole,
- BOA® H5 Coiler Fit System, BOA® Tongue Tied™ Hybrid Harness, TX3 Lace, The Closer™
- Slip/Grip top closure, Internal J Bars with Cored Pockets
- Intuition™ Mobile Foam Liner, Wrap Liner, Black Gold™ Liner Mesh
- Eco +Slime Impacto Elite Insole



Black



Faded

HERA PRO WIDE

FEEL: 1 2 3 4 5 6 **7** 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- 1:1 Lasting, Wide Last, IN2GRATED™, Articulated Cuff
- C.A.T. System, Heat Reflective Foil, Lace Cover
- HDR Premium Synthetics™, Rebound Heel Counter™
- Michelin® Hybrid Summit Outsole, Eco +Slime Midsole,
- BOA® H5 Coiler Fit System, BOA® Tongue Tied™ Hybrid Harness, TX3 Lace, The Closer™
- Slip/Grip top closure, Internal J Bars with Cored Pockets
- Intuition™ Mobile Foam Liner, Wrap Liner, Black Gold™ Liner Mesh
- Eco +Slime Impacto Elite Insole



Black

KARMYN ZONAL



Black

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff
- C.A.T. System, Heat Reflective Foil
- HDR Premium Synthetics™
- Fusion Rubber, Impact Rubber Cup Sole, Eco +Slime Midsole
- BOA® Zonal Fit System, TX3 Lace
- Center Tongue Liner, Internal J Bars
- Intuition™ Support Foam Liner, Black Gold™ Liner Mesh, Tongue Tied™ Hybrid Harness, Lace Lock
- Impacto Ultra Insole



Tan

HERA



Black

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- :1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff
- Heat Reflective Foil, HDR Premium Synthetics™, C.A.T System
- Rebound Heel Counter™ 3.0, Fusion Rubber, Impact Rubber Cup Sole, Eco +Slime Midsole
- BOA® H5 Coiler Fit System, BOA® Tongue Tied™, TX3 Lace, The Closer™
- Center Tongue Liner, Internal/External J Bars
- Intuition™ Support Foam Liner, Black Gold™ Liner Mesh,
- Lock Down™ Turbo, Lace Lock
- Impacto Ultra Insole



Grey



White

SYNTH



Black

FEEL: 1 2 3 4 (5) 6 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff, Heat Reflective Foil
- C.A.T. System
- Flex Lite 2.0 Outsole, +SLIME midsole
- BOA® Zonal Fit System, TX3 Lace, Tongue Tied™ Hybrid Harness
- Internal/External J Bars
- Intuition™ Support Foam Liner, Lace Lock
- Impacto Primo Insole



Tan



Black Smoke

SAGE



Black

FEEL: 1 2 3 (4) 5 6 7 8 9 10

SIZES: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

- 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff
- C.A.T. System, Heat Reflective Foil
- Fusion Rubber, Grip Lite 2.0 Outsole, +Slime Midsole
- H5 BOA® Coiler Fit System, The Closer™
- Internal J Bars
- Intuition™ Plush Liner
- Lock Down™ Turbo, Lace Lock
- Die Cut EVA Insole



White



Purple

HARPER

FEEL: 1 2 ③ 4 5 6 7 8 9 10

SIZES: 5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff
- 1:1 Lasting, Grey Last, IN2GRATED™
- Fusion Rubber, Grip Lite 2.0 Outsole, +Slime Midsole
- Articulated Cuff
- H4 BOA® Fit System
- Internal J Bars
- Intuition™ Plush Foam Liner

Liner:

- Lock Down™ Turbo, Lace Lock
- Die Cut EVA Insole



Black



03 BINDINGS



CIRCUIT

ALUMINUM
CHASSIS

KEY FEATURES

Aluminum Chassis Features:


- Negligible flex change in different temperatures
same chassis flex from shop floor to chair lift
- Strength to weight ratio
light chassis and more room for shock absorption material

Curvy highback top profile



Soft urethane top

- Widest points are supportive but do not restrict lateral & medial movement
- Top of highback flexes and relieves pressure when using forward lean




3
Flex Zones

3D molded emblem



New symmetrical medium-stiff flex ankle strap

- Frame - lateral & medial support
- Pad - even pressure distribution



Minimalist toe strap

- light & flexible



- Micro rotation** up to 2 degrees
- 10 degrees outward rotation
- 6 degrees inward rotation
- Toolless rotation and
no disassembly needed





CIRCUIT

CARBON

ALUMINUM
CHASSIS


KEY FEATURES

Aluminum Chassis Features:

- Negligible flex change in different temperatures
same chassis flex from shop floor to chair lift
- Strength to weight ratio
- light chassis and more room for shock absorption material*

New symmetrical medium-stiff flex ankle strap

- Frame - lateral & medial support
- Pad - even pressure distribution



New perimeter

Carbon fiber composite lean block

- More performance and reaction



EVA calfpad - Comfort where you need it



Minimalist toe strap

- light & flexible



Rubber heel pad - Dampens vibrations & grips boot heel for less heel lift/more performance



New highback ear geometry

- Optimized to reduce ear poke when rotated

CIRCUIT
CARBON
&
CIRCUIT
ALUMINUM
CHASSIS

KEY FEATURES

Multi-material Shockpad

Plastic

Stiffen shockpad for more reaction & performance

EVA Foam

Cushions and absorbs shock

Rubber Top Sheet

Added performance and dampening


Boot lugs sink into foam and compress more upon initial force and causes less reaction/performance



Rubber top sheet does not allow boot lugs to sink into foam

Even pressure distribution across top of foam and less compression upon initial force leading to more reaction and performance

Rubber also provides grip allowing for less sliding of boot across shockpad surface providing more reaction/performance



Circuit Carbon



Chrome

FEEL: 1 2 3 4 5 6 7 8 9 ⑩

SIZES: M, L

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Carbon Slimeback™ 2.0 Highback
- Dual Material Ankle Strap
- Minimalist Grip Toe Strap
- A-Series TPU Basepad
- Performance Footbed
- Plastic Discs
- Linkage Ratchet

Circuit



Black

FEEL: 1 2 3 4 5 6 7 ⑧ 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Overmold Highback
- Dual Material Ankle Strap
- Minimalist Grip Toe Strap
- A-Series TPU Basepad
- Performance Footbed
- Plastic Discs
- Linkage Ratchet



Silver



Swamp Camo



Black

DRONE

FEEL: 1 2 3 4 5 ⑥ 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Nylon Highback
- Two-Piece Ankle Strap
- Minimalist Core Toe Strap
- A-Series Soft Basepad
- Canted Footbed
- Plastic Disc
- Linkage Ratchet

DRONE MENS

FEEL: 1 2 3 4 5 ⑥ 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Nylon Highback
- Two-Piece Ankle Strap
- Minimalist Core Toe Strap
- A-Series Basepad
- Canted Footbed
- Plastic Disc
- Linkage Ratchet



White



Silver



Red

C-6

FEEL: 1 2 3 4 5 ⑥ 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Slimeback™ Highback
- Two-Piece Ankle Strap
- Minimalist Logo Toe Strap
- C-Series EVA Basepad
- Canted Footbed
- Plastic Disc
- Linkage Ratchet



Black



Grey



Black

SPECTER

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Nylon Highback
- Two-Piece Ankle Strap
- Minimalist Toe Strap 2.0
- A-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet

SPECTER MENS

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Nylon Highback
- Two-Piece Ankle Strap
- Minimalist Toe Strap 2.0
- A-Series Diecut Basepad
- Canted Footbed
- Plastic Disc
- Linkage Ratchet



Chrome



Red



Gunmetal

C-4

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- C-Series Composite Chassis
- Nylon Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap 2.0
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Disc
- Linkage Ratchet



Black



White



Grey

C-2

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: M, L

CONSTRUCTION FEATURES:

- C-Series Composite Chassis
- Cored Nylon Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap 2.0
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Plastic Disc
- Linkage Ratchet



Black



Black

DRONE

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Nylon Highback
- Two-Piece Ankle Strap
- Minimalist Core Toe Strap
- A-Series Soft Basepad
- Canted Footbed
- Plastic Disc
- Linkage Ratchet



Silver

DRONE WOMENS

FEEL: 1 2 3 4 5 **6** 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Nylon Highback
- Two-Piece Ankle Strap
- Minimalist Core Toe Strap
- A-Series Basepad
- Canted Footbed
- Plastic Disc
- Linkage Ratchet

CL-6

FEEL: 1 2 3 4 5 ⑥ 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- C-Series Performance Chassis
- Slimeback™ Highback
- Reversible Ankle Strap
- Minimalist Logo Toe Strap
- C-Series EVA Basepad
- Canted Footbed
- Plastic Disc
- Linkage Ratchet



Black



Black

SPECTER

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Nylon Highback
- Two-Piece Ankle Strap
- Minimalist Toe Strap 2.0
- A-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Linkage Ratchet

SPECTER WOMENS

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- A-Series Aluminum Chassis
- Nylon Highback
- Two-Piece Ankle Strap
- Minimalist Toe Strap 2.0
- A-Series Diecut Basepad
- Canted Footbed
- Plastic Disc
- Linkage Ratchet



Grey



Purple

CL-4

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- C-Series Composite Chassis
- Slimeback™ Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap 2.0
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Disc
- Linkage Ratchet



Black



Pink

CL-2

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- C-Series Composite Chassis
- Slimeback™ Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap 2.0
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Discs
- Plastic Disc
- Linkage Ratchet



Black

RIDE | ®


04

YOUTH / BAGS / APPAREL



ZERO JR

DESIGN	SPECIALTY	RESPONSE
ASYMMETRICAL TWIN STANDARD CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Standard Camber — Asymmetrical Quadratic Sidecut — Extruded Base
Foundation™ Core — Cleave Edge™ — Slim Walls — Double Impact Pales — Biaxial Glass

SIZE (CM)	EFFECTIVE EDGE (MM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M) ENTRY FOCUS EXIT	TIP & TAIL WIDTH (MM)	SET BACK + S (MM) REF STANCE (MM)	RIDER WEIGHT (LBS / KG)
135	1050	238	7.3 / 6.3 6.3 / 5.3 7.3 / 6.3	281 / 281	432	50 - 100 / 23 - 45
142	1116	242	7.8 / 6.7 6.8 / 5.7 7.8 / 6.7	288 / 288	437	80 - 130 / 36 - 59
147	1152	245	8.0 / 6.9 7.0 / 5.9 8.0 / 6.9	293 / 293	483	80 - 130 / 36 - 59

RD21871



PRODUCER:
RIDE SKATEBOARDS
200 10TH AVE SE
SEATTLE, WA 98108
USA

IMPORTER:
RIDE EUROPE IMPORTER
REDFORTER STRASSE 43
40100 DUISBURG
GERMANY

RIDE NORWAY IMPORTER
RIDE NORWAY AS
KJELLERVEIEN 29
N-2006 TRONDH
NORWAY

RIDE CANADA IMPORTER
1 WESTSIDE DR #7
CONCORD, ONTARIO M9C1B2
CANADA

RIDE JAPAN IMPORTER
TWIN BLADE ST
1-10-1 SHIMIZU-CHO
CHUOH-KU
TOKYO JAPAN 101-0032

RIDESHOWBOARDS.COM



LOWRIDE

DESIGN	SPECIALTY	RESPONSE
TWIN ZERO CAMBER	PARK GROOMERS POW	MELLOW MEDIUM AGGRESSIVE



CONSTRUCTION FEATURES

Twin Zero Camber — Quadratic Sidecut
Extruded Base — Bio-Resin — Foundation™ Core — Biaxial Glass

SIZE (CM)	WAIST WIDTH (MM)	SIDECUT RADIUS (M)	TIP & TAIL WIDTH (MM)	INSERT LOC. BACK (MM)	REF. STANCE (MM)	RIDER WEIGHT (LBS / KG)
75	180	- 6.5 -	200 / 200	0	305	<90 / <41
80	180	- 7.1 -	202 / 202	0	330	<100 / <45
100	190	- 7.5 -	219 / 219	0	356	<110 / <50
110	200	- 7.9 -	230 / 230	0	381	<120 / <54
120	215	- 8.5 -	248 / 248	0	406	<120 / <54
130	230	- 9.1 -	265 / 265	0	432	<130 / <59

RD240293



PRODUCER:
RIDE SKATEBOARDS
413 10TH STREET
SEATTLE, WA 98101
USA

IMPORTER:
RIDE EUROPE IMPORTER
REDFORTER STRASSE 43
40100 DUISBURG
GERMANY

RIDE NORWAY IMPORTER
RIDE NORWAY AS
KJELLERVEIEN 29
N-2006 TRONDH
NORWAY

RIDE CANADA IMPORTER
1 WESTSIDE DR #7
CONCORD, ONTARIO M9C1B2
CANADA

RIDE JAPAN IMPORTER
TWIN BLADE ST
1-10-1 SHIMIZU-CHO
CHUOH-KU
TOKYO JAPAN 101-0032

RIDESHOWBOARDS.COM



Black

LASSO JR

FEEL: 1 2 ③ 4 5 6 7 8 9 10

SIZES: 2, 3, 4, 5, 6, 7

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Grey Last, IN2GRATED™, Articulated Cuff
- Fusion Rubber, Grip Lite 2.0 Outsole, +Slime Midsole
- Kid's BOA® Fit System
- Intuition™ Plush Liner, Internal J Bars

Liner:

- Lock Down Turbo™, Lace Lock
- Die Cut EVA Insole with Size Shims



Black

NORRIS

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: 9K, 10K, 11K, 12K, 13K, 1, 2, 3, 4, 5

CONSTRUCTION FEATURES:

Shell:

- 1:1 Lasting, Grey Last, IN2GRATED™
- Track Lite Sole
- Kid's BOA® Fit System with Adjustable Play Mode

Liner:

- Internal J Bars
- Die Cut EVA Insole with Size Shims

SPECTER JR

FEEL: ① 2 3 4 5 6 7 8 9 10

SIZES: S, M

CONSTRUCTION FEATURES:

- C-Series Composite Chassis
- Nylon Highback
- One-Piece Ankle Strap
- Minimalist Toe Strap 2.0
- C-Series Diecut Basepad
- Canted Footbed
- Plastic Disc



Black

MICRO

FEEL: ① 2 3 4 5 6 7 8 9 10

SIZES: XS, S

CONSTRUCTION FEATURES:

- Single Strap Entry
- Adjustable Sizes



Black

THE PERFECT SNOWBOARD BAG

SIZES 1SZ

Tagline

Everything You Need

Color(s)

Black
BLACK

Volume

Fits up to 170cm board

Description

Board bags go through hell, and we like the things inside them way too much to compromise. The perfect size, the perfect shape and the perfect material will assure your board boots binders and the rest of your stuff makes it to the destination unscathed.

Construction Features

66in x 13in x 8in
168cm x 33cm x 20cm
Double Sided TPU Coated Canvas



Black

DUFFLE

SIZES 1SZ

Tagline

The Perfect Size

Color(s)

Black
BLACK

Volume

80L

Description

When the homies come to pick you up, or more realistically, when you go to pick up the homies and take them to the mountain, having your gear all dialed in one spot is a game changer. The duffel holds the boots in the bottom, the outerwear up top, hats When the homies come to pick you up, or more realistically, when you go to pick up the homies and take them to the mountain, having your gear all dialed in one spot is a game changer. The duffel holds the boots in the bottom, the outerwear up top, hats gloves goggles on the side and your tool up front. With a couple of back pack straps you are sure to be organized, ready and first to the lift line WITH time to stop and grab a coffee. The simple things. Pair the duffel with the perfect board bag, and you've got a luggage kit that will take you and all your gear, just about anywhere in the world.

Construction Features

16in x 27in x 10in
40cm x 68cm x 25cm
Ripstop Polyester with TPU coating in high wear areas
Dedicated Lower Boot Compartment
Deployable Shoulder Straps
Internal Fleece Lined Goggle & Glove Pocket



Black

UNFORGIVEN BOARD SLEEVE

SIZES 1SZ

Tagline

Wrap it up

Color(s)

Black

BLACK

Volume

55L

Description

Adjustable to fit all size Ride boards with bindings and room for boots, lays/folds flat for storage.

Bag it up. Perfect for storing the board in the off season or assuring no damage during a travel day. The unforgiven bag is a no BS bag that is lightweight and easy to own.

Construction Features

Max: 73in x 17in, Min: 45in x 17in

Minor abrasion Board protections

Secure Zipper Closure

Center carry handle for easy carrying

It's got a Ride logo on the front, and another ride logo on the back.

We hesitate to say it's your new favorite t-shirt because our therapist says we need to be humble. But let's talk real here for a moment, you're gonna love this shirt. Traditional men's sizing, but all the sizes for all body shapes.

External fabric: 100% Cotton



Black

OLD ENGLISH HOODY

SIZES S, M, L, XL, XXL

Tagline

Warm

Color(s)

BLACK

Description

Wait, what? A hooded sweatshirt. This is nuts. The technology here is unheard of. Are you cold? Forget your hat? There is an included hat! I mean depending on your definition of hat, but I think if it goes on your head, it's a hat. And this hood goes on your head. So, it's like clothes and a hat all in one. Why has no one thought of this? 70% cotton, 30% polyester. It's mid-weight so you don't have to take it on and off all the time. It's not too baggy like those workwear brands for truck drivers but it's not super slim like a European fashion brand. Standard men's cut, with sizes for all your friends. Be careful how many you order, you may never buy a new sweatshirt again.

Construction Features

70% COTTON 30% POLYESTER



Black

ZERO LOGO CREW SWEATSHIRT

SIZES S, M, L, XL, XXL

Tagline

Warm

Color(s)

HEATHER GREY

Description

Wait, what? A hooded sweatshirt. This is nuts. The technology here is unheard of. Are you cold? Forget your hat? There is an included hat! I mean depending on your definition of hat, but I think if it goes on your head, it's a hat. And this hood goes on your

Construction Features

80% COTTON 20% POLYESTER



Heather Grey

LOGO TEE

SIZES S, M, L, XL, XXL

Tagline

Cool

Color(s)

BLACK, WHITE

Description

It's got a Ride logo on the front, and another ride logo on the back. We hesitate to say it's your new favorite t-shirt because our therapist says we need to be humble. But let's talk real here for a moment, you're gonna love this shirt. Traditional men's sizing,

Construction Features

100% RINGSPUN COTTON



Black

LOGO TEE

SIZES S, M, L, XL, XXL

Tagline

Cool

Color(s)

BLACK, WHITE

Description

It's got a Ride logo on the front, and another ride logo on the back. We hesitate to say it's your new favorite t-shirt because our therapist says we need to be humble. But let's talk real here for a moment, you're gonna love this shirt. Traditional men's sizing,

Construction Features

100% RINGSPUN COTTON



White

ZERO LOGO TEE

SIZES S, M, L, XL, XXL

Tagline

Cool

Color(s)

BLACK, WHITE

Description

Honestly, ask yourself this: Is it possible to have 2 favorite t-shirts. Mom's always say that they don't have favorite kids, and I never believed them....but then I see this shirt and think...damn this is my favorite shirt....but so is the standard logo shirt. It's like I can't decide which shirt is my favorite. 100% cotton. Traditional Men's sizing. It's black so you can't stain it. Your significant others won't tell you to change it cause it's dirty. I mean, in a t-shirt, is really is there more that you could ask for? I say no. Buy this and reap the rewards of being the coolest person you know.

Construction Features

100% RINGSPUN COTTON



Black

ZERO LOGO TEE

SIZES S, M, L, XL, XXL

Tagline

Cool

Color(s)

BLACK, WHITE

Description

Honestly, ask yourself this: Is it possible to have 2 favorite t-shirts. Mom's always say that they don't have favorite kids, and I never believed them...but then I see this shirt and think...damn this is my favorite shirt....but so is the standard logo shirt. It's like I can't decide which shirt is my favorite. 100% cotton. Traditional Men's sizing. It's black so you can't stain it. Your significant others won't tell you to change it cause it's dirty. I mean, in a t-shirt, is really is there more that you could ask for? I say no. Buy this and reap the rewards of being the coolest person you know.

Construction Features

100% RINGSPUN COTTON



White

DOCK BEANIE

SIZES 1SZ

Tagline

Hat

Color(s)

BLACK, GREY

Description

This beanie comes in black or grey. You can fold it up on your head to look like a fisherman. You can wear it with a lot hanging up on top. The world is your oyster.

Construction Features

100% ACRYLIC



Black

DOCK BEANIE

SIZES 1SZ

Tagline

Hat

Color(s)

BLACK, GREY

Description

This beanie comes in black or grey. You can fold it up on your head to look like a fisherman. You can wear it with a lot hanging up on top. The world is your oyster.

Construction Features

100% ACRYLIC



Grey



Black

ZERO LOGO BEANIE

SIZES 1SZ

Tagline

Hat

Color(s)

BLACK, WHITE

Description

Beanie or DIY ski mask? Your choice really. Keep this thing in tact and wear it as intended, just a regular beanie. OR reach out to our art director Dave and ask him to show you his ways of making ANY BEANIE into a functional SKI MASK! For those super cold days of course, keep your whole face warm. Or just keep it as a beanie, looks pretty sick either way.

Construction Features

100% ACRYLIC



White

OLD ENGLISH CAP

SIZES 1SZ

Tagline

Hat

Color(s)

BLACK

Description

This is a hat. You'll notice it's quite different from a beanie. This one has a brim on it to block out the sun. It also doesn't cover your ears like a beanie would. Think of this as a beanie for the summer time. This is a great hat. You can wear it to keep the sun out of your eyes, use it to cover up that terrible haircut, pull it down over your eyes for taking a nap in the park. You could even put this thing on backwards if you wanted! Show the world that you don't play by anyone's rules, a true rebel.

Construction Features

100% COTTON



Black



DEEP FAKE



ALGORHYTHM



CURRENT



MODERATOR



SUPERPIG



BURNOUT



BERZERKER



WARPIG



BENCHWARMER



SHADOWBAN



PSYCHOCANDY



VANTUM



ZERO



TWINPIG



SMOKECREEN



KINK



MANIC



AGENDA



DEEP FAKE



CURRENT



MODERATOR



SUPERPIG



WARPIG



BENCHWARMER



PSYCHOCANDY



VANTUM



ZERO



TWINPIG



MAGIC STICK



SATURDAY



COMPACT



HEARTBREAKER



TORRENT
BLACK



TRIDENT
BLACK



92'
BLACK



INSANO
BLACK



INSANO
BROWN



LASO PRO
REGULAR & WIDE
BLACK



LASO PRO
BROWN



LASO PRO
SWAMP CAMO



DEADBOLT ZONAL
BLACK



DEADBOLT ZONAL
BROWN



FUSE
BLACK



FUSE
TAN



LASSO
BLACK



LASSO
GREY



LASSO
WHITE



LASSO
SWAMP CAMO



OCTAVE
BLACK



OCTAVE
BROWN



OCTAVE
TAN



ANTHEM
BLACK



ANTHEM
BROWN



ANTHEM
SWAMP CAMO

C/O



ROOK
BLACK

C/O



ORION
BLACK



CADENCE
BLACK



HERA PRO
BLACK



HERA PRO
FADED



KARMYN ZONAL
BLACK



KARMYN ZONAL
TAN



HERA
REGULAR & WIDE
BLACK



HERA
GREY



HERA
WHITE



SYNTH
BLACK



SYNTH
TAN



SYNTH
BLACK SMOKE



SAGE
BLACK



SAGE
WHITE



SAGE
PURPLE

C/O



HARPER
BLACK



CIRCUIT CARBON
CHROME



CIRCUIT
BLACK



CIRCUIT
SILVER



CIRCUIT
SWAMP CAMO





DRONE
BLACK



DRONE
SILVER



CL-6
BLACK



CL-6
GREY



SPECTER
BLACK



SPECTER
GREY



SPECTER
PURPLE



CL-4
BLACK



CL-4
PINK



CL-2
BLACK

F26 KIDS / BAGS

KIDS



ZERO JR



LOWRIDE



SPECTER JR
BLACK



MICRO



LASSO JR



NORRIS

PACKS & BAGS



PERFECT BOARD BAG



DUFFLE



UNFORGIVEN BOARD SLEEVE




**RIDE OLD ENGLISH
HOODY**
-Black



**RIDE ZERO LOGO
CREW SWEATSHIRT**
-Heather Grey




RIDE LOGO TEE
-Black
-White




RIDE ZERO LOGO TEE
-Black
-White



**RIDE OLD ENGLISH
CAP**
-Black
-Grey



RIDE DOCK BEANIE
-Black
-Grey



**RIDE ZERO LOGO
BEANIE**
-Black
-White



RIDE USA:
3305 160th Ave SE
Bellevue WA, 98008
T: 800 757 5806
F: 800 972 4066

RIDE CANADA:
1 Westside Drive Unit #7
Toronto, ON M9C 1B2, Canada
T: 888 249 7433
F: 416 679 1218

RIDE EUROPE:
Seehaupter Strasse 62,
Penzberg 82377, Germany
T: 49 8856 901 0
F: 49 8856 901 101
E: info@k2sports.de

RIDE JAPAN:
TMM Bldg.6F,
1-10-5, Iwamoto-Cho, Chiyoda-Ku,
Tokyo, Japan 101-0032
T: 81 3 5809 1904

© RIDE SNOWBOARDS
WWW.RIDESNOWBOARDS.COM

DEALER BOOK 26/27

