

A skier is captured mid-air, performing a dynamic jump. The skier is leaning forward, wearing a black helmet and goggles, and is attached to a tow rope system. The background is a dark, moody sky with dramatic clouds, suggesting a high-altitude or mountainous environment.

VOLKL

**PRODUCT
COLLECTION
2024 / 25**

T H E
V Ö L K L
W A Y

VÖLKL
ENGINEERING

We are committed to continuous development and enhancement, merging German engineering with state-of-the-art manufacturing and meticulous craftsmanship at our Straubing production facility to create top-tier sporting goods.

**HIGHTECH IN
MATERIALS & PROCESSING**

A core benefit of developing and producing in Germany is the access to the most cutting-edge materials, combined with our constant investment in high-tech processing.

TEAM

At Völk, we're a global team united by our love for the perfect turn on snow. Together, we harness our collective power to create the magic that happens out on the mountain.

**BUILT
TO
WIN**

DATA

To learn and progress, we don't rely solely on our experience, but also analyze data from our global ski community.

CONSUMER INSIGHTS

We focus on our consumers!

The invaluable insights into understanding their needs, preferences, and behaviors are of utmost importance for the development of our skis.

VÖLKL OBSESSION

With our unparalleled obsession for precision, attention to detail and quality enable us to improve our products constantly while shifting boarders. Built to win.

ATHLETE INSIGHTS

Our athlete involvement and the invaluable insights from our fantastic team are propelling our product development to new heights.

**COMMITMENT TO
SUSTAINABILITY**

By staying at the forefront of ski technology, we provide superior skiing performance while our commitment to sustainability preserves the natural beauty of the mountains for generations to come.

VÖLKL TESTING

We test every single ski in each specific length. Without exception. No ski goes into production without the approval of our experienced test team.

FOCUS ON SUSTAINABILITY

DONE IN 2023

- Increase FSC & Greencore wood material
- Automation of building control system
- New extraction in sanding / grinding department
- Optimization of ventilation system

ENGINEERED IN GERMANY

SUSTAINABILITY FACTS

100% RENEWABLE ELECTRIC ENERGY

Production using electricity from Danube hydroelectric power station „Kagers“, not even 8 km from the factory



SHORT DISTANCES SUPPLY CHAIN FOR SKI MATERIALS

28% Bavarian suppliers
63% German suppliers
100 % European suppliers



LESS USE OF PACKAGING MATERIALS

Circle system of collapsible boxes between GER, USA, CAN. Circle systems of rolling carts with selected EU customers

2024: 100% CO₂ NEUTRAL ENERGY

- 100% renewable electric power
- 100% CO₂ compensated gas, certified by TÜV Rheinland
- 4700 t CO₂ savings per year

CO₂ REDUCTION IN PRODUCTION SUCH AS:

- Numerous energy-saving projects such as:
- Milestone: since 2014 energy management system certified according to DIN ISO 50001
 - Heat exchanger for preheating the air in the factory
 - Using waste heat from compressors to heat screen printing and pre-production
 - Cooling of the presses in winter with outside air instead of chillers
 - Conversion to LED lighting
 - Automatic shutdown of the compressed air network in non-working time

XX VÄLKI

OVERVIEW 24 / 25

JUNIOR

WOMEN

ALL GENDER

RACETIGER JR PRO

RACETIGER JR YELLOW
RACETIGER JR RED

PEREGRINE JR PRO
PEREGRINE JR

FLAIR JR

FLAIR SC CARBON

FLAIR SC

FLAIR MT

FLAIR 79

FLAIR 76

FLAIR 72

RACETIGER RC BLACK

RACETIGER RC RED

RACETIGER SC BLACK

RACETIGER SC YELLOW

RACETIGER SC WHITE

PEREGRINE 80

PEREGRINE 76

PEREGRINE 72 GREY RED

PEREGRINE 72 BLUE RED

PEREGRINE 79

RACETIGER GS MASTER

RACETIGER GS

RACETIGER SL MASTER

RACETIGER SL

RACETIGER RC BLACK

RACETIGER SC BLACK

RACETIGER SC YELLOW

RACETIGER SC WHITE

PEREGRINE V.WERKS

PEREGRINE 76 MASTER

PEREGRINE 72 MASTER

PEREGRINE 82

PEREGRINE 80

PEREGRINE 76

PEREGRINE 72 GREY RED

PEREGRINE 79

PEREGRINE MT
PEREGRINE XT
PEREGRINE X

ALL MNT FREERIDE

SPEED

LIGHT

ALPINISM

BUILT TOGETHER

KATANA V.WERKS

MANTRA 108

MANTRA 102

M7 MANTRA

MANTRA 88

BLAZE 114

BLAZE 104 GREY ORANGE

BLAZE 104 BLUE PINK

BLAZE 94 GREY RED

BLAZE 94 PURPLE ROSE

BLAZE 86 OLIVE

BLAZE 86 MINT

BLAZE 82 BEIGE

BLAZE 82 TEAL

V.WERKS 100

RISE HIGH 88

RISE BEYOND 96

RISE ABOVE 88

RISE UP 82

RISE UP 80

REVOLT 96

REVOLT 90

REVOLT 84

REVOLT 86

REVOLT 81

SECRET 102

SECRET 96

SECRET 88

SECRET 84

SECRET 80

RISE BEYOND 96 W

RISE ABOVE 88 W

RISE UP 82 W

BLAZE JR ORANGE

BLAZE JR BLUE PINK

RISE JR

REVOLT 100 JR

REVOLT JR PARK

REVOLT JR URBAN

MINI REVOLT JR

RACE

ALL MNT PISTE

COMMERCIAL

PERFORMANCE

RECREATION

ALL MNT FREERIDE

SPEED

LIGHT


TOURING

ALPINISM

FREESKI

BUILT TOGETHER

TAILORED TECHNOLOGIES



TAILORED FIBER PLACEMENT

One of our latest technologies is Tailored Fibre Placement. In this innovative manufacturing process the Tailored Carbon Tips are produced by embroidering the individual carbon fibers onto a carrier material.

This allows them to be positioned exactly along the stress lines, opening up plenty of possibilities, for performance at the front of the ski, which has a decisive influence on the handling of the ski. The stiffness, torsion and thus the skiing characteristics can be specifically adjusted via the fiber thickness and millimeter-precise alignment. In this way, the fibers guide the dynamics to the areas of the ski where they are needed. The visibly integrated Tailored Carbon Tips are light, allow an agile shovel reaction with less effort and quickly build up energy. The Tailored Carbon Tips thus reach a next level of precision, direct tip response and active skiing pleasure.

TAILORED TITANAL FRAME


In this technology the width of the titanal frame is adapted exactly to each individual ski length.

This results in Tailored Titanal Frames, which are positioned above the sidewall along the tip and tail area of the ski to provide the desired damping and torsional stiffness. The size of the frames is tailored to the skier's height, skiing ability and power. This means that longer ski models have a higher titanal content for more stiffness, more direct power transmission and stronger dampening. The shorter the length, the lower the titanal content, which makes the ski more agile, so that smaller, lighter and less powerful skiers can use the full potential performance of the ski. In addition to the Tailored Titanal Frames, a second, thinner titanal layer is located in the binding area, which gives the ski the necessary strength, but also agility. The result: the Tailored Titanal Frame technology provides an incomparable combination of agility and high speed control.



Multiradius concepts for maximum versatility for various snow conditions, both on-piste and off-piste, with increased stability on hard surfaces and improved performance in soft snow.

3 D RADIUS



R1

Usage of long radii at tip and tail for big turns and high speed
// easy steering and maneuverability
// disruption resistant at the tip
// no radius limitation and ease of turn exit

R2

Usage of shorter radius in the center for short turns and lower speed
// extremely easy to initiate short turns
// strikingly agile
// effortless and smooth in short turns

R3

Usage of long radii at tip and tail for big turns and high speed
// easy steering and maneuverability
// disruption resistant at the tip
// no radius limitation and ease of turn exit

R1

RADIUS: Approx. 20 m in the frontmost 10 centimeters
FUNCTION: A tighter radius only in the shovel to achieve a more immediate response to the skier's initial edge movement; maximum precision and agility

R2

RADIUS: Approx. 40 m in the area between the shovel and the binding
FUNCTION: The open radius in the front part of the ski gives the ski more resistance to disturbances and stability at speed

R3


RADIUS: Approx. 15 m in the area under the binding
FUNCTION: The tight radius in the camber area provides the ski with more agility even with slight edge movements of the skier, ensuring the necessary buildup of dynamics for short turns and radical carving curves.

R4

RADIUS: Approx. 25 meters in the area behind the binding up to the ski end
FUNCTION: The moderate radius at the ski end ensures controlled and situation-adapted dynamics at the end of the turn and provides optimal support for transitioning into the next curve.

4 RADIUS DRIVE

WOODCORES

CHARACTERISTICS	MATERIAL BENEFIT	MULTILAYER WOODCORE	MULTILAYER WOODCORE LIGHT	HYBRID MULTILAYER WOODCORE	WORLD CUP ASH WOODCORE	WORLD CUP WOODCORE
	MULTILAYER WOODS A combination of lighter, softer poplar wood and heavier, stronger beech wood provides a target group specific combination between light weight, strength, durability and damping: The beech typically concentrates where the most power is needed in the ski - like under the binding or alongside the edges and sidewalls.	X	X	X		X
	ISOCORE The addition of ISOCORE to the wood core helps to save weight and support dynamics, pop and agility.			X		
	SLOTTED Slots that get milled into the wood cores - with the number of slots varying according to the target group of the ski - helps to save weight and optimize the flex pattern towards a softer characteristic.	X	X			
	ASH (%) Ash - the wood of the gods in ancient times - provides the best dynamic properties of any woods in skiing. At the price of heavier weight, a maximum of power transmission and dynamics can be found in skis with ash cores.				100%	50%

GREEN CORE

// All GreenCore woods are FSC certified
 // Environmentally friendly glue
 // Foam: recycled PET



ROCKER

Our rocker construction is directly integrated into the production cycle, so the rocker shape doesn't need to be bent afterwards, which makes the matching between the rocker and the other components much more harmonized and precise:

- // easier turn initiation
- // effective edge length extends when putting the ski onto the edge
- // additional uplift for off-piste skiing



Full Rocker

Character: The ski is bent at a constant curvature along its entire length



Tip & Tail Rocker

Character: Bends up only in the shovel and tail zones, with a camber shape in the middle



Tip Rocker

Character: Only bends upwards in the shovel area, while the middle and tail of the ski feature a camber shape



A SH WOOD CORE

The high-quality core made of solid ash, which extends over the entire length of the ski, is a technical highlight that has great impact on the skiing characteristics.

The particularly elastic hardwood has only been used in racing skis for World Cup athletes and acts as an energy accumulator: while the ski flexes when initiating the turn, the fibers stretch and absorb the tension energy. At the exit of the turn, this accumulated energy is released, giving the ski enormous dynamics. Due to the specific stretching behavior of ash, the ski also adapts optimally to the surface. This results in the greatest possible stability and reliability, which makes the ski particularly smooth.

R MOTION 3 GW

Exclusive Marker Völkl plate-binding system for our on-piste skis

BENEFITS

- // Smooth & consistent drifting at moderate speed
- // Tighter turns with less efforts at higher speeds



DEDICATED BASE STRUCTURES

POLISHED SKI BASES ENHANCE ...

- ... greatest gliding characteristics
- ... optimal base treatment options
- ... long lasting effects


DEDICATED SKI BASE STRUCTURES HAVE A STRONG EFFECT ON ...

- ... agile, precise & reliable turn initiation
- ... tighter turns with less efforts
- ... smooth drifting

After one year of intense testing we defined the following dedicated base structure for the relevant target groups / areas of use:


ZEBRA STRUCTURE

on system / premounted skis with
narrower widths



BRUSHED STRUCTURE

on flat skis with
wider widths



STRUCTURE DEPTH

superficial ● pronounced

Very pronounced & deep structure to offer the best possible precision & steering characteristics for an on-piste ski.

superficial ● pronounced

Superficial & shallow structure matches with wide skis and their bigger bearing face
→ optimum agility & turning characteristics.



**RACETIGER GS MASTER**ART. NO.
V2410001.000

TECHNOLOGY

- Tailored Carbon Tip
- WC Ash Woodcore
- 3D.Glass
- Full Titanal
- Full Sidewall Phenol
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: WC Plate 10 mm

SIDE CUT
115_67_98


LENGTH (RADIUS)
168 cm (15.4 m)
173 cm (16.4 m)
178 cm (17.5 m)
183 cm (18.6 m)

WEIGHT
2320g @178cm (w/plate)

MADE IN GERMANY

CORE
Worldcup Ash Woodcore
Ash 100%

REC. BINDING
Marker Comp 16
MASTER

**RACETIGER GS**ART. NO.
V2410002.000

TECHNOLOGY

- Tailored Carbon Tips
- WC Ash Woodcore
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: rMotion 3 GW

SIDE CUT
115_67_98

LENGTH (RADIUS)
168 cm (15.4 m)
173 cm (16.4 m)
178 cm (17.5 m)
183 cm (18.6 m)

WEIGHT
3100 g @178cm (w/Binding)**MADE IN GERMANY**

CORE
Multilayer Woodcore
33% Poplar / 67% Beech

REC. BINDING
rMotion 3 12 GW
MASTER

**RACETIGER SL MASTER**ART. NO.
V2410003.000

TECHNOLOGY

- Tailored Carbon Tips
- WC Ash Woodcore
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: WC Plate 10 mm


SIDE CUT
125_67_102

LENGTH (RADIUS)
155 cm (11.2 m)
165 cm (12.8 m)

WEIGHT
2110 g @165cm (w/o Binding)**MADE IN GERMANY**

CORE
Worldcup Ash Woodcore
Ash 100%

REC. BINDING
Marker xComp 16 GW
MASTER

**RACETIGER SL**ART. NO.
V2410004.000

TECHNOLOGY

- Tailored Carbon Tips
- Multilayer Woodcore
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: rMotion 3 GW


SIDE CUT
126_67_102

LENGTH (RADIUS)
150 cm (10.2 m)
155 cm (11.0 m)
160 cm (11.8 m)
165 cm (12.6 m)
170 cm (13.4 m)

WEIGHT
3020 g @165cm (w/Binding)**MADE IN GERMANY**

CORE
Multilayer Woodcore
33% Poplar / 67% Beech

REC. BINDING
rMotion 3 12 GW



**RACETIGER RC BLACK**ART. NO.
V2410005.000**TECHNOLOGY**

- Tailored Carbon Tip
- 3D.Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Plate System: vMotion
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT LENGTH (RADIUS)
123_68_102 158 cm (11.8 m)**SIDE CUT** LENGTH (RADIUS)
121.5_69_100 165 cm (13.9 m)
172 cm (15.3 m)
179 cm (16.8 m)**WEIGHT**
2960g @172cm (w/binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore
Poplar / Beech**REC. BINDING**
vMotion 12 GW**RACETIGER RC RED**ART. NO.
V2410006.000**TECHNOLOGY**

- Tailored Carbon Tip
- 3D.Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Plate System: vMotion
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT LENGTH (RADIUS)
123_68_102 158 cm (11.8 m)**SIDE CUT** LENGTH (RADIUS)
121.5_69_100 165 cm (13.9 m)
172 cm (15.3 m)
179 cm (16.8 m)**WEIGHT**
2960g @172cm (w/binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore
Poplar / Beech**REC. BINDING**
vMotion 12 GW**RACETIGER SC BLACK**ART. NO.
V2410007.000**TECHNOLOGY**

- Tailored Carbon Tip
- 3D.Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Plate System: vMotion
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT LENGTH (RADIUS)
123_68_102 148 cm (10.2 m)**SIDE CUT** LENGTH (RADIUS)
121.5_69_100 153 cm (11.0 m)

158 cm (11.8 m)

165 cm (13.1 m)

179 cm (16.8 m)

WEIGHT
2850g @165cm (w/binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore
Poplar / Beech**REC. BINDING**
vMotion 12 GW**RACETIGER SC YELLOW**ART. NO.
V2410008.000**TECHNOLOGY**

- Tailored Carbon Tip
- 3D.Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Plate System: vMotion
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT LENGTH (RADIUS)
123_68_102 148 cm (10.2 m)**SIDE CUT** LENGTH (RADIUS)
121.5_69_100 153 cm (11.0 m)

158 cm (11.8 m)

165 cm (13.1 m)

179 cm (16.8 m)

WEIGHT
2850g @165cm (w/binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore
Poplar / Beech**REC. BINDING**
vMotion 12 GW**RACETIGER SC WHITE**ART. NO.
V2410009.000**TECHNOLOGY**

- Tailored Carbon Tip
- 3D.Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Plate System: vMotion
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT LENGTH (RADIUS)
123_68_102 148 cm (10.2 m)**SIDE CUT** LENGTH (RADIUS)
121.5_69_100 153 cm (11.0 m)

158 cm (11.8 m)

165 cm (13.1 m)

179 cm (16.8 m)

WEIGHT
2850g @165cm (w/binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore
Poplar / Beech**REC. BINDING**
vMotion 12 GW


RACETIGER SL R FIS

ART. NO.
V2410840.000 (FLAT)
V2410841.000 (w/Plate)

TECHNOLOGY
• Tailored Carbon Tip
• Full Sidewall ABS
• Full Titanal
• 3D Glass
• Race Finish SL 0.7° / 87.6°
• Base: P-Tex 4504 / Zebra structure

SIDE CUT

117.5_64.5_97 155 cm (12 m)
10 mm WC Plate

SIDE CUT

114.5_64.5_98 157 cm (12 m)
10 mm WC Plate

SIDE CUT

118.5_64.5_101 165 cm (12 m)
14 mm WC Plate

WEIGHT

2230 g* @ 165 cm (w/plate)

RACETIGER SL R WC FIS

ART. NO.
V2410850.000 (FLAT)
V2410851.000 (w/plate)

TECHNOLOGY
• Tailored Carbon Tip
• Full Sidewall ABS
• Full Titanal
• 3D Glass
• Race Finish SL 0.7° / 87.6° (V2410851)
• Base: P-Tex 2510
• Zebra structure (V2410851)

SIDE CUT

117.5_64.5_97 155 cm (12 m)
10 mm WC Plate

SIDE CUT

114.5_64.5_98 157 cm (12 m)
10 mm WC Plate

SIDE CUT

118.5_64.5_101 165 cm (12 m)
14 mm WC Plate

WEIGHT

2330 g* @ 165 cm (w/plate)

RACETIGER SL R JR

ART. NO.
V2410800.000 (w/plate)
V2410801.000 (w/plate)

TECHNOLOGY
• Full Sidewall ABS
• Torsional Soft Tip
• Full Titanal
• Grown Layup
• Additional glass layer (V2410801.000)
• Base: P-Tex 4504/ Zebra structure

SIDE CUT

113_64.5_93 122 cm (7 m) - JR Plate S
129 cm (9 m) - JR Plate S

SIDE CUT

113_64.5_93 136 (10) - JR Plate L

SIDE CUT

115_64.5_96 143 cm (10 m) - JR Plate L
150 cm (12 m) - JR Plate L

WEIGHT

1180 g* @ 122 cm (w/plate)

RACETIGER GSL R JR

ART. NO.
V2410802.000

TECHNOLOGY
• Full Sidewall ABS
• Base: P-Tex 4504/ Zebra structure

SIDE CUT

111_64.5_91 118 cm (7.5 m) - JR Plate S

WEIGHT

1050 g* @ 118 cm (w/plate)

RACETIGER GS R WC FIS

ART. NO.
V2410860.000 (FLAT)
V2410861.000 (w/plate)

TECHNOLOGY
• Tailored Carbon Tip
• Full Sidewall Phenol
• Full Titanal
• Race Finish GS 1.1° / 87.6° (V2310861)
• Base: P-Tex 2510
• Zebra structure (V2410861)
• Marker WC PC Interface (V2410861)

SIDE CUT

99_65_83 188 cm (30 m)
99.5_65_84.3 193 cm (30 m)

WEIGHT

2750 g* @ 193 cm (w/plate)

RACETIGER GS R

ART. NO.
V2410820.000 (FLAT)
V2410821.000 (w/plate)

TECHNOLOGY
• Tailored Carbon Tip
• Full Sidewall ABS
• Full Titanal
• Grown Layup
• Base: P-Tex 4504
• Zebra structure

SIDE CUT

104_64.5_87 174 cm (21 m)
104_64.5_86 178 cm (23 m)

SIDE CUT

102_64.5_86 183 cm (25 m)

SIDE CUT

101_64.5_85 188 cm (27 m)

WEIGHT

2330 g* @ 183 cm (w/plate)

RACETIGER GS R JR

ART. NO.
V2410810.000

TECHNOLOGY
• Full Sidewall ABS
• Full Titanal
• Grown Layup
• Base: P-Tex 4504
• Zebra structure

SIDE CUT

102_65_84 130 cm (12 m) - JR Plate S
102_65_84 137 cm (14 m) - JR Plate L

SIDE CUT

102_65_84 144 cm (15 m) - JR Plate L

SIDE CUT

102_65_84 151 cm (17 m) - JR Plate L

SIDE CUT

104_65_86.5 158 cm (17 m) - JR Plate L

SIDE CUT

106_64_87 165 cm (18 m) - JR Plate L

SIDE CUT

106_64_87 170 cm (19 m) - JR Plate L

All information regarding the recommended usage and adherence to the FIS rules can be found in our Race Catalog 24/25.

* Weight can vary slightly due to the production cycles.

All information regarding the recommended usage and adherence to the FIS rules can be found in our Race Catalog 24/25.

* Weight can vary slightly due to the production cycles.

ALL MOUNTAIN

PISTE


**PEREGRINE
76 MASTER**

ART. NO.
V2410020.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: WC Plate 10 mm

SIDE CUT
124_76_104


LENGTH (RADIUS)
176 cm (17.6 m)
181 cm (18.7 m)

WEIGHT
2420g @176cm (w/plate)

MADE IN GERMANY
CORE

 Worldcup Ash Woodcore
Ash 100%

REC. BINDING

 Marker Comp 16 GW
Black

**PEREGRINE
72 MASTER**

ART. NO.
V2410023.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: WC Plate 10 mm

SIDE CUT
125_72_103


LENGTH (RADIUS)
168 cm (14.5 m)
173 cm (15.4 m)
178 cm (16.4 m)

WEIGHT
2440g @173cm (w/plate)

MADE IN GERMANY
CORE

 Worldcup Ash Woodcore
Ash 100%

REC. BINDING

 Marker Comp 16 GW
Master Pink

**PEREGRINE
76**

ART. NO.
V2410022.000

TECHNOLOGY

- Tailored Carbon Tip
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: rMotion 3 GW

SIDE CUT
124_76_104


LENGTH (RADIUS)
171cm (12.7 m)
176cm (17.6 m)
181cm (18.7 m)

WEIGHT
3270 g @ 176cm (w/Binding)

MADE IN GERMANY
CORE

 Multilayer Woodcore
Beech 67% / Poplar 33%

REC. BINDING

 rMotion 3 12 GW
Black

**PEREGRINE
72 GREY RED**

ART. NO.
V2410024.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: rMotion 3 GW

SIDE CUT
125_72_103


LENGTH (RADIUS)
158 cm (12.7 m)
163 cm (13.5 m)
168 cm (14.5 m)
173 cm (15.4 m)
178 cm (16.4 m)

WEIGHT
3205 g @ 173cm (w/Binding)

MADE IN GERMANY
CORE

 Multilayer Woodcore
Beech 67% / Poplar 33%

REC. BINDING

 rMotion 3 12 GW
Black - Red

**PEREGRINE
72 BLUE RED**

ART. NO.
V2410025.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: rMotion 3 GW

SIDE CUT
125_72_103


LENGTH (RADIUS)
158 cm (12.7 m)
163 cm (13.5 m)
168 cm (14.5 m)
173 cm (15.4 m)
178 cm (16.4 m)

WEIGHT
3205 g @ 173cm (w/Binding)

MADE IN GERMANY
CORE

 Multilayer Woodcore
Beech 67% / Poplar 33%

REC. BINDING

 rMotion 3 12 GW
Black - Red


**PEREGRINE
MT**ART. NO.
V2410026.000

TECHNOLOGY
 • Full Sidewall / Mini Cap
 • Steel Band
 • Base: P-Tex 2100
 • Base structure: Zebra structure
 • Plate System: vMotion GW

**PEREGRINE
XT**ART. NO.
V2410028.000

TECHNOLOGY
 • Center Sidewall
 • Plate System: vMotion GW
 • Base: P-Tex 2100
 • Base structure: Zebra structure

**PEREGRINE
X**ART. NO.
V2410029.000

TECHNOLOGY
 • Center Sidewall
 • Plate System: vMotion GW
 • Base: P-Tex 2100
 • Base structure: Zebra structure

**PEREGRINE
V.WERKS**ART. NO.
V2410040.000

TECHNOLOGY
 • Tailored Carbon Tips & Tails
 • 3D.Ridge
 • 3D.Glass
 • Full Sidewall
 • 3D Radius Sidecut
 • Titanal Frame
 • Binding System: Lowride XL
 • Base: P-Tex 4504

SIDE CUT
126_75_105**SIDE CUT**
124_76_105**SIDE CUT**
123_72_104**SIDE CUT**
132_84_115

LENGTH (RADIUS)
 154 cm (12.2 m)
 161 cm (13.5 m)
 168 cm (15.0 m)
 175 cm (16.5 m)

LENGTH (RADIUS)
 154 cm (12.7 m)
 161 cm (14.2 m)
 168 cm (15.7 m)
 175 cm (17.3 m)

LENGTH (RADIUS)
 151 cm (11.4 m)
 158 cm (12.7 m)
 165 cm (14.0 m)
 172 cm (15.5 m)

R1	Length	R1	R2	R3
R1	167 cm	(21 m	13 m	18 m)
R2	172 cm	(23 m	14 m	19 m)
	177 cm	(24 m	15 m	21 m)
R3	182 cm	(26 m	16 m	22 m)

WEIGHT
2234 g* @ 154 cm (w/binding)**WEIGHT**
2362 g* @ 154 cm (w/binding)**WEIGHT**
2342 g* @ 151 cm (w/binding)**WEIGHT**
2880 g* @ 177 cm (w/binding)**MADE IN GERMANY****MADE IN GERMANY****MADE IN GERMANY****MADE IN GERMANY****CORE**
Woodcore**CORE**
Woodcore**CORE**
Composite Core**CORE**
3D Full Sensor Woodcore**REC. BINDING**
vMotion 12 GW Black**REC. BINDING**
vMotion 10 GW Black**REC. BINDING**
vMotion 10 GW Black**REC. BINDING**
Lowride XL 13 FR
VWerks Demo GW Black


SKIER LEVEL
 <BEGINNER PROFESSIONAL>

SKIER LEVEL
 <BEGINNER PROFESSIONAL>

SKIER LEVEL
 <BEGINNER PROFESSIONAL>

SKIER LEVEL
 <BEGINNER PROFESSIONAL>

* Weight can vary slightly due to the production cycles.



FLY HIGH. GET HYPED.

YOUNG, WILD AND SKI
PERFECTION ON THE SLOPES,
ABOVE AND BEHIND.

3D RADIUS SIDE CUT

**BETTER VERSATILITY
FOR MORE PLAYFUL
SKIING**

TAILORED CARBON TIP

**MORE TIP AGILITY
FOR QUICK SHORT
TURNS**

NEW TIP GEOMETRY

**MORE DIRECT,
PRECISE & RELIABLE
TIP ANSWER**





You're wild. You're fast. You're beyond average. You fly high. Get hyped. You're literally flying above all types of terrain, both on the slope and beside it. Feeling completely hyped about the peregrine's performance. It feels remarkably easy, yet still fast and powerful without sacrificing precision. While you're charging at full speed, there's only one thought in your mind: *It's definitely going to be an epic time with your brand-new skis.* More at volkl.com/peregrine

PEREGRINE



**PEREGRINE
82**

ART. NO.
V2410041.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D.Glass
- Full Sidewall
- 3D Radius Sidecut
- Tailored Titanal Frame, Steel Band
- Binding System: iPT Lowride XL
- Base: P-Tex 4504
- Base structure: Zebra structure

SIDE CUT
128_82_111

LENGTH (3D RADIUS)


R1	Length	R1	R2	R3
162 cm	(22 m	12 m	20 m)	
167 cm	(23 m	13 m	21 m)	
172 cm	(25 m	14 m	22 m)	
177 cm	(27 m	15 m	23 m)	
182 cm	(29 m	16 m	25 m)	

WEIGHT
3070 g* @ 177 cm (w/binding)

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Lowride 13 FR



**PEREGRINE
80**

ART. NO.
V2410042.000

TECHNOLOGY

- Tailored Carbon Tips
- Full Sidewall
- 3D Radius Sidecut
- 3D Radius Sidecut
- Binding System: iPT Lowride XL
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT
126_80_109

LENGTH (3D RADIUS)


R1	Length	R1	R2	R3
162 cm	(22 m	12 m	20 m)	
167 cm	(23 m	13 m	21 m)	
172 cm	(25 m	14 m	22 m)	
177 cm	(27 m	15 m	23 m)	
182 cm	(29 m	16 m	25 m)	

WEIGHT
3015 g* @ 177 cm (w/binding)

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Lowride 12 TCX



**PEREGRINE
79**

ART. NO.
V2410043.000

TECHNOLOGY

- 3D.Ridge
- Glass Frame
- Center Sidewall
- Steel Band
- Binding System: iPT Wideride XL
- Powered by Steel
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT
129_79_109

LENGTH (RADIUS)


R1	Length	R1	R2	R3
156 cm	(12.7 m)			
163 cm	(14.1 m)			
170 cm	(15.6 m)			
177 cm	(17.1 m)			

WEIGHT
3130 g* @ 177 cm (w/binding)

MADE IN GERMANY

CORE
Dual Woodcore

REC. BINDING
iPT WR XL 12 TCX GW



NEW**M7 MANTRA**

**EXPERIENCE NEW HEIGHTS
OF VERSATILITY.**

**4 RADIUS DRIVE****BETTER VERSATILITY
FOR MORE PLAYFUL SKIING****TAILORED CARBON TIP****MORE TIP AGILITY
FOR QUICK SHORT TURNS****TAILORED TITANAL FRAME****TAILORS POWER & STABILITY TO
THE SKIER'S HEIGHT & WEIGHT**ART. NO.
V2410112.000

TECHNOLOGY

- Tailored Carbon Tips
- 4 Radius Drive
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

CORE

Multilayer Woodcore

REC. BINDING

Marker Griffon 13 ID

SIDE CUT

139_96_121

LENGTH (4 RADIUS DRIVE)

	Length	R1	R2	R3	R4
R1	163 cm	(23 m	37 m	13.7 m	18 m)
R2	170 cm	(24 m	38 m	15.2 m	20 m)
R3	177 cm	(25 m	40 m	16.8 m	22 m)
R4	184 cm	(26 m	41 m	17.9 m	23 m)
	191 cm	(27 m	43 m	19.7 m	25 m)

WEIGHT

2090 g* @ 177 cm

MADE IN GERMANY**KATANA V.WERKS**ART. NO.
V2410100.000

TECHNOLOGY

- 3D.Ridge Carbon
- Moderate Taper
- ICE.OFF Topsheet
- Full Carbon Jacket
- SMART SKIN CLIP
- Base: P-Tex 4504
- Base structure: Brushed structure
- Center Sidewall

SIDE CUT
143_112_132**LENGTH (3D RADIUS)**
177 cm (23.4 m)
184 cm (23.5 m)
191 cm (25.9 m)**OPTIONAL**
Pre-cut skin available**WEIGHT**
1846 g* @ 177 cm**MADE IN GERMANY**

CORE
Multilayer Woodcore Light

REC. BINDING
MARKER Duke PT 11
MARKER KINGPIN MWerks 12

**MANTRA 108**ART. NO.
V2410110.000

TECHNOLOGY

- Carbon Tips
- Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure
- Center Sidewall


SIDE CUT
146_108_129**LENGTH (3D RADIUS)**

	Length	R1	R2	R3
R1	170 cm	(26 m	16 m	23 m)
R2	177 cm	(36 m	18 m	32 m)
R3	184 cm	(39 m	19 m	34 m)
	191 cm	(44 m	21 m	36 m)

WEIGHT
2230 g* @ 177 cm**MADE IN GERMANY**

CORE
Hybrid Multilayer Woodcore

REC. BINDING
Marker Jester 18 Pro ID, Jester 16 ID

**MANTRA 102**ART. NO.
V2410111.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D Radius Sidecut
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure


SIDE CUT
142_102_124**LENGTH (3D RADIUS)**

	Length	R1	R2	R3
R1	170 cm	(26 m	16 m	23 m)
R2	177 cm	(28 m	18 m	26 m)
R3	184 cm	(30 m	19 m	27 m)
	191 cm	(33 m	21 m	30 m)

WEIGHT
2200 g* @ 184 cm**MADE IN GERMANY**

CORE
Multilayer Woodcore

REC. BINDING
Griffon 13 ID

**MANTRA 88**ART. NO.
V2410113.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D Radius Sidecut
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure


SIDE CUT
129_88_113**LENGTH (3D RADIUS)**

	Length	R1	R2	R3
R1	163 cm	(23 m	13 m	21 m)
R2	170 cm	(26 m	15 m	23 m)
R3	177 cm	(29 m	16 m	25 m)
	184 cm	(31 m	17 m	26 m)

WEIGHT
1900 g* @ 177 cm**MADE IN GERMANY**

CORE
Multilayer Woodcore

REC. BINDING
TBA



NEW
V.WERKS 100



**BLAZE 86 OLIVE****BLAZE 86 MINT****ART. NO.**

V2410136.000

ART. NO.

V2410137.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Steel Band
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

129_86_111

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
146 cm	(18m	10m	16m)	
152 cm	(20m	11m	17m)	
159 cm	(21m	12 m	19 m)	
166 cm	(25 m	13 m	21 m)	
173 cm	(28 m	15 m	23 m)	
180 cm	(30 m	16 m	25 m)	

WEIGHT

1380 g* @ 166 cm Pre-cut skin avail.

MADE IN GERMANY**CORE**

Multilayer Woodcore Light

REC. BINDING

Griffon 13, Squire 11, Kingpin 13

HARD SNOW RELIABILITY	● ● ● ● ● ● ● ● ● ●
ALL COND. VERSATILITY	● ● ● ● ● ● ● ● ● ●
PURE POWDER FLOATATION	● ● ● ● ● ● ● ● ● ●
LONG TURN DYNAMICS	● ● ● ● ● ● ● ● ● ●
SHORT TURN DYNAMICS	● ● ● ● ● ● ● ● ● ●

SKIER LEVEL	<BEGINNER	PROFESSIONAL>
-------------	-----------	---------------

**BLAZE 86 OLIVE VMOTION****BLAZE 86 MINT VMOTION****ART. NO.**

V2410138.000

ART. NO.

V2410139.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Steel Band
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

125_86_107

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
146 cm	(18m	10m	16m)	
152 cm	(20m	11m	17m)	
159 cm	(21m	12 m	19 m)	
166 cm	(25 m	13 m	21 m)	
173 cm	(28 m	15 m	23 m)	
180 cm	(30 m	16 m	25 m)	

WEIGHT

1440 g* @ 173 cm Pre-cut skin avail.

MADE IN GERMANY**CORE**

Multilayer Woodcore Light

REC. BINDING

Squire 11

HARD SNOW RELIABILITY	● ● ● ● ● ● ● ● ● ●
ALL COND. VERSATILITY	● ● ● ● ● ● ● ● ● ●
PURE POWDER FLOATATION	● ● ● ● ● ● ● ● ● ●
LONG TURN DYNAMICS	● ● ● ● ● ● ● ● ● ●
SHORT TURN DYNAMICS	● ● ● ● ● ● ● ● ● ●

SKIER LEVEL	<BEGINNER	PROFESSIONAL>
-------------	-----------	---------------

**BLAZE 82 BEIGE****BLAZE 82 TEAL****ART. NO.**

V2410140.000

ART. NO.

V2410141.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

125_82_107

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
146 cm	(18m	10m	15m)	
152 cm	(20m	11m	17m)	
159 cm	(22 m	12 m	19 m)	
166 cm	(25 m	13 m	21 m)	
173 cm	(28 m	15 m	23 m)	
180 cm	(30 m	16 m	25 m)	

WEIGHT

TBA Pre-cut skin avail.

MADE IN GERMANY**CORE**

Multilayer Woodcore Light

REC. BINDING

TBA

HARD SNOW RELIABILITY	● ● ● ● ● ● ● ● ● ●
ALL COND. VERSATILITY	● ● ● ● ● ● ● ● ● ●
PURE POWDER FLOATATION	● ● ● ● ● ● ● ● ● ●
LONG TURN DYNAMICS	● ● ● ● ● ● ● ● ● ●
SHORT TURN DYNAMICS	● ● ● ● ● ● ● ● ● ●

SKIER LEVEL	<BEGINNER	PROFESSIONAL>
-------------	-----------	---------------

**BLAZE 82 BEIGE VMOTION****BLAZE 82 TEAL VMOTION****ART. NO.**

V2410142.000

ART. NO.

V2410143.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

125_82_107

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
146 cm	(18m	10m	15m)	
152 cm	(20m	11m	17m)	
159 cm	(22 m	12 m	19 m)	
166 cm	(25 m	13 m	21 m)	
173 cm	(28 m	15 m	23 m)	
180 cm	(30 m	16 m	25 m)	

WEIGHT

1530 g* @ 159 cm Pre-cut skin avail.

MADE IN GERMANY**CORE**

Multilayer Woodcore Light

REC. BINDING

vMotion 12 GW



HARD SNOW RELIABILITY	● ● ● ● ● ● ● ● ● ●
ALL COND. VERSATILITY	● ●



TOURING

RISE BEYOND 96


ART. NO.

122370

TECHNOLOGY


- 3D Radius Sidecut
- Smart Skinclip
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

138_96_119

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
156 cm	(17 m	12 m	16 m)	
163 cm	(19 m	14 m	18 m)	
170 cm	(22 m	16 m	20 m)	
177 cm	(24 m	17 m	22 m)	
184 cm	(27 m	19 m	24 m)	

WEIGHT 1262 g* @ 170 cm **OPTIONAL** Pre-cut skin avail.
RISE BEYOND 96 W


ART. NO.

122371

TECHNOLOGY

- 3D Radius Sidecut
- Smart Skinclip
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

138_96_119

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
156 cm	(17 m	12 m	16 m)	
163 cm	(19 m	14 m	18 m)	
170 cm	(22 m	16 m	20 m)	
177 cm	(24 m	17 m	22 m)	
184 cm	(27 m	19 m	24 m)	

WEIGHT 1122 g* @ 156 cm **OPTIONAL** Pre-cut skin avail.
RISE HIGH 88


ART. NO.

122372

TECHNOLOGY

- Full Carbon Jacket
- Smart Skinclip
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

127_88_106

LENGTH (RADIUS)

160 cm (16.3 m)
170 cm (18.9 m)
180 cm (21.6 m)

WEIGHT 1005 g* @ 160 cm **OPTIONAL** Pre-cut skin avail.
RISE ABOVE 88


ART. NO.

122374

TECHNOLOGY

- 3D Radius Sidecut
- Smart Skinclip
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

130.6_88_111.4

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
156 cm	(20 m	12 m	17 m)	
163 cm	(22 m	14 m	19 m)	
170 cm	(25 m	15 m	22 m)	
177 cm	(28 m	17 m	23 m)	
184 cm	(31 m	18 m	25 m)	

WEIGHT 1187 g* @ 177 cm **OPTIONAL** Pre-cut skin avail.
RISE ABOVE 88 W


ART. NO.

122376

TECHNOLOGY

- 3D Radius Sidecut
- Smart Skinclip
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

130.6_88_111.4

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
149 cm	(19 m	11 m	16 m)	
156 cm	(20 m	12 m	17 m)	
163 cm	(23 m	14 m	20 m)	
170 cm	(26 m	15 m	22 m)	
177 cm	(29 m	17 m	24 m)	

WEIGHT 1187 g* @ 170 cm **OPTIONAL** Pre-cut skin avail.
RISE UP 82


ART. NO.

122378

TECHNOLOGY

- 3D Radius Sidecut
- Smart Skinclip
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

124.6_82_105.4

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
149 cm	(19 m	12 m	17 m)	
156 cm	(20 m	13 m	18 m)	
163 cm	(23 m	14 m	19 m)	
170 cm	(26 m	15 m	22 m)	
177 cm	(29 m	17 m	24 m)	

WEIGHT 1081 g* @ 163 cm **OPTIONAL** Pre-cut skin avail.
RISE UP 82 W


ART. NO.

122380

TECHNOLOGY


- Smart Skinclip
- Full Cap
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

124.6_82_105.4

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
149 cm	(19 m	11 m	16 m)	
156 cm	(20 m	12 m	17 m)	
163 cm	(23 m	13 m	18 m)	
170 cm	(26 m	14 m	20 m)	
177 cm	(29 m	15 m	22 m)	

WEIGHT 1081 g* @ 163 cm **OPTIONAL** Pre-cut skin avail.
RISE 80


ART. NO.

122386

TECHNOLOGY

- Smart Skinclip
- Full Cap
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

118.80_100

LENGTH (RADIUS)

R1	Length	R1	R2	R3
150 cm (13.5 m)				
156 cm (14.7 m)				
163 cm (16.5 m)				
170 cm (18.3 m)				
175 cm (19.6 m)				

WEIGHT 1146 g* @ 163 cm **OPTIONAL** Pre-cut skin avail.

FREESTYLE
NEW



REVOLT 121



ART. NO.
V2410150.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

143_121_135

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
R2	177 cm (18.9 m)	174 m	18 m	
	184 cm (20.3 m)	19.1 m	19.9 m	
R3	191 cm (23.2 m)	21.7 m	22.4 m	

WEIGHT

2220 g* @ 177 cm

CORE
Multilayer Woodcore

REC. BINDING
Marker Duke PT 16, Jester 18 Pro



REVOLT 114



ART. NO.
V2410151.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

146_114_128

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
R2	177 cm (22 m)	18 m	21 m	
	184 cm (25 m)	19 m	22 m	
R3	191 cm (28 m)	21 m	25 m	

WEIGHT


2251 g* @ 177 cm

CORE
Multilayer Woodcore

REC. BINDING
Marker Duke PT 16 Jester 18 Pro



REVOLT 104



ART. NO.
V2410152.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

132_104_122

LENGTH (3D RADIUS)


R1	Length	R1	R2	R3
R2	172 cm (21.9 m)	16.9 m	19.4 m	
	180 cm (24.2 m)	19 m	22.2 m	
R3	188 cm (26.6 m)	21.2 m	25.1 m	

WEIGHT

2000 g* @ 180 cm

CORE
Multilayer Woodcore

REC. BINDING
Marker Griffon 13, Jester 16



REVOLT 96



ART. NO.
V2410153.000

TECHNOLOGY

- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

126_96_117

LENGTH (3D RADIUS)


R1	Length	R1	R2	R3
R2	157 cm (16 m)	13 m	14 m	
	165 cm (18 m)	15 m	17 m	
R3	173 cm (20 m)	17 m	19 m	

WEIGHT

2030 g* @ 180 cm

CORE
Multilayer Woodcore

REC. BINDING
Marker Royal Family



REVOLT 90



ART. NO.
V2410155.000

TECHNOLOGY

- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 4504
- Base structure: Brushed structure

SIDE CUT

118_90_118

LENGTH (RADIUS)


R1	Length	R1	R2	R3
R2	168 cm (18.2 m)			
	174 cm (19.5 m)			
R3	180 cm (21.5 m)			

WEIGHT

1810 g* @ 180 cm

CORE
Light Swingweight Woodcore

REC. BINDING
Marker Jester 16



**REVOLT****ART. NO.**
V2410156.000**TECHNOLOGY**
• Full Sidewall / Mini Cap
• Twin Tip
• Base: P-Tex 4504
• Base structure: Brushed structure**SIDE CUT**




110_84_110

LENGTH (RADIUS)
174 cm (21.0 m)
180 cm (23.2 m)
186 cm (24.7 m)**WEIGHT**
1905 g* 180 cm**REVOLT**
84**ART. NO.**
V2410160.000**TECHNOLOGY**
• Cap Sidewall / Mini Cap
• Twin Tip
• Base: P-Tex 2100/P-Tex 3000
• Base structure: Brushed structure**SIDE CUT**

120_86_110

LENGTH (RADIUS)
148 cm (14.8 m)
156 cm (16.6 m)
164 cm (18.5 m)
172 cm (21.2 m)
180 cm (23.3 m)**WEIGHT**
1840 g* @ 180 cm**REVOLT**
81**ART. NO.**
V2410162.000**TECHNOLOGY**
• Cap Sidewall / Mini Cap
• Twin Tip
• Cap Construction / Mini Cap
• Base: Crown F7501
• Base structure: Brushed structure**SIDE CUT**

111_81_104

LENGTH (RADIUS)
148 cm (13.9 m)
158 cm (16.3 m)
168 cm (18.9 m)
178 cm (21.8 m)**WEIGHT**
1650 g* @ 168 cm**MADE IN GERMANY****CORE**
Light Swingweight Woodcore**REC. BINDING**
Marker Jester 16**CORE**
Multilayer Woodcore**REC. BINDING**
Marker Griffon 13**CORE**
Multilayer Woodcore**REC. BINDING**
Marker Squire 12 TCX

* Weight can vary slightly due to the production cycles.



JUNIOR

JUNIOR XX SKI



RACETIGER JR RED

ART. NO.
V241020.000 (FLAT)
SIDE CUT LENGTH (RADIUS)
93_67_76 70 cm (4.7 m)

ART. NO.
V2410205.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
93_67_76 80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2410206.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
100_68_82 100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)


ART. NO.
V2410207.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
109_69_88 130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)

TECHNOLOGY
Power Shell • Plate System:
JR VMOTION S (80-110cm)
JR VMOTION L (120-160cm)

WEIGHT
1180 g @ 80 cm (w/binding)
470 g @ 70 cm (FLAT)

CORE
Composite Core

REC. BINDING
Flat: Marker 4.5; Marker 7.0
vMotion: vMotion 4.5 JR;
vMotion 7.0 JR R



RACETIGER JR YELLOW

ART. NO.
V241021.000 (FLAT)
SIDE CUT LENGTH (RADIUS)
93_67_76 70 cm (4.7 m)

ART. NO.
V2410215.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
93_67_76 80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2410216.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
100_68_82 100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)


ART. NO.
V2410217.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
109_69_88 130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)

TECHNOLOGY
Power Shell • Plate System:
JR VMOTION S (80-110cm)
JR VMOTION L (120-160cm)

WEIGHT
1180 g @ 80 cm (w/binding)
470 g @ 70 cm (FLAT)

CORE
Composite Core

REC. BINDING
Flat: Marker 4.5; Marker 7.0
vMotion: vMotion 4.5 JR;
vMotion 7.0 JR R



RACETIGER JR PRO

ART. NO.
V241022.000

SIDE CUT LENGTH (RADIUS)
117_70_98 120 cm (7.5 m)
130 cm (9.0 m)

SIDE CUT LENGTH (RADIUS)
121_70_102 140 cm (9.7 m)
150 cm (11.2 m)
160 cm (13.0 m)

ART. NO.
V241023.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
100_68_82 100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)


ART. NO.
V2410235.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
93_67_76 80 cm (6.6 m)
90 cm (8.8 m)

TECHNOLOGY
Full Sidewall / Mini Cap • Vmotion JR L
• Base P-Tex 2100

WEIGHT
1641 g @ 120 cm (w/binding)

CORE
Multilayer Woodcore

REC. BINDING
7.0 vMotion JR
vMotion 10 GW



PEREGRINE JR

ART. NO.
V2410230.000 (FLAT)

SIDE CUT LENGTH (RADIUS)
93_67_76 70 cm (4.7 m)

ART. NO.
V2410235.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
117_70_98 120 cm (7.5 m)
130 cm (9.0 m)

ART. NO.
V2410236.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
100_68_82 100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)


ART. NO.
V2410237.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
109_69_88 130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)

TECHNOLOGY
Full Sidewall / Mini Cap • Vmotion JR L
Base: P-Tex 2100

WEIGHT
1180 g @ 80 cm (w/binding)
470 g @ 70 cm (FLAT)

CORE
Composite Core

REC. BINDING
Flat: Marker 4.5; Marker 7.0
vMotion: vMotion 4.5 JR;
vMotion 7.0 JR R



PEREGRINE JR PRO

ART. NO.
V2410240.000 (VMOTION)

SIDE CUT LENGTH (RADIUS)
117_70_98 120 cm (7.5 m)
130 cm (9.0 m)

ART. NO.
V2410240.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
121_70_102 140 cm (9.7 m)
150 cm (11.2 m)
160 cm (13.0 m)

ART. NO.
V2410243.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
100_68_82 100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)


ART. NO.
V2410247.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
109_69_88 130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)

TECHNOLOGY
Full Sidewall / Mini Cap • Vmotion JR L
Base: P-Tex 2100

WEIGHT
1641 g @ 120 cm (w/binding)

CORE
Multilayer Woodcore

REC. BINDING
7.0 vMotion JR R
vMotion 10 GW



FLAIR JR

ART. NO.
V2410250.000 (FLAT)

SIDE CUT LENGTH (RADIUS)
93_67_76 70 cm (4.7 m)

ART. NO.
V2410255.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
93_67_76 80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2410256.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
100_68_82 100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)


ART. NO.
V2410257.000 (VMOTION)
SIDE CUT LENGTH (RADIUS)
109_69_88 130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)

TECHNOLOGY
Power Shell • Plate System:
JR VMOTION S (80-110cm)
JR VMOTION L (120-160cm)

WEIGHT
1180 g @ 80 cm (w/binding)
470 g @ 70 cm (FLAT)

CORE
Composite Core

REC. BINDING
vMotion JR 4.5
vMotion 7.0 JR



**BLAZE JR ORANGE**

ART. NO.
V2410265.000 (VMOTION)
V2410260.000 (FLAT)

SIDE CUT
126_86_111 (118,128,138)

SIDE CUT
129_86_111 (148,158)

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
158 cm	(21 m	11 m	17 m)	

BLAZE JR BLUE PINK

ART. NO.
V2410275.000 (VMOTION)

SIDE CUT
126_86_106 (118,128,138)

SIDE CUT
129_86_111 (148,158)

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
158 cm	(21 m	11 m	17 m)	

MANTRA JR

ART. NO.
V2410276.000

SIDE CUT
118_86_111

LENGTH (RADIUS)
118 cm (8.3 m)

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
158 cm	(21 m	11 m	17 m)	

RISE JR

ART. NO.
V2310280

SIDE CUT
129_86_111

LENGTH (3D RADIUS)
128 cm (10.2 m)

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
158 cm	(21 m	11 m	17 m)	

REVOLT 100 JR

ART. NO.
V2410290.000

SIDE CUT
132_100_116

LENGTH (RADIUS)
143 cm (14.9 m)

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
158 cm	(20.3 m			

REVOLT JR PARK

ART. NO.
V2410295.000 (VMOTION)

SIDE CUT
108_76_101

LENGTH (RADIUS)
118 cm (8.9 m)

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(15.3 m			

REVOLT JR URBAN

ART. NO.
V2410296.000 (VMOTION)

SIDE CUT
107_78_100

LENGTH (RADIUS)
128 cm (10.8 m)

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(8.9 m	7 m	7 m)	
128 cm	(10.8 m	8 m	9 m)	
138 cm	(13.0 m	10 m	12 m)	
148 cm	(15.3 m			

MINI REVOLT JR

ART. NO.
V2410299.000

SIDE CUT
96_66_89

LENGTH (RADIUS)
88 cm (4.6 m)

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
88 cm	(4.6 m	3 m	3 m)	
98 cm	(6.0 m	4 m	4 m)	
108 cm	(7.7 m	5 m	5 m)	

TECHNOLOGY
Full Sidewall • 3D Radius Sidecut

WEIGHT
TBA

CORE
Multilayer Woodcore

REC. BINDING
vMotion 7.0 JR R
F5 JR Tour
Marker Alpinist JR LT

TECHNOLOGY
Full Sidewall • 3D Radius Sidecut

WEIGHT
TBA

CORE
Multilayer Woodcore

REC. BINDING
vMotion 7.0 JR R

TECHNOLOGY
Full Sidewall

WEIGHT
1400 g @ 158 cm (w/o Binding)

CORE
Multilayer Woodcore

REC. BINDING
Marker Free 7; 95 mm

TECHNOLOGY
Full Sidewall • 3D Radius Sidecut

WEIGHT
TBA

CORE
Multilayer Woodcore

REC. BINDING
Marker Alpinist JT LT
F5 JR Tour

TECHNOLOGY
Full Sidewall • Base: P-Tex 2100

WEIGHT
1800 g @ 163 cm (w/o Binding)

CORE
Multilayer Woodcore

REC. BINDING
Squire 11

TECHNOLOGY
Full Sidewall / Mini Cap

WEIGHT
2040 g @ 128 cm (w/o Binding)

CORE
Full Sensor Woodcore

REC. BINDING
vMotion 7.0 JR
Squire 11

TECHNOLOGY
Full Sidewall / Mini Cap

WEIGHT
1990 g @ 128 cm (w/o Binding)

CORE
Full Sensor Woodcore


REC. BINDING
vMotion 7.0 JR
Squire 11

TECHNOLOGY
Full Cap

WEIGHT
830 g @ 108 cm (w/o Binding)

CORE
Composite Core

REC. BINDING
vMotion JR 4.5



RENTAL


**PEREGRINE
7.2 RED**

ART. NO.
V2410360.000

TECHNOLOGY

- Barcode
- Protected Sticker Area
- Fully Structured Demo Topsheet
- FDT plate pre-mounted
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT
123_76_104

LENGTH (RADIUS)
130 cm (8.2 m)
137 cm (9.4 m)
144 cm (10.5 m)
151 cm (11.8 m)
158 cm (12.7 m)
165 cm (14.0 m)
172 cm (15.5 m)
179 cm (17.0 m)

WEIGHT
1360 g* @ 130 cm (w/o Binding)

MADE IN GERMANY
CORE
Multilayer Woodcore

REC. BINDING
Marker FDT TP 10; 80 mm,
FDT TLT 10; 80 mm



SKIER LEVEL <BEGINNER PROFESSIONAL>

**PEREGRINE
7.6 GOLD**

ART. NO.
V2410361.000

TECHNOLOGY

- Barcode
- Protected Sticker Area
- FDT plate pre-mounted
- Fully Structured Demo Topsheet
- Full Cap
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT
125_76_105

LENGTH (RADIUS)
133 cm (9.2 m)
140 cm (10.4 m)
147 cm (11.7 m)
154 cm (13.1 m)
161 cm (14.1 m)
168 cm (15.5 m)
175 cm (17.1 m)

WEIGHT
1520 g* @ 140 cm (w/o Binding)

MADE IN GERMANY
CORE
Woodcore

REC. BINDING
Marker FDT TP 10; 80 mm,
FDT TLT 10; 80 mm



SKIER LEVEL <BEGINNER PROFESSIONAL>

**PEREGRINE
7.6 ORANGE**

ART. NO.
V2410362.000

TECHNOLOGY

- Barcode
- Protected Sticker Area
- FDT plate pre-mounted
- Fully Structured Demo Topsheet
- Full Cap
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT
125_80_105

LENGTH (RADIUS)
140 cm (10.4 m)
147 cm (11.7 m)
154 cm (13.1 m)
161 cm (14.1 m)
168 cm (15.5 m)
175 cm (17.1 m)

WEIGHT
1520 g* @ 140 cm (w/o Binding)

MADE IN GERMANY
CORE
Woodcore

REC. BINDING
Marker FDT TP 10; 80 mm,
FDT TLT 10; 80 mm



SKIER LEVEL <BEGINNER PROFESSIONAL>

**PEREGRINE
8.0 GREEN**

ART. NO.
V2410363.000 (w/Plate)
V2410364.000 (w/o Plate)

TECHNOLOGY

- Barcode
- Protected Sticker Area
- FDT plate pre-mounted
- Fully Structured Demo Topsheet
- Full Cap
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT
125_80_109

LENGTH (RADIUS)
130 cm (9.0 m) (V2410363.000 ONLY)
137 cm (10.2 m)
144 cm (11.5 m)
151 cm (12.5 m)
158 cm (13.9 m)
165 cm (15.4 m)
172 cm (17 m)
179 cm (18.7 m)

WEIGHT
1510 g* @ 130 cm (w/o Binding)

MADE IN GERMANY
CORE
Woodcore

REC. BINDING
Marker FDT TP 10; 80 mm,
FDT TLT 10; 80 mm



SKIER LEVEL <BEGINNER PROFESSIONAL>

**M7 MANTRA
DEMO**ART. NO.
V2410350.000

TECHNOLOGY
4D Radius Sidecut • Fully Structured Demo Topsheet • Full Sidewall • FDT FREE plate pre-mounted • Tailored Titanal Frame • Tailored Carbon Tips • Metal Tip Protector • Base: P-Tex 2100

SIDE CUT

139_96_121

LENGTH (4 RADIUS DRIVE)

R1	Length	R1	R2	R3	R4
R2	163 cm	(23 m	37 m	13.7 m	18 m)
R3	170 cm	(24 m	38 m	15.2 m	20 m)
R4	177 cm	(25 m	40 m	16.8 m	22 m)
	184 cm	(26 m	41 m	17.9 m	23 m)
	191 cm	(27 m	43 m	19.7 m	25 m)

WEIGHT

TBA

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Marker Griffon 13 D;
100 mm (w/o plate)

**MANTRA
88 DEMO**ART. NO.
V2410351.000

TECHNOLOGY
3D Radius Sidecut • Fully Structured Demo Topsheet • Full Sidewall • FDT FREE plate pre-mounted • Tailored Titanal Frame • Tailored Carbon Tips • Metal Tip Protector • Base: P-Tex 2100

SIDE CUT

129_88_113

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
R1	163 cm	(24 m	14 m	20 m)
R2	170 cm	(28 m	15 m	22 m)
R3	177 cm	(30 m	16 m	24 m)
R4	184 cm	(33 m	18 m	26 m)
	191 cm	(37 m	19 m	28 m)


WEIGHT

2190 g* @ 177 cm (w/o Binding)

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Marker Griffon 13 D;
90 mm (w/o plate)

**BLAZE
86 DEMO**ART. NO.
V2410354.000

TECHNOLOGY
3D Radius Sidecut • Base: P-Tex 2100 • Full Sidewall / Mini Cap • vMotion 3 GW plate pre-mounted • Fully Structured Demo Topsheet • Metal Tip Protector • Suspension Tips & Tails

SIDE CUT

129_86_111

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
R1	146 cm	(18 m	10 m	16 m)
R2	152 cm	(20 m	11 m	17 m)
R3	159 cm	(22 m	12 m	19 m)
R4	166 cm	(25 m	13 m	21 m)
	173 cm	(28 m	15 m	23 m)
	180 cm	(30 m	16 m	25 m)


WEIGHT

1800 g* @ 180 cm Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore Light

REC. BINDING
Marker Squire 11 TCX D; 90 mm
Griffon 13 D; 90 mm

**BLAZE
82 DEMO**ART. NO.
V2410355.000

TECHNOLOGY
3D Radius Sidecut • Fully Structured Demo Topsheet • Full Sidewall / Mini Cap • FDT FREE plate pre-mounted • Fully Structured Demo Topsheet • Metal Tip Protector • Suspension Tips & Tails

SIDE CUT

125_82_107

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
R1	146 cm	(18 m	10 m	16 m)
R2	152 cm	(20 m	11 m	17 m)
R3	159 cm	(22 m	12 m	19 m)
R4	166 cm	(25 m	13 m	21 m)
	173 cm	(28 m	15 m	23 m)
	180 cm	(30 m	16 m	25 m)


WEIGHT

1670 g* @ 173 cm Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore Light

REC. BINDING
Marker Squire 11 TCX D;
90 mm (w/o plate)

**REVOLT 81
DEMO**ART. NO.
V2410356.000

TECHNOLOGY
Fully Structured Demo Topsheet • Cap Construction / Mini Cap • Full Camber • Base: Crown F7501

SIDE CUT

111_81_104

LENGTH (RADIUS)

R1	148 cm (13.9 m)
R2	158 cm (16.3 m)
R3	168 cm (18.9 m)
R4	178 cm (21.8 m)

WEIGHT

2110 g* @ 178 cm Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Marker Squire 12 TCX; 90 mm



MARKER

EOC FAMILY BINDINGS



Exciting News:
Völkl is teaming up with MARKER for a special edition binding on selected skis.

We're thrilled about the fantastic collaboration with MARKER, featuring the Squire 11 bindings for the Völkl Revolt JR Urban and the Jester 16 bindings for the Völkl Blaze. Elevate the skiing experience with this incredible fusion of Völkl innovation and MARKER excellence!

#markerbindings

SQUIRE 11

with Völkl Revolt JR Urban



JESTER 16

with Völkl Blaze 114



Category	Freeride
Brake width	90 mm
DIN Range	3.0 - 11.0
Boot type	A / GW A
Rec. skier's weight	30 - 110 kg
Stand height	24 mm
Toe system	TP Light 2
AFD Gliding Plate	Stainless steel
Heel	Hollow linkage 2
Color	yellow - black
Weight/pc.	820 g
Order No.	7424Y1SV (90mm) 7424Y1RV (100mm)

Boot Types
A = Alpine Adult sole; **C** = Alpine Children sole
GW A = GripWalk Adult sole;
GW C = GripWalk Children sole; **T** = Touring Boots

VMOTION GW (FDT / FDT HP)



VMOTION 12	VMOTION 12 RED	VMOTION 12 YELLOW	VMOTION 11 TCX	VMOTION 11 TCX LADY SILVER	VMOTION 11 TCX LADY MINT
ART. NO. 6862U1VA	ART. NO. 6862U1VB	ART. NO. 6862U1VC	ART. NO. 6762X1VT	ART. NO. 6762Y1VF	ART. NO. 6762Y1VM
COLOR Black	COLOR Black - Red	COLOR Black - Yellow	COLOR Black	COLOR Black - Silver	COLOR Black - Mint
DIN RANGE 4.0 - 12.0	DIN RANGE 4.0 - 12.0	DIN RANGE 4.0 - 12.0	DIN RANGE 3.0 - 11.0	DIN RANGE 3.0 - 11.0	DIN RANGE 3.0 - 11.0

LOWRIDE FR




LOWRIDE 13FR	LOWRIDE 13 FR VWERKS	LOWRIDE 12 TCX
ART. NO. 7535Y1VB	ART. NO. 7535U1VV	ART. NO. 6835Y1VR
COLOR Blue - Flo - Orange	COLOR Black	COLOR Black - Red
DIN RANGE 4.0 - 13.0	DIN RANGE 4.0 - 13.0	DIN RANGE 4.0 - 12.0

WIDERIDE TCX



WIDERIDE 12 TCX	WIDERIDE 11 TCX LADY BERRY
ART. NO. 6835Y1VT	ART. NO. 6735Y1VB
COLOR Petrol - Leuchtgelb	COLOR Black - Berry
DIN RANGE 4.0 - 12.0	DIN RANGE 3.0 - 11.0

COMPETITION RACE



VMOTION 9 LADY	COMP 16 GW MASTER RED	COMP 16 GW MASTER PINK
ART. NO. 6462Y1VL	ART. NO. 6920Y1VR	ART. NO. 6920Y1VP
COLOR Black	COLOR Black - Flo-red	COLOR Black - Pink
DIN RANGE 2.5 - 9.0	DIN RANGE 6.0 - 16.0	DIN RANGE 6.0 - 16.0

RMOTION3



RMOTION3 12 BLACK RED	RMOTION3 12 BLACK
ART. NO. 6877W1VR	ART. NO. 6877W1VB
COLOR Black - Flo - Red	COLOR Black
DIN RANGE 4.0 - 12.0	DIN RANGE 4.0 - 12.0

VMOTION JUNIOR



7.0 VMOTION JR	7.0 VMOTION JR LADY	4.5 VMOTION JR	4.5 VMOTION JR LADY	7.0 VMOTION JR; 86MM	4.5 VMOTION JR; 86MM
ART. NO. 6262T1VA	ART. NO. 6262Y1VB	ART. NO. 6162T1VA	ART. NO. 6162Y1VB	ART. NO. 6262X1VC	ART. NO. 6162X1VC
COLOR Black - Anthracite	COLOR Black - Pink	COLOR Black - Anthracite	COLOR Black - Pink	COLOR Black - Anthracite	COLOR Black - Anthracite
DIN RANGE 2.0 - 7.0	DIN RANGE 2.0 - 7.0	DIN RANGE 0.75 - 4.5	DIN RANGE 0.75 - 4.5	DIN RANGE 2.0 - 7.0	DIN RANGE 0.75 - 4.5

SPECIAL EDITION



FDT TP 10	VMOTION 10	VMOTION 10	VMOTION 11
ART. NO. 6562V1MW	ART. NO. 6562V1W	ART. NO. 6562V1VS	ART. NO. 6662W1VW
COLOR Black - Anthracite	COLOR Black	COLOR White - Anthracite	COLOR Black
DIN RANGE 3.0 - 10.0	DIN RANGE 3.0 - 10.0	DIN RANGE 3.0 - 10.0	DIN RANGE 3.0 - 11.0
BRAKE WIDTH 90 mm	BRAKE WIDTH 90 mm	BRAKE WIDTH 90 mm	BRAKE WIDTH 90 mm

COMPETITION & RACE



COMP 30 nG	COMP 20 nG	xCOMP 24	xCOMP 18	COMP 16	COMP 12
ART. NO. 7130T1NG	ART. NO. 7120T1NG	ART. NO. 7130U1MX	ART. NO. 7120U1MX	ART. NO. 6920Y1MS	ART. NO. 6820Y1MS
COLOR Black - Flo - Red					
DIN RANGE 15.0 - 30.0	DIN RANGE 11.0 - 20.0	DIN RANGE 12.0 - 24.0	DIN RANGE 8.0 - 18.0	DIN RANGE 6.0 - 16.0	DIN RANGE 4.0 - 12.0



GRIFFON 13	GRIFFON 13	GRIFFON 13	GRIFFON 13	SQUIRE 11
ART. NO. 7524X1GG (90 mm)	ART. NO. 7524Y1TA (90 mm)	ART. NO. 7524Y1BA (90 mm)	ART. NO. 7524Y1VA (90 mm)	ART. NO. 7424V1MA (90 mm)
7524X1GH (100 mm)	7524Y1TB (100 mm)	7524Y1BB (100 mm)	7524Y1VB (100 mm)	7424V1MB (100 mm)
7524X1GJ (110 mm)	7524Y1TC (110 mm)	7524Y1BC (110 mm)	7524Y1VC (110 mm)	7424V1MC (110 mm)
7524X1GO (120 mm)	7524Y1TD (120 mm)	7524Y1BD (120 mm)	7524Y1VD (120 mm)	
COLOR Gray - Silver	COLOR Black - Tan	COLOR Black - Blue	COLOR Black - Purple	COLOR Black
DIN RANGE 4.0 - 13.0	DIN RANGE 3.0 - 11.0			



COMP 10 TCX	COMP 10	COMP JUNIOR 8
ART. NO. 6520Y1MT (85 mm)	ART. NO. 6520Y1MS (85 mm)	ART. NO. 6320Y1MS (85 mm)
COLOR Black - Flo - Red	COLOR Black - Flo - Red	COLOR Black - Flo - Red
DIN RANGE 3.0 - 10.0	DIN RANGE 3.0 - 10.0	DIN RANGE 2.0 - 8.0



SQUIRE 11	SQUIRE 11	SQUIRE 11	SQUIRE 11	SQUIRE 10
ART. NO. 7424V1MD (90 mm)	ART. NO. 7424Y1TA (90 mm)	ART. NO. 7424Y1PA (90 mm)	ART. NO. 7424X1MU (90 mm)	ART. NO. 7224V1MA (85 mm)
7424V1ME (100 mm)	7424Y1TB (100 mm)	7424Y1PB (100 mm)	7424X1MV (100 mm)	7224V1MB (100 mm)
7424V1MF (110 mm)	7424Y1TC (110 mm)	7424Y1PC (110 mm)	7424X1MW (110 mm)	
COLOR White	COLOR Black - Tan	COLOR Black - Petrol	COLOR Black - Purple	COLOR Black
DIN RANGE 3.0 - 11.0	DIN RANGE 3.0 - 10.0			

FREERIDE (ROYAL FAMILY)



DUKE PT 16	DUKE PT 16	DUKE PT 13	DUKE PT 11	JESTER 18 PRO
ART. NO. 7650Y1AS (100 mm) 7650Y1AB (125 mm)	ART. NO. 7650X1BS (100 mm) 7650X1BB (125 mm)	ART. NO. 7550Y1GS (100 mm) 7550Y1GB (125 mm)	ART. NO. 7450X1AS (100 mm) 7450X1AB (125 mm)	ART. NO. 7924Y1JS (90 mm) 7924Y1JV (110 mm) 7924Y1JB (120 mm)
COLOR Anthracite - Black	COLOR Tan - Black	COLOR Gray - Black	COLOR Anthracite - Gray	COLOR Black
DIN RANGE 6.0 - 16.0	DIN RANGE 6.0 - 16.0	DIN RANGE 4.0 - 13.0	DIN RANGE 3.0 - 11.0	DIN RANGE 8.0 - 18.0

EOC FAMILY BINDINGS



SQUIRE 11	JESTER 16
ART. NO. 7424Y1SV (90 mm)	ART. NO. 7624Y1JV (120 mm)
SKI Völkl Revolt 96	SKI Völkl Blaze 114
COLOR Yellow - Black	COLOR Black - Teal
DIN RANGE 3.0 - 11.0	DIN RANGE 6.0 - 16.0



JESTER 16	JESTER 16	JESTER 16	GRIFFON 13	GRIFFON 13
ART. NO. 7624X1JA (90 mm) 7624X1JB (100 mm) 7624X1JC (110 mm) 7624X1JD (120 mm)	ART. NO. 7624Y1GA (90 mm) 7624Y1GB (100 mm) 7624Y1GC (110 mm) 7624Y1GD (120 mm)	ART. NO. 7524U1GA (90 mm) 7524U1GB (100 mm) 7524U1GC (110 mm) 7524U1GD (120 mm)	ART. NO. 7524U1GE (90 mm) 7524U1GF (100 mm) 7524U1GP (110 mm) 7524U1GR (120 mm)	ART. NO. 7524Y1TA (90 mm)
COLOR Anthracite - Black	COLOR Gray - Turquoise	COLOR Anthracite - Black - Red	COLOR Black	COLOR White
DIN RANGE 6.0 - 16.0	DIN RANGE 6.0 - 16.0	DIN RANGE 4.0 - 13.0	DIN RANGE 4.0 - 13.0	DIN RANGE 4.0 - 13.0



ALPINIST FREE 13	ALPINIST FREE 11	ALPINIST 12	ALPINIST 10	ALPINIST 8
ART. NO. 7920Y1FS (105mm) 7921Y1FS (w/o brake)	ART. NO. 7720Y1FS (105mm) 7721Y1FS (w/o brake)	ART. NO. 7833W1MS (w/o brake) 7832W1MS (90mm)	ART. NO. 7733W1MS (w/o brake) 7732W1MS (90 mm)	ART. NO. 7433W1MV (C2; w/o brake) 7432W1MV (C2; 90 mm) 7433W1MS (C1; w/o brake) 7432W1MS (C1; 90 mm)
COLOR Black - Silver	COLOR Black - Silver	COLOR Black	COLOR Black	COLOR Black (C1) Black - Purple (C2)
DIN RANGE 6.0 - 13.0	DIN RANGE 4.0 - 11.0	DIN RANGE 6.0 - 12.0	DIN RANGE 4.0 - 10.0	DIN RANGE 3.0 - 8.0

TOURING



TOURING



ALPINIST 12 LONG TRAVEL	ALPINIST 10 LONG TRAVEL	ALPINIST JR LONG TRAVEL	KINGPIN M-WERKS 12	KINGPIN 13
ART. NO. 7834W1ML	ART. NO. 7734W1ML	ART. NO. 7232X1MJ (90 mm)	ART. NO. 7831W1CS (75-100mm) 7831W1CW (100-125mm)	ART. NO. 7933W1MA (75-100mm) 7933W1MB (100-125mm)
COLOR Black	COLOR Black	COLOR Anthracite - White	COLOR Black - Red	COLOR Black - Red
DIN RANGE 6.0 - 12.0	DIN RANGE 4.0 - 10.0	DIN RANGE 2.0 - 6.0	DIN RANGE 5.0 - 12.0	DIN RANGE 6.0 - 13.0



KINGPIN 10	CRUISE 12	CRUISE 10	F12 TOUR EPF	F10 TOUR	F5 JR TOUR
ART. NO. 7733W1MA (75-100mm) 7733W1MB (100-125mm)	ART. NO. 7810X1MS (90 mm)	ART. NO. 7610X1MS (90 mm)	ART. NO. 7816W1SS (S - 100mm) 7816W1LS (L - 100mm) 7816W1SE (S - 110mm) 7816W1LE (L - 110mm)	ART. NO. 7716W1TC (S - 90mm) 7716W1TD (L - 90mm) 7716W1TS (S - 100mm) 7716W1TL (L - 100mm)	ART. NO. 7216X1JT (235 - 300 mm)
COLOR Black	COLOR Black	COLOR Anthracite - White	COLOR Black - Red	COLOR Black - Red	COLOR Black - Red
DIN RANGE 5.0 - 10.0	DIN RANGE 6.0 - 12.0	DIN RANGE 4.0 - 10.0	DIN RANGE 4.0 - 12.0	DIN RANGE 3.0 - 10.0	DIN RANGE 1.5 - 5.0

PISTE / ALL MOUNTAIN



12.0 TPX	11.0 TP	10.0 TP
ART. NO. 6820T1MA (90 mm)	ART. NO. 6720T1MA (C1 - 90 mm) 6720S1MB (C2 - 90 mm) 6720T1MC (C1 - 110 mm) 6720S1MD (C2 - 110 mm)	ART. NO. 7216X1JT (85 mm)
COLOR Black - Anthracite	COLOR Black - Anthracite (C1) White (C2)	COLOR Black - Anthracite
DIN RANGE 4.0 - 12.0	DIN RANGE 3.0 - 11.0	DIN RANGE 3.0 - 10.0

JUNIOR



FREE 7	7.0	4.5
ART. NO. 6224U1MS (C1 - 95 mm) 6224U1MW (C2 - 95 mm)	ART. NO. 6220T1MA (C1 - 70 mm) 6220T1MB (C2 - 70 mm) 6220T1MC (C2 - 85 mm)	ART. NO. 6120T1MA (C1 - 70 mm) 6120T1MB (C2 - 70 mm) 6120T1MC (C1 - 85 mm)
COLOR Black (C1) White - Silver (C2)	COLOR Black - Anthracite (C1) White (C2)	COLOR Black - Anthracite (C1) White (C2)
DIN RANGE 2.0 - 7.0	DIN RANGE 2.0 - 7.0	DIN RANGE 0.75 - 4.5



INTERFACE**NEW****ALU PRO PLATE****SIZE**
10 mm**WORLD CUP PC
INTERFACE****SIZE**
10 mm, 14 mm**COLOR**
Silver**COLOR**
Black**ART. NO.**
2030S1MP**ART. NO.**
2020Y1SS (10 mm)
2020Y1SB (10 mm; bulk)
2022Y1SS (14 mm)
2022Y1SC (14 mm; bulk)**CRAMPONS****CRAMPON KP /
ALPINIST / CRUISE**

ART. NO.	SKI WIDTH
H00551A (80 mm)	66 - 80 mm
H001P1P (90 mm)	75 - 90 mm
H002P1P (105 mm)	90 - 105 mm
H003P1P (120 mm)	105 - 120 mm

CRAMPON DUKE PT

ART. NO.	SKI WIDTH
H006U1R (105 mm)	90 - 105 mm
H007U1R (125 mm)	105 - 125 mm

CRAMPON

ART. NO.	SKI WIDTH
H003K1A (82 mm)	< 74 mm
H001M1A (92 mm)	74 - 84 mm
H002N1A (105 mm)	90 - 105 mm
H004M1A (120 mm)	106 - 120 mm

SMART SKIN CLIP

The innovative Smart Skinclip system allows the ski tourer to decide for himself, depending on the situation, in which direction he should pull the skin on and off.

A standard snap hook at the tail end of the ski allows the skin to be attached and detached from behind. The skin can, however, also be pulled on and off quickly and easily from the front. This new flexibility is made possible by an elastic snap hook, which is also easy to grip with gloves. A subtle depression in the ski tip gives the hook lateral guidance and prevents it from unintentionally releasing the skin while walking.

**RISE - MIX MOHAIR SKINS**

	RISE MIX MOHAIR SKINS	149	150	156	158	160	163	165	170	172	175	177	180	184	186	191
159752	Rise Up 82 Skins		x		x			x		x		x				
159753	Rise Above 88 Skins	x		x				x		x		x		x		
159754	Rise High 88 Skins					x			x			x			x	
159760	Rise Beyond 96 Skins			x			x		x			x	x	x		

BLAZE - MIX MOHAIR SKINS

	BLAZE MIX MOHAIR SKINS	146	152	156	158	159	163	165	166	172	173	176	179	180	184	186	191	192
159768	Blaze 82 Skins		x	x			x			x		x		x				
159761	Blaze 86 Skins	x	x				x			x		x		x				
159756	Blaze 94 Skins					x			x		x		x		x			
159757	Blaze 106 / 104 Skins				x			x		x		x		x		x		
159767	Blaze 114 Skins											x		x			x	

JUNIOR SKIN - MIX MOHAIR SKINS

	RISE / BLAZE MIX MOHAIR SKINS	118	128	138	148	158
159769	Rise & Blaze JR Skin	x	x	x	x	x

VWERKS - MIX MOHAIR SKINS

	VWERKS MIX MOHAIR SKINS	149	150	156	158	160	163	166	170	172	177	178	180	184	186	191
159771	v-werks Katana Skins										x		x		x	

UNIVERSAL SKINS

	UNIVERSAL MIX MOHAIR SKINS	149	150	156	158	160	163	165	170	172	177	179	180	184	186	191
159724	Universal Vacuum Skins 130 mm															one size
159758	Marker Freeride Universal Skins															one size

CLASSIC LINE

CLASSIC BOOT BAG VÖLKL	CLASSIC BOOT & HELMET BAG VÖLKL	CLASSIC BOOT & HELMET BACKPACK VÖLKL	CLASSIC SINGLE SKI BAG 175 CM VÖLKL	CLASSIC DOUBLE SKI BAG 195 CM VÖLKL
ART. NO. 140100	ART. NO. 140102	ART. NO. 140103	ART. NO. 140104	ART. NO. 140105
COLOR Black / Grey / Yellow	COLOR Black / Grey / Yellow	COLOR Black / Grey / Yellow	COLOR Black / Yellow	COLOR Black / Yellow
SIZE IN CM 40 x 28 x 39	SIZE IN CM 40.5 x 27 x 42	SIZE IN CM 40.5 x 27 x 42	SIZE IN CM 175 x 25 x 25	SIZE IN CM 195 x 35 x 35
VOLUME IN L 45	VOLUME IN L 46	VOLUME IN L 46	VOLUME IN L 80	VOLUME IN L 120

RACE LINE

RACE BOOT PACK VÖLKL	RACE BOOT & HELMET BACKPACK VÖLKL	RACE BACKPACK TEAM LARGE VÖLKL	RACE BACKPACK TEAM MEDIUM VÖLKL
ART. NO. 142100	ART. NO. 142101	ART. NO. 142103	ART. NO. 142105
COLOR Black/Red	COLOR Black/Red	COLOR Black/Red	COLOR Black/Red
SIZE IN CM 34 x 31 x 48	SIZE IN CM 39 x 30 x 47	SIZE IN CM 49 x 36 x 65	SIZE IN CM 40 x 36 x 60
VOLUME IN L 55	VOLUME IN L 56	VOLUME IN L 115	VOLUME IN L 85

TRAVEL LINE

TEAM PRO BACKPACK VÖLKL	FLIGHT 30 L BACKPACK VÖLKL	TRAVEL 60 L DUFFEL VÖLKL	TRAVEL 90 L DUFFEL VÖLKL
ART. NO. 143100	ART. NO. 143101	ART. NO. 143102	ART. NO. 143103
COLOR Heather Grey	COLOR Heather Grey	COLOR Heather Grey	COLOR Heather Grey
SIZE IN CM 56 x 33 x 28	SIZE IN CM 50 x 33 x 18	SIZE IN CM 61 x 33 x 25	SIZE IN CM 74 x 42 x 28
VOLUME IN L 52	VOLUME IN L 30	VOLUME IN L 60	VOLUME IN L 90



RACE ROLLING BAG VÖLKL	RACE SINGLE SKI BAG 175 CM VÖLKL	RACE SINGLE SKI BAG 165+15+15 VÖLKL	RACE DOUBLE SKI BAG 195 CM VÖLKL
ART. NO. 142108	ART. NO. 142109	ART. NO. 142110	ART. NO. 142111
COLOR Black/Red	COLOR Black/Red	COLOR Black/Red	COLOR Black/Red
SIZE IN CM 76 x 39 x 35	SIZE IN CM 175 x 14 x 14	SIZE IN CM (165+15 x 2) x 14 x 14	SIZE IN CM 195 x 26 x 40
VOLUME IN L 120	VOLUME IN L 80	VOLUME IN L 80	VOLUME IN L 120



ROLLING 70 L BAG VÖLKL	ROLLING 120 L BAG VÖLKL	ROLLING DOUBLE SKI BAG 185 CM VÖLKL	ROLLING ALL PRO GEAR BAG 200 CM VÖLKL
ART. NO. 143104	ART. NO. 143105	ART. NO. 143106	ART. NO. 143107
COLOR Heather Grey	COLOR Heather Grey	COLOR Heather Grey	COLOR Heather Grey
SIZE IN CM 61 x 36 x 31	SIZE IN CM 76 x 41 x 41	SIZE IN CM 185 x 33 x 20	SIZE IN CM 200 x 36 x 25
VOLUME IN L 70	VOLUME IN L 120	VOLUME IN L 122	VOLUME IN L 180

POLES

RACE



SPEEDSTICK CARBON

ART. NO.
141001

COLOR
Black

LENGTH IN CM
110 - 135

SPEEDSTICK RED

ART. NO.
141002

COLOR
Red

LENGTH IN CM
110 - 135

SPEEDSTICK YELLOW

ART. NO.
141003

COLOR
Yellow

LENGTH IN CM
110 - 135

PHANTASTICK CARBON

ART. NO.
141004

COLOR
Black

LENGTH IN CM
110 - 135

PHANTASTICK III BLACK

ART. NO.
141015

COLOR
Black

LENGTH IN CM
110 - 135

PHANTASTICK III WHITE

ART. NO.
141016

COLOR
White

LENGTH IN CM
110 - 135

PHANTASTICK W BERRY

ART. NO.
141018

COLOR
Purple

LENGTH IN CM
100 - 130

PHANTASTICK W SILVER

ART. NO.
141017

COLOR
Grey

LENGTH IN CM
100 - 130

PHANTASTICK W PURPLE

ART. NO.
141019

COLOR
Purple

LENGTH IN CM
100 - 130

ALPINE & FREESKI



PHANTASTICK YELLOW

ART. NO.
141005 (16 mm)
141006 (18 mm)

COLOR
Yellow

LENGTH IN CM
110 - 135

PHANTASTICK GREEN

ART. NO.
141007 (16 mm)
141008 (18 mm)

COLOR
Green

LENGTH IN CM
110 - 135

PHANTASTICK RED

ART. NO.
141009 (16 mm)
141010 (18 mm)

COLOR
Red

LENGTH IN CM
110 - 135

PHANTASTICK BLACK

ART. NO.
141011 (16 mm)
141012 (18 mm)

COLOR
Black

LENGTH IN CM
110 - 135

PHANTASTICK WHITE

ART. NO.
141013 (16 mm)
141014 (18 mm)

COLOR
White

LENGTH IN CM
110 - 135

TOURING



TOURISTICK AA

ART. NO.
141028

COLOR
White

LENGTH IN CM
Adjustable

TOURISTICK AC

ART. NO.
141029

COLOR
Blue

LENGTH IN CM
Adjustable

TOURISTICK CC

ART. NO.
141030

COLOR
Black

LENGTH IN CM
Adjustable

PHANTASTICK FR

ART. NO.
140014

COLOR
Blue, Red, Yellow

LENGTH IN CM
Adjustable (Max. 140 cm)

JUNIOR

**SPEEDSTICK JR
YELLOW**
ART. NO.
141020
COLOR
Yellow
LENGTH IN CM
90 - 110


**SPEEDSTICK KIDS
YELLOW**
ART. NO.
141021
COLOR
Yellow
LENGTH IN CM
90 - 110

**PHANTASTICK JR
YELLOW**
ART. NO.
141022
COLOR
Yellow
LENGTH IN CM
90 - 110

**PHANTASTICK JR
GREEN**
ART. NO.
141023
COLOR
Green
LENGTH IN CM
90 - 110

**PHANTASTICK JR
BERRY**
ART. NO.
141024
COLOR
Purple
LENGTH IN CM
90 - 110

24/25 **PHANTASTICK**



LASER STRUCTURED GRIP ZONE

Enhanced grip
no matter which
temperature
Sophisticated
look & feel

DUAL CORE GRIP

Soft rubber
surface combined
with lightweight
polyamid
Ergonomic shape

LIGHT AND STRONG ALLOY SHAFT

Highest quality alloy
7075
Perfect weight/
performance ratio

**JUNIOR****RENTASTICK**

**PHANTASTICK KIDS
YELLOW**
ART. NO.
141025
COLOR
Yellow
LENGTH IN CM
70 - 105

**PHANTASTICK KIDS
GREEN**
ART. NO.
141026
COLOR
Green
LENGTH IN CM
70 - 105

**PHANTASTICK KIDS
BERRY**
ART. NO.
141027
COLOR
Purple
LENGTH IN CM
70 - 105

**RENTASTICK
CARBON**
ART. NO.
169826
COLOR
Color Coded
LENGTH IN CM
110 - 135

**RENTASTICK
ALU**
ART. NO.
169827
COLOR
Color Coded
LENGTH IN CM
110 - 135

**RENTASTICK
KIDS**
ART. NO.
169828
COLOR
Color Coded
LENGTH IN CM
70 - 105

EXEMPLARY
ILLUSTRATION

PHANTASTICK 16MM LOT

(25 pairs + display)

ART. NO.

141070

COLOR

Green

PHANTASTICK 18MM LOT

(25 pairs + display)

ART. NO.

141071

COLOR

Green

LOT NR.		DESCRIPTION					LOT UPC CODE					
item nr.	Modelle	110	115	120	125	Total	Total	110	115	120	125	Total
141070	Phantastick 16 mm Lot (25 Pairs + Display)							821264729489				
141005	Phantastick 16 mm Yellow	1	2	2	5							
141007	Phantastick 16 mm Green	1	2	2	5							
141009	Phantastick 16 mm Red	1	2	2	5							
141011	Phantastick 16 mm Black	1	2	2	5							
141013	Phantastick 16 mm White	1	2	2	5							

LOT NR.		BESCHREIBUNG					LOT UPC CODE					
item nr.	Modelle	110	115	120	125	Total	Total	110	115	120	125	Total
141071	Phantastick 18 mm Lot (25 Pairs + Display)							821264729496				
141006	Phantastick 18 mm Yellow	1	1	2	4							
141008	Phantastick 18 mm Green	1	2	3	6							
141010	Phantastick 18 mm Red	1	1	2	2	6						
141012	Phantastick 18 mm Black	1	1	2	1	5						
141014	Phantastick 18 mm White	1	2	1		4						

RACE



RACETIGER GS MASTER	RACETIGER GS	RACETIGER SL MASTER	RACETIGER SL	RACETIGER RC BLACK	RACETIGER RC RED	RACETIGER SC BLACK	RACETIGER SC YELLOW	RACETIGER SC WHITE
ART. NO. V2410001.000	ART. NO. V2410002.000	ART. NO. V2310003	ART. NO. V2410004.000	ART. NO. V2410005.000	ART. NO. V2410006.000	ART. NO. V2410007.000	ART. NO. V2410008.000	ART. NO. V2410009.000
SIDE CUT 115_67_98	SIDE CUT 115_67_98	SIDE CUT 125_67_102	SIDE CUT 125_67_102	SIDE CUT 126_67_102	SIDE CUT 123_68_102	SIDE CUT 123_68_102	SIDE CUT 123_68_102	SIDE CUT 123_68_102
LENGTH (RADIUS) 168 cm (15.4 m) 173 cm (16.4 m) 178 cm (17.5 m) 183 cm (18.6 m)	LENGTH (RADIUS) 168 cm (15.4 m) 173 cm (16.4 m) 178 cm (17.5 m) 183 cm (18.6 m)	LENGTH (RADIUS) 155 cm (12.2 m) 165 cm (12.8 m)	LENGTH (RADIUS) 150 cm (10.2 m) 155 cm (11.0 m) 160 cm (11.8 m) 165 cm (12.6 m) 170 cm (13.4 m)	LENGTH (RADIUS) 158 cm (11.8 m) 165 cm (13.9 m) 172 cm (15.3 m) 179 cm (16.8 m)	LENGTH (RADIUS) 158 cm (11.8 m) 165 cm (11.0 m) 172 cm (15.3 m) 179 cm (16.8 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m) 172 cm (15.3 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m)

ALL MOUNTAIN PISTE WMN



FLAIR SC CARBON	FLAIR SC	FLAIR MT	FLAIR 79	FLAIR 76	FLAIR 72
ART. NO. V2410050.000	ART. NO. V2410051.000	ART. NO. V2410052.000	ART. NO. V2410053.000	ART. NO. V2410055.000	ART. NO. V2410056.000
SIDE CUT 123_68_102	SIDE CUT 124_73_103	SIDE CUT 126_75_105	SIDE CUT 129_79_109	SIDE CUT 124_76_105	SIDE CUT 123_72_104
LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (12.9 m) 163 cm (13.9 m)	LENGTH (RADIUS) 147 cm (11.3 m) 154 cm (12.2 m) 161 cm (13.5 m)	LENGTH (RADIUS) 149 cm (11.8 m) 156 cm (12.7 m) 163 cm (14.1 m)	LENGTH (RADIUS) 149 cm (11.8 m) 156 cm (12.7 m) 163 cm (14.2 m)	LENGTH (RADIUS) 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)	LENGTH (RADIUS) 137 cm (9.4 m) 144 cm (10.1 m) 151 cm (11.4 m) 158 cm (12.7 m) 165 cm (14.0 m)

ALL MOUNTAIN PISTE



PEREGRINE 76 MASTER	PEREGRINE 76	PEREGRINE 72 MASTER	PEREGRINE 72 GREY RED	PEREGRINE 72 BLUE RED	PEREGRINE MT
ART. NO. V2410020.000	ART. NO. V2410022.000	ART. NO. V2410023.000	ART. NO. V2410024.000	ART. NO. V2410025.000	ART. NO. V2410026.000
SIDE CUT 124_76_104	SIDE CUT 124_76_104	SIDE CUT 125_72_103	SIDE CUT 125_72_103	SIDE CUT 125_72_103	SIDE CUT 126_75_105
LENGTH (RADIUS) 176 cm (17.6 m) 181 cm (18.7 m)	LENGTH (RADIUS) 171 cm (16.5 m) 176 cm (17.6 m) 181 cm (18.7 m)	LENGTH (RADIUS) 168 cm (14.5 m) 176 cm (17.6 m) 181 cm (18.7 m)	LENGTH (RADIUS) 158 cm (12.7 m) 163 cm (13.5 m) 168 cm (14.5 m) 173 cm (15.4 m) 178 cm (16.4 m)	LENGTH (RADIUS) 158 cm (12.7 m) 163 cm (13.5 m) 168 cm (14.5 m) 173 cm (15.4 m) 178 cm (16.4 m)	LENGTH (RADIUS) 154 cm (12.2 m) 161 cm (13.5 m) 168 cm (15.0 m) 175 cm (16.5 m)

ALL MOUNTAIN FREERIDE




KATANA V.WERKS	MANTRA 108	MANTRA 102	M7 MANTRA	MANTRA 88
ART. NO. V2410100.000	ART. NO. V2410110.000	ART. NO. V2410111.000	ART. NO. V2410112.000	ART. NO. V2410113.000
SIDE CUT 143_112_132	SIDE CUT 146_108_129	SIDE CUT 142_102_124	SIDE CUT 139_96_121	SIDE CUT 129_88_113
LENGTH (3D RADIUS) 177 cm (23.4 m) 184 cm (23.5 m) 191 cm (25.9 m)	Length R1 R2 R3 170 cm (32 m) 16 m 30 m 177 cm (36 m) 18 m 32 m 184 cm (39 m) 19 m 34 m 191 cm (44 m) 21 m 36 m	Length R1 R2 R3 170 cm (32 m) 16 m 30 m 177 cm (36 m) 18 m 32 m 184 cm (39 m) 19 m 34 m 191 cm (44 m) 21 m 36 m	Length R1 R2 R3 R4 170 cm (26 m) 16 m 23 m 177 cm (28 m) 18 m 26 m 184 cm (30 m) 19 m 27 m 191 cm (35 m) 21 m 30 m	Length R1 R2 R3 163 cm (23 m) 37 m 13.7 m 18 m 170 cm (24 m) 38 m 15.2 m 20 m 177 cm (25 m) 40 m 16.8 m 22 m 184 cm (26 m) 41 m 17.9 m 23 m

ALL MOUNTAIN PISTE



PEREGRINE V.WERKS	PEREGRINE 82	PEREGRINE 80	PEREGRINE 79	PEREGRINE XT	PEREGRINE X
ART. NO. V2410040.000	ART. NO. 132_84_115	ART. NO. V2410041.000	ART. NO. 128_82_111	ART. NO. V2410042.000	ART. NO. V2410043.000
SIDE CUT R1 R2 R3	Length R1 R2 R3 162 cm (21.6 m) 12.2 m 19.5 m 167 cm (23.3 m) 13.1 m 20.7 m 172 cm (25.1 m) 14.1 m 21.7 m 177 cm (26.9 m) 15 m 23.2 m 182 cm (28.8 m) 16 m 24.5 m	Length R1 R2 R3 162 cm (21.6 m) 12.2 m 19.5 m 167 cm (23.3 m) 13.1 m 20.7 m 172 cm (25.1 m) 14.1 m 21.7 m 177 cm (26.9 m) 15 m 23.2 m 182 cm (28.8 m) 16 m 24.5 m	Length R1 R2 R3 162 cm (21.6 m) 12.2 m 19.5 m 167 cm (23.3 m) 13.1 m 20.7 m 172 cm (25.1 m) 14.1 m 21.7 m 177 cm (26.9 m) 15 m 23.2 m 182 cm (28.8 m) 16 m 24.5 m	SIDE CUT R1 R2 R3 129_79_109	SIDE CUT 124_76_105
LENGTH (3D RADIUS) 167 cm (21 m) 13 m 18 m 172 cm (23 m) 14 m 19 m 177 cm (24 m) 15 m 21 m 182 cm (25 m) 16 m 22 m	LENGTH (RADIUS) 162 cm (12.2 m) 19.5 m 167 cm (13.1 m) 20.7 m 172 cm (14.1 m) 21.7 m 177 cm (15 m) 23.2 m 182 cm (16 m) 24.5 m	LENGTH (RADIUS) 162 cm (12.2 m) 19.5 m 167 cm (13.1 m) 20.7 m 172 cm (14.1 m) 21.7 m 177 cm (15 m) 23.2 m 182 cm (16 m) 24.5 m	LENGTH (RADIUS) 154 cm (12.7 m) 161 cm (14.2 m) 168 cm (15.7 m) 175 cm (17.1 m)	LENGTH (RADIUS) 154 cm (12.7 m) 161 cm (14.2 m) 168 cm (15.6 m) 175 cm (17.3 m)	Length R1 R2 R3 149 cm (21 m) 33 m 10.8 m 14 m 156 cm (22 m) 35 m 12.2 m 16 m 163 cm (23 m) 37 m 13.7 m 18 m 170 cm (24 m) 38 m 15.2 m 20 m 177 cm (25 m) 40 m 16.8 m 22 m

ALL MOUNTAIN FREERIDE WMN



SECRET 102	SECRET 96	SECRET 88	SECRET 84	SECRET 80
ART. NO. V2410115.000	ART. NO. V2410116.000	ART. NO. V2410117.000	ART. NO. V2410118.000	ART. NO. V2410119.000
SIDE CUT R1 R2 R3	SIDE CUT 142_102_124	SIDE CUT 139_96_121	SIDE CUT 129_88_113	SIDE CUT 125_84_107
Length R1 R2 R3 R4 149 cm (21 m) 33 m 10.8 m 14 m 156 cm (22 m) 35 m 12.2 m 16 m 163 cm (23 m) 37 m 13.7 m 18 m 170 cm (24 m) 38 m 15.2 m 20 m 177 cm (25 m) 40 m 16.8 m 22 m	Length R1 R2 R3 149 cm (20 m) 13 m 19 m 156 cm (22 m) 15 m 21 m 163 cm (23 m) 17 m 23 m 170 cm (24 m) 18 m 25 m 177 cm (25 m) 20 m 27 m	Length R1 R2 R3 149 cm (20 m) 11 m 14 m 156 cm (21 m) 13 m 16 m 163 cm (23 m) 15 m 17 m 170 cm (24 m) 17 m 19 m 177 cm (25 m) 19 m 21 m	Length R1 R2 R3 147 cm (16 m) 11 m 14 m 154 cm (18 m) 13 m 16 m 161 cm (19 m) 15 m 17 m 168 cm (21 m) 15 m 19 m 175 cm (21 m) 17 m 21 m	Length R1 R2 R3 147 cm (16 m) 11 m 14 m 154 cm (18 m) 13 m 16 m 161 cm (19 m) 15 m 17 m 168 cm (21 m) 15 m 19 m 175 cm (21 m) 17 m 21 m

ALL MOUNTAIN FREERIDE



V.WERKS 100

ART. NO. V2310130.000 SIDE CUT 140_100_122

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 170 cm (33 m 16 m 25 m)
R3 179 cm (36 m 17 m 28 m)
186 cm (40 m 19 m 30 m)



BLAZE 114

ART. NO. V2410131.000 SIDE CUT 154_114_136

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 165 cm (30 m 15 m 24 m)
176 cm (35 m 17 m 27 m)
184 cm (39 m 18 m 29 m)
192 cm (43 m 20 m 32 m)



BLAZE 104 GREY ORANGE

ART. NO. V2410132.000 SIDE CUT 154_104_128

LENGTH (4 RADIUS DRIVE)
R1 Length R1 R2 R3 R4
R2 158 cm (18 m 28 m 12.6 m 18 m)
158 cm (18 m 28 m 12.4 m 17 m)
165 cm (18 m 31 m 13.6 m 19 m)
172 cm (19 m 35 m 15.2 m 20 m)
179 cm (20 m 40 m 16.8 m 22 m)
186 cm (21 m 45 m 18.5 m 24 m)



BLAZE 104 BLUE PINK

ART. NO. V2410133.000 SIDE CUT 143_104_128

LENGTH (4 RADIUS DRIVE)
R1 Length R1 R2 R3 R4
R2 158 cm (17 m 24 m 11 m 16 m)
158 cm (18 m 28 m 12.4 m 17 m)
165 cm (18 m 31 m 13.7 m 18 m)
172 cm (19 m 35 m 14.9 m 20 m)
179 cm (20 m 40 m 16.5 m 22 m)
186 cm (21 m 45 m 18.2 m 24 m)



BLAZE 94 GREY RED

ART. NO. V2410134.000 SIDE CUT 133_94_118

LENGTH (4 RADIUS DRIVE)
R1 Length R1 R2 R3 R4
R2 158 cm (17 m 24 m 11 m 16 m)
158 cm (18 m 28 m 12.4 m 17 m)
165 cm (18 m 31 m 13.7 m 18 m)
172 cm (19 m 35 m 14.9 m 20 m)
179 cm (20 m 40 m 16.5 m 22 m)
186 cm (21 m 45 m 18.2 m 24 m)



BLAZE 94 PURPLE ROSE

ART. NO. V2410135.000 SIDE CUT 133_94_118

LENGTH (4 RADIUS DRIVE)
R1 Length R1 R2 R3 R4
R2 158 cm (17 m 24 m 11 m 16 m)
158 cm (18 m 28 m 12.4 m 17 m)
165 cm (18 m 31 m 13.7 m 18 m)
172 cm (19 m 35 m 14.9 m 20 m)
179 cm (20 m 40 m 16.5 m 22 m)
186 cm (21 m 45 m 18.2 m 24 m)



REVOLT 121

ART. NO. V2410150.000 SIDE CUT 143_121_135

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 151 cm (17 m 24 m 11 m 16 m)
158 cm (18 m 28 m 12.4 m 17 m)
165 cm (18 m 31 m 13.7 m 18 m)
172 cm (19 m 35 m 14.9 m 20 m)
179 cm (20 m 40 m 16.5 m 22 m)
186 cm (21 m 45 m 18.2 m 24 m)



REVOLT 114

ART. NO. V2410151.000 SIDE CUT 146_114_128

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 177 cm (19 m 27 m 18 m 21 m)
184 cm (20 m 29 m 19 m 22 m)
191 cm (23 m 22 m 21 m 25 m)
191 cm (28 m 21 m 25 m)



REVOLT 104

ART. NO. V2410152.000 SIDE CUT 132_104_122

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 172 cm (22 m 17 m 19 m)
180 cm (24 m 19 m 22 m)
181 cm (23 m 20 m 22 m)



REVOLT 96

ART. NO. V2410153.000 SIDE CUT 126_96_117


LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 157 cm (16 m 13 m 14 m)
165 cm (18 m 15 m 17 m)
173 cm (20 m 17 m 19 m)
180 cm (21.5 m 22 m)



REVOLT 90

ART. NO. V2410155.000 SIDE CUT 118_90_118

LENGTH (RADUS)
R1 Length R1 R2 R3
R2 168 cm (18.2 m)
174 cm (19.5 m)
180 cm (21.5 m)
186 cm (23.0 m)



BLAZE 86 OLIVE

ART. NO. V2410136.000 SIDE CUT 129_86_111

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 146 cm (18 m 10 m 15 m)
152 cm (20 m 11 m 17 m)
159 cm (22 m 12 m 19 m)
166 cm (25 m 13 m 21 m)



BLAZE 86 MINT

ART. NO. V2410137.000 SIDE CUT 129_86_111

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 146 cm (18 m 10 m 15 m)
152 cm (20 m 11 m 17 m)
159 cm (22 m 12 m 19 m)
166 cm (25 m 13 m 21 m)



BLAZE 82 BEIGE

ART. NO. V2410140.000 SIDE CUT 125_82_107

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 146 cm (18 m 10 m 15 m)
152 cm (20 m 11 m 17 m)
159 cm (22 m 12 m 19 m)
166 cm (25 m 13 m 21 m)



BLAZE 82 TEAL

ART. NO. V2410141.000 SIDE CUT 125_82_107

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 146 cm (18 m 10 m 15 m)
152 cm (20 m 11 m 17 m)
159 cm (22 m 12 m 19 m)
166 cm (25 m 13 m 21 m)



REVOLT 84

ART. NO. V2410156.000 SIDE CUT 110_84_110

LENGTH (RADIUS)
R1 Length R1 R2 R3 R4
R2 174 cm (21.0 m)
180 cm (23.2 m)
186 cm (24.7 m)
LENGTH (RADIUS)
R1 Length R1 R2 R3 R4
R2 148 cm (14.8 m)
156 cm (16.6 m)
164 cm (18.5 m)
172 cm (21.2 m)
180 cm (23.3 m)



REVOLT 86

ART. NO. V2410160.000 SIDE CUT 120_86_110

LENGTH (RADIUS)
R1 Length R1 R2 R3 R4
R2 148 cm (13.9 m)
158 cm (16.3 m)
168 cm (18.9 m)
178 cm (21.8 m)



REVOLT 81

ART. NO. V2410162.000 SIDE CUT 111_81_104

LENGTH (RADIUS)
R1 Length R1 R2 R3 R4
R2 148 cm (13.9 m)
158 cm (16.3 m)
168 cm (18.9 m)
178 cm (21.8 m)



RISE BEYOND 96

ART. NO. SIDE CUT 122370 138_96_119

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 156 cm (17 m 12 m 16 m)
163 cm (19 m 14 m 18 m)
170 cm (22 m 16 m 20 m)
177 cm (24 m 17 m 22 m)
184 cm (27 m 19 m 24 m)



RISE BEYOND 96 W

ART. NO. SIDE CUT 122371 138_96_119

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 156 cm (17 m 12 m 16 m)
163 cm (19 m 14 m 18 m)
170 cm (22 m 16 m 20 m)
177 cm (24 m 17 m 22 m)
184 cm (27 m 19 m 22 m)



RISE HIGH 88

ART. NO. SIDE CUT 122372 127_88_111

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 160 cm (16.3 m)
170 cm (18.9 m)
180 cm (21.6 m)



RISE ABOVE 88 W

ART. NO. SIDE CUT 122374 131_88_111

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 160 cm (16.3 m)
163 cm (19 m 14 m 18 m)
170 cm (22 m 16 m 20 m)
177 cm (28 m 17 m 23 m)
184 cm (31 m 18 m 25 m)



RISE UP 82 W

ART. NO. SIDE CUT 122378 125_82_105

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 149 cm (19 m 11 m 16 m)
156 cm (20 m 12 m 17 m)
163 cm (25 m 14 m 20 m)
170 cm (29 m 17 m 24 m)



RISE UP 80

ART. NO. SIDE CUT 122386 118_80_100

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
R2 150 cm (13.5 m)
156 cm (14.7 m)
163 cm (16.5 m)
170 cm (18.3 m)
175 cm (19.6 m)

JUNIOR



RACETIGER
JR RED

ART. NO.
V2410200.000 (FLAT)
LENGTH (RADIUS)
70 cm (4.7 m)

ART. NO.
V2410205.000 (VMOTION)
LENGTH (RADIUS)
80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2410206.000 (VMOTION)
LENGTH (RADIUS)
100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)

ART. NO.
V2410207.000 (VMOTION)
LENGTH (RADIUS)
130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)



RACETIGER
JR YELLOW

ART. NO.
V2410210.000 (FLAT)
LENGTH (RADIUS)
70 cm (4.7 m)

ART. NO.
V2410215.000 (VMOTION)
LENGTH (RADIUS)
80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2410216.000 (VMOTION)
LENGTH (RADIUS)
100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)

ART. NO.
V2410217.000 (VMOTION)
LENGTH (RADIUS)
130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)



RACETIGER
JR PRO

ART. NO.
V2410220.000
SIDECUT
93_67_76

ART. NO.
V2410230.000 (FLAT)
LENGTH (RADIUS)
70 cm (4.7 m)

ART. NO.
V2410235.000 (VMOTION)
LENGTH (RADIUS)
120 cm (7.5 m)
130 cm (9.0 m)
140 cm (9.7 m)
150 cm (11.2 m)
160 cm (13.0 m)

ART. NO.
V2410236.000 (VMOTION)
LENGTH (RADIUS)
100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)



PEREGRINE
JR

ART. NO.
V2410240.000 (VMOTION)
SIDECUT
93_67_76

ART. NO.
V2410245.000 (VMOTION)
LENGTH (RADIUS)
80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2410250.000 (VMOTION)
LENGTH (RADIUS)
100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)

ART. NO.
V2410255.000 (VMOTION)
LENGTH (RADIUS)
130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)



PEREGRINE
JR PRO

ART. NO.
V2410240.000 (VMOTION)
SIDECUT
117_70_98

ART. NO.
V2410235.000 (VMOTION)
LENGTH (RADIUS)
120 cm (7.5 m)
130 cm (9.0 m)
140 cm (9.7 m)
150 cm (11.2 m)
160 cm (13.0 m)

ART. NO.
V2410236.000 (VMOTION)
LENGTH (RADIUS)
100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)

ART. NO.
V2410237.000 (VMOTION)
LENGTH (RADIUS)
130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)



PEREGRINE
JR

ART. NO.
V2410240.000 (VMOTION)
SIDECUT
123_72_104

ART. NO.
V2410245.000 (VMOTION)
LENGTH (RADIUS)
120 cm (7.5 m)
130 cm (9.0 m)
140 cm (9.7 m)
150 cm (11.2 m)
160 cm (13.0 m)

ART. NO.
V2410250.000 (VMOTION)
LENGTH (RADIUS)
100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)

ART. NO.
V2410255.000 (VMOTION)
LENGTH (RADIUS)
130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)



PEREGRINE
7.2 RED

ART. NO.
V2410360.000
SIDECUT
125_76_105

ART. NO.
V2410361.000
LENGTH (RADIUS)
130 cm (8.2 m)
137 cm (9.4 m)
144 cm (10.5 m)
151 cm (11.8 m)
158 cm (12.7 m)
165 cm (14.0 m)
172 cm (15.5 m)
179 cm (17.0 m)

ART. NO.
V2410362.000
SIDECUT
125_80_109

ART. NO.
V2410363.000 (W. PLATE)
V2410364.000 (W/O PLATE)
LENGTH (RADIUS)
140 cm (10.4 m)
147 cm (11.7 m)
154 cm (13.1 m)
161 cm (14.1 m)
168 cm (15.5 m)
175 cm (17.1 m)



PEREGRINE
7.6 GOLD

ART. NO.
V2410361.000
SIDECUT
125_76_105

ART. NO.
V2410362.000
LENGTH (RADIUS)
133 cm (9.2 m)
140 cm (10.4 m)
147 cm (11.7 m)
154 cm (13.1 m)
161 cm (14.1 m)
168 cm (15.5 m)
175 cm (17.1 m)

ART. NO.
V2410363.000 (W. PLATE)
V2410364.000 (W/O PLATE)
LENGTH (RADIUS)
130 cm (9.0 m)
137 cm (10.2 m)
144 cm (11.5 m)
151 cm (12.5 m)
158 cm (13.9 m)
165 cm (15.4 m)
172 cm (17.1 m)



PEREGRINE
7.6 ORANGE

ART. NO.
V2410362.000
SIDECUT
125_80_109

ART. NO.
V2410363.000 (W. PLATE)
V2410364.000 (W/O PLATE)
LENGTH (RADIUS)
140 cm (10.4 m)
147 cm (11.7 m)
154 cm (13.1 m)
161 cm (14.1 m)
168 cm (15.5 m)
175 cm (17.1 m)



PEREGRINE
8.0 GREEN

ART. NO.
V2410364.000 (W/O PLATE)
SIDECUT
125_80_109

ART. NO.
V2410365.000
LENGTH (RADIUS)
130 cm (9.0 m)
137 cm (10.2 m)
144 cm (11.5 m)
151 cm (12.5 m)
158 cm (13.9 m)
165 cm (15.4 m)
172 cm (17.1 m)

ART. NO.
V2410366.000
SIDECUT
125_80_109



REVOLT 81
DEMO

ART. NO.
V2410356.000
SIDECUT
111_81_104

LENGTH (RADIUS)
148 cm (13.9 m)
158 cm (16.3 m)
168 cm (18.9 m)
178 cm (21.8 m)



FLAIR
JR

ART. NO.
V2410250.000 (FLAT)
SIDECUT
93_67_76

ART. NO.
V2410255.000 (VMOTION)
LENGTH (RADIUS)
80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2410256.000 (VMOTION)
LENGTH (RADIUS)
100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)

ART. NO.
V2410257.000 (VMOTION)
LENGTH (RADIUS)
130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)



BLAZE
JR ORANGE

ART. NO.
V2410265.000 (VMOTION)
V2410260.000 (FLAT)
SIDECUT
126_86_111

ART. NO.
V2410275.000 (VMOTION)
LENGTH (3D RADIUS)
R1 Length R1 R2 R3
118 cm (9 m 7 m 7 m)
128 cm (12 m 8 m 9 m)
138 cm (13 m 10 m 12 m)
148 cm (18 m 10 m 14 m)
R2 128 cm (12 m 8 m 9 m)
138 cm (13 m 10 m 12 m)
148 cm (18 m 10 m 14 m)
R3 158 cm (21 m 11 m 17 m)



BLAZE
JR BLUE PINK

ART. NO.
V2410275.000 (VMOTION)
SIDECUT
126_86_111

ART. NO.
V2410276.000 (VMOTION)
LENGTH (3D RADIUS)
R1 Length R1 R2 R3
118 cm (8.3 m)
128 cm (10.2 m)
138 cm (12.3 m)
148 cm (14.5 m)
158 cm (16.9 m)

ART. NO.
V2410280.000
SIDECUT
118_86_111

ART. NO.
V2410280.000 (VMOTION)
LENGTH (3D RADIUS)
R1 Length R1 R2 R3
118 cm (8.3 m)
128 cm (10.2 m)
138 cm (12.3 m)
148 cm (14.5 m)
158 cm (16.9 m)



MANTRA
JR

ART. NO.
V2410275.000 (VMOTION)
SIDECUT
126_86_111

ART. NO.
V2410276.000 (VMOTION)
LENGTH (3D RADIUS)
R1 Length R1 R2 R3
118 cm (8.3 m)
128 cm (10.2 m)
138 cm (12.3 m)
148 cm (14.5 m)
158 cm (16.9 m)

ART. NO.
V2410280.000
SIDECUT
129_86_111

ART. NO.
V2410280.000 (VMOTION)
LENGTH (3D RADIUS)
R1 Length R1 R2 R3
118 cm (8.3 m)
128 cm (10.2 m)
138 cm (12.3 m)
148 cm (14.5 m)
158 cm (16.9 m)



RISE
JR

ART. NO.
V2410280.000
SIDECUT
129_86_111

ART. NO.
V2410280.000 (VMOTION)
LENGTH (3D RADIUS)
R1 Length R1 R2 R3
118 cm (8.3 m)
128 cm (10.2 m)
138 cm (12.3 m)
148 cm (14.5 m)
158 cm (16.9 m)

ART. NO.
V2410280.000 (VMOTION)
LENGTH (3D RADIUS)
R1 Length R1 R2 R3
118 cm (8.3 m)
128 cm (10.2 m)
138 cm (12.3 m)
148 cm (14.5 m)
158 cm (16.9 m)



BLAZE
86 DEMO

ART. NO.
V2410354.000
SIDECUT
129_86_111

ART. NO.
V2410355.000
SIDECUT
125_82_107

ART. NO.
V2410356.000
SIDECUT

NOTES

WE
ARE
VÖLKL



IMPRINT

INTERNATIONAL HEADQUARTER

Marker Dalbello Völkl (International) GmbH
Ruessenstrasse 6
6341 Baar
Switzerland

Phone +41 41 769-73-00
Fax +41 41 769-73-92
info@voelkl.com

www.voelkl.com

© 2023 by Marker Dalbello Völkl (International) GmbH.
Subject to alteration.

Photography: Carlos Blanchard, Adam Clark,
GEPA, Matt McCormick, Mathäus Gartner, Pally
Learmond, Peter Mathis, Michael Mayer, Dario
Suppan, Syo Van Vliet, Aina Punola

Created & produced by: yearning.de

Marker, Marker logo, X-cell, Deacon, Duke, Jester,
Baron, Griffon, Squire, GripWalk, Kingpin, Völkl,
Völkl logo, Secret, Marker Alpinist, M-Werks,
Blaze, Racetiger, V-Werks, Speedwall, Phantastick
and Motion are registered trademarks of Marker
Dalbello Völkl (International) GmbH and other
trademarks are pending.