

XX VÄLLKI




COLLECTION

2025 / 2026

SINCE 1923

**THE TECH IS
GERMAN.
THE STOKE IS
WORLDWIDE.**

02



03

THE VÖLKL WAY

VÖLKL ENGINEERING

We are committed to continuous development and enhancement, merging German engineering with state-of-the-art manufacturing and meticulous craftsmanship at our Straubing production facility to create top-tier sporting goods.

HIGHTECH IN MATERIALS & PROCESSING

A core benefit of developing and producing in Germany is the access to the most cutting-edge materials, combined with our constant investment in high-tech processing.

TEAM

At Völk, we're a global team united by our love for the perfect turn on snow. Together, we harness our collective power to create the magic that happens out on the mountain.

BUILT TO WIN

DATA

To learn and progress, we don't rely solely on our experience, but also analyze data from our global ski community.

CONSUMER INSIGHTS

We focus on our consumers!

The invaluable insights into understanding their needs, preferences, and behaviors are of utmost importance for the development of our skis.

VÖLKL OBSESSION

With our unparalleled obsession for precision, attention to detail and quality enable us to improve our products constantly while shifting boards. Built to win.

COMMITMENT TO SUSTAINABILITY

By staying at the forefront of ski technology, we provide superior skiing performance while our commitment to sustainability preserves the natural beauty of the mountains for generations to come.

VÖLKL TESTING

We test every single ski in each specific length. Without exception. No ski goes into production without the approval of our experienced test team.

SUSTAINABILITY FACTS

DONE IN 2024

- Reduction of the total energy consumption including electricity and heat of our plant by -15% per pair of skis produced in 2023 compared to 2019.
- Reduction of the feed temperature of the press heating system during the weekend
- Improved insulation of hot water pipes
- More efficient operation of the factory ventilation system
- Recycling of paper towels
- GOAL FOR 2025: Avoidance of 100 tons of waste through recycling

100% RENEWABLE ELECTRIC ENERGY

Production using electricity from Danube hydroelectric power station „Kagers“, not even 8 km from the factory



SHORT DISTANCES SUPPLY CHAIN FOR SKI MATERIALS

28% Bavarian suppliers
63% German suppliers
100 % European suppliers

2024: 100% CO₂ NEUTRAL ENERGY

- 100% renewable electric power
- 100% CO₂ compensated gas, certified by TÜV Rheinland, following the GOLD STANDARD goldstandard.org

→ 4700 t CO₂ savings per year

CO₂ REDUCTION IN PRODUCTION SUCH AS:

Reduction of the total energy consumption of our plant by -15% per pair of skis produced in 2023 compared to 2019

Numerous energy-saving projects such as:

- Milestone: since 2014 energy management system certified according to DIN ISO 50001
- Heat exchanger for preheating the air in the factory
- Using waste heat from compressors to heat screen printing and pre-production
- Cooling of the presses in winter with outside air instead of chillers
- Automatic shutdown of the compressed air network in non-working time

LESS USE OF PACKAGING MATERIALS

Circle system of collapsible boxes between GER, USA, CAN. Circle systems of rolling carts with selected EU customers



COLLECTION OVERVIEW

RACE	ALL MNT PISTE	ALL MNT FREERIDE	TOURING	FREESKI		
COMMERCIAL	HARD SNOW	MIXED SNOW	SPEED	LIGHT	ALPINISM	BUILT TOGETHER
RACETIGER GS MASTER	PEREGRINE 76 MASTER	PEREGRINE V.WERKS	KATANA V.WERKS	V.WERKS 100	RISE 99 V.WERKS NEW	REVOLT 121
RACETIGER GS	PEREGRINE 72 MASTER NEW	PEREGRINE 82	MANTRA 108	BLAZE 114	RISE HIGH 88	REVOLT 114
RACETIGER SL MASTER	PEREGRINE 76	PEREGRINE 80	MANTRA 102	BLAZE 104 TEAL	RISE BEYOND 96	REVOLT 104
RACETIGER SL	PEREGRINE 72 BLACK NEW	PEREGRINE 78 NEW	M7 MANTRA	BLAZE 94 BLACK	RISE ABOVE 88	REVOLT 101 NEW
RACETIGER RC BLACK	PEREGRINE 72 GREEN NEW		MANTRA 88 NEW	BLAZE 86 GREY	RISE UP 82	REVOLT 96
RACETIGER RC RED			MANTRA 84 NEW	BLAZE 82 GREY	RISE UP 80	REVOLT 90
RACETIGER SC BLACK		PEREGRINE MT				REVOLT 84
RACETIGER SC YELLOW		PEREGRINE XT				REVOLT 86 NEW
RACETIGER SC WHITE		PEREGRINE X				REVOLT 81
RACETIGER SRC						
SHINE SC CARBON	SHINE MT	SHINE 76	MANTRA 102 W	BLAZE 104 PURPLE	RISE BEYOND 96 W	
SHINE SC	SHINE 78 NEW	SHINE 72	M7 MANTRA W	BLAZE 94 ROSE	RISE ABOVE 88 W	
			MANTRA 88 W NEW	BLAZE 86 PETROL	RISE UP 82 W	
			MANTRA 84 W NEW	BLAZE 82 PURPLE		
			MANTRA 80 W			
RACETIGER JR PRO	PEREGRINE JR PRO	PEREGRINE JR	MANTRA JR	BLAZE JR ORANGE	RISE JR	REVOLT 100 JR
RACETIGER JR RED		SHINE JR		BLAZE JR BLUE PINK		REVOLT JR PARK
RACETIGER JR YELLOW						REVOLT JR URBAN
						MINI REVOLT JR

ALL GENDER

WOMAN

JUNIOR

TAILORED

TECHNOLOGIES



TAILORED FIBER PLACEMENT

One of our latest technologies is Tailored Fibre Placement. In this innovative manufacturing process the Tailored Carbon Tips are produced by embroidering the individual carbon fibers onto a carrier material.

This allows them to be positioned exactly along the stress lines, opening up plenty of possibilities, for performance at the front of the ski, which has a decisive influence on the handling of the ski. The stiffness, torsion and thus the skiing characteristics can be specifically adjusted via the fiber thickness and millimeter-precise alignment. In this way, the fibers guide the dynamics to the areas of the ski where they are needed. The visibly integrated Tailored Carbon Tips are light, allow an agile shovel reaction with less effort and quickly build up energy. The Tailored Carbon Tips thus reach a next level of precision, direct tip response and active skiing pleasure.



TAILORED TITANAL FRAME

In this technology the width of the titan al frame is adapted exactly to each individual ski length.

This results in Tailored Titanal Frames, which are positioned above the sidewall along the tip and tail area of the ski to provide the desired damping and torsional stiffness. The size of the frames is tailored to the skier's height, skiing ability and power. This means that longer ski models have a higher titan al content for more stiffness, more direct power transmission and stronger dampening. The shorter the length, the lower the titan al content, which makes the ski more agile, so that smaller, lighter and less powerful skiers can use the full potential performance of the ski. In addition to the Tailored Titanal Frames, a second, thinner titan al layer is located in the binding area, which gives the ski the necessary strength, but also agility. The result: the Tailored Titanal Frame technology provides an incomparable combination of agility and high speed control.

Multiradius concepts for maximum versatility for various snow conditions, both on-piste and off-piste, with increased stability on hard surfaces and improved performance in soft snow.

3D RADIUS



R1

Usage of long radii at tip and tail for big turns and high speed
 // easy steering and maneuverability
 // disruption resistant at the tip
 // no radius limitation and ease of turn exit


R2

Usage of shorter radius in the center for short turns and lower speed
 // extremely easy to initiate short turns
 // strikingly agile
 // effortless and smooth in short turns

R3

Usage of long radii at tip and tail for big turns and high speed
 // easy steering and maneuverability
 // disruption resistant at the tip
 // no radius limitation and ease of turn exit

4 RADIUS DRIVE



R1 SUPPORT

For improved float in deep snow and precise initiation into the turn on groomers

R2 RESILIENCE

Open radius for catch-free and variability while building up the turn



R3 FUN

Tight under-foot radius for agility in short turns


R4 POP

Open tail radius for smooth and harmonic release of the dynamics

WOODCORES

CHARACTERISTICS	MATERIAL BENEFIT	MULTILAYER WOODCORE	MULTILAYER WOODCORE LIGHT	HYBRID MULTILAYER WOODCORE	WORLD CUP ASH WOODCORE	WORLD CUP WOODCORE
	MULTILAYER WOODS A combination of lighter, softer poplar wood and heavier, stronger beech wood provides a target group specific combination between light weight, strength, durability and damping: The beech typically concentrates where the most power is needed in the ski - like under the binding or alongside the edges and sidewalls.	X	X	X		X
	ISOCORE The addition of ISOCORE to the wood core helps to save weight and support dynamics, pop and agility.			X		
	SLOTTED Slots that get milled into the wood cores - with the number of slots varying according to the target group of the ski - helps to save weight and optimize the flex pattern towards a softer characteristic.	X	X			
	ASH (%) Ash - the wood of the gods in ancient times - provides the best dynamic properties of any woods in skiing. At the price of heavier weight, a maximum of power transmission and dynamics can be found in skis with ash cores.				100%	50%

GREEN CORE



// All GreenCore woods are FSC certified
// Environmentally friendly glue
// Foam: recycled PET

ROCKER

Our rocker construction is directly integrated into the production cycle, so the rocker shape doesn't need to be bent afterwards, which makes the matching between the rocker and the other components much more harmonized and precise:

- // easier turn initiation
- // effective edge length extends when putting the ski onto the edge
- // additional uplift for off-piste skiing



Full Rocker

Character: The ski is bent at a constant curvature along its entire length



Tip & Tail Rocker

Character: Bends up only in the shovel and tail zones, with a camber shape in the middle



Tip Rocker

Character: Only bends upwards in the shovel area, while the middle and tail of the ski feature a camber shape



ASH WOOD CORE

The high-quality core made of solid ash, which extends over the entire length of the ski, is a technical highlight that has great impact on the skiing characteristics.

The particularly elastic hardwood has only been used in racing skis for World Cup athletes and acts as an energy accumulator: while the ski flexes when initiating the turn, the fibers stretch and absorb the tension energy. At the exit of the turn, this accumulated energy is released, giving the ski enormous dynamics. Due to the specific stretching behavior of ash, the ski also adapts optimally to the surface. This results in the greatest possible stability and reliability, which makes the ski particularly smooth.

RMOTION 12

Exclusive Marker Völkl toolless plate-binding system for our on-piste skis

BENEFITS

- // Increased strength and stiffness plus more direct power transmission and a improved feedback
- // New absorber for improved dynamics and next level release



DEDICATED BASE STRUCTURES

POLISHED SKI BASES ENHANCE ...

- ... greatest gliding characteristics
- ... optimal base treatment options
- ... long lasting effects


DEDICATED SKI BASE STRUCTURES HAVE A STRONG EFFECT ON ...

- ... agile, precise & reliable turn initiation
- ... tighter turns with less efforts
- ... smooth drifting

After one year of intense testing we defined the following dedicated base structure for the relevant target groups / areas of use:

ZEBRA STRUCTURE

on system / premounted skis with **narrower widths**



Agile, precise & reliable turn initiation

Smooth drifting

Agile, precise & reliable turn initiation

STRUCTURE DEPTH

superficial ● pronounced

Very pronounced & deep structure to offer the best possible precision & steering characteristics for an on-piste ski.

BRUSHED STRUCTURE

on flat skis with **wider widths**



Less catching

Easier & smooth turn initiation

superficial ● pronounced

Superficial & shallow structure matches with wide skis and their bigger bearing face
→ optimum agility & turning characteristics.



RACETIGER

RACE



VÖLKL

WE
ARE
VÖLKL

**RACETIGER GS MASTER**ART. NO.
V2510001.000

TECHNOLOGY
 • Tailored Carbon Tip
 • WC Ash Woodcore
 • 3D.Glass
 • Full Titanal
 • Full Sidewall Phenol
 • Base: P-Tex 4504
 • Base structure: Zebra structure
 • Plate System: WC Plate 10 mm

SIDE CUT

115_67_98

LENGTH (RADIUS)
 168 cm (15.4 m)
 173 cm (16.4 m)
 178 cm (17.5 m)
 183 cm (18.6 m)

WEIGHT
 2320 g* @178cm (w/plate)

MADE IN GERMANY

CORE
 Worldcup Ash Woodcore
 Ash 100%

REC. BINDING
 Marker Comp 16 GW
 MASTER red

**RACETIGER GS**ART. NO.
V2510002.000

TECHNOLOGY
 • Tailored Carbon Tips
 • Multilayer Woodcore
 • 3D.Glass
 • Full Titanal
 • Full Sidewall ABS
 • Base: P-Tex 4504
 • Base structure: Zebra structure
 • Plate System: rMotion Toolless

SIDE CUT

115_67_98

LENGTH (RADIUS)
 168 cm (15.4 m)
 173 cm (16.4 m)
 178 cm (17.5 m)
 183 cm (18.6 m)

WEIGHT
 3100 g* @ 178cm (w/Binding)

MADE IN GERMANY

CORE
 Multilayer Woodcore
 33% Poplar / 67% Beech

REC. BINDING
 RMotionT 12
 black-red

**RACETIGER SL MASTER**ART. NO.
V2510003.000

TECHNOLOGY
 • Tailored Carbon Tips
 • Multilayer Woodcore
 • 3D.Glass
 • Full Titanal
 • Full Sidewall ABS
 • Base: P-Tex 4504
 • Base structure: Zebra structure
 • Plate System: WC Plate 10 mm

SIDE CUT

125_67_102

LENGTH (RADIUS)
 155 cm (11.2 m)
 165 cm (12.8 m)

WEIGHT
 2110 g* @165cm (w/o Binding)

MADE IN GERMANY

CORE
 Worldcup Ash Woodcore
 Ash 100%

REC. BINDING
 RMotionT 12
 black-red

**RACETIGER SL**ART. NO.
V2510004.000

TECHNOLOGY
 • Tailored Carbon Tips
 • Multilayer Woodcore
 • 3D.Glass
 • Full Titanal
 • Full Sidewall ABS
 • Base: P-Tex 4504
 • Base structure: Zebra structure
 • Plate System: vMotion 3

SIDE CUT

126_67_102

LENGTH (RADIUS)
 150 cm (10.2 m)
 155 cm (11.0 m)
 160 cm (11.8 m)
 165 cm (12.6 m)
 170 cm (13.4 m)

WEIGHT
 3020 g* @165cm (w/Binding)

MADE IN GERMANY

CORE
 Multilayer Woodcore
 33% Poplar / 67% Beech

REC. BINDING
 RMotionT 12
 black-red

**RACETIGER RC BLACK**ART. NO.
V2510005.000

TECHNOLOGY
 • Tailored Carbon Tip
 • 3D.Glass
 • Full Sidewall / Mini Cap
 • Titanal Band
 • Base: P-Tex 2100
 • Base structure: Zebra structure
 • Plate System: vMotion 3

SIDE CUT

123_68_102

LENGTH (RADIUS)
 158 cm (11.8 m)

WEIGHT
 2960 g* @172cm (w/binding)

MADE IN GERMANY

CORE
 Multilayer Woodcore
 Poplar / Beech

REC. BINDING
 vMotion 12 GW
 black

**RACETIGER RC RED**ART. NO.
V2510006.000

TECHNOLOGY
 • Tailored Carbon Tip
 • 3D.Glass
 • Full Sidewall / Mini Cap
 • Titanal Band
 • Base: P-Tex 2100
 • Base structure: Zebra structure
 • Plate System: vMotion 3

SIDE CUT

123_68_102

LENGTH (RADIUS)
 158 cm (11.8 m)

WEIGHT
 2960 g* @172cm (w/binding)

MADE IN GERMANY

CORE
 Multilayer Woodcore
 Poplar / Beech

REC. BINDING
 vMotion 12 GW
 red

**RACETIGER SC BLACK**ART. NO.
V2510007.000

TECHNOLOGY
 • Tailored Carbon Tip
 • 3D.Glass
 • Full Sidewall / Mini Cap
 • Titanal Band
 • Base: P-Tex 2100
 • Base structure: Zebra structure
 • Plate System: vMotion 3

SIDE CUT

122_69_100

LENGTH (RADIUS)
 165 cm (13.9 m)

WEIGHT
 2850 g* @165cm (w/binding)

MADE IN GERMANY

CORE
 Multilayer Woodcore
 Poplar / Beech

REC. BINDING
 vMotion 12 GW
 black

**RACETIGER SC YELLOW**ART. NO.
V2510008.000

TECHNOLOGY
 • Tailored Carbon Tip
 • 3D.Glass
 • Full Sidewall / Mini Cap
 • Titanal Band
 • Base: P-Tex 2100
 • Base structure: Zebra structure
 • Plate System: vMotion 3

SIDE CUT

123_68_102

LENGTH (RADIUS)
 148 cm (10.2 m)

WEIGHT
 2850 g* @165cm (w/binding)

MADE IN GERMANY

CORE
 Multilayer Woodcore
 Poplar / Beech

REC. BINDING
 vMotion 12 GW
 red



**RACETIGER SC WHITE**ART. NO.
V2510009.000**TECHNOLOGY**


- Tailored Carbon Tip
- 3D Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Base: P-Tex 2100
- Base structure: Zebra structure
- Plate System: vMotion 3

SIDE CUT	LENGTH (RADIUS)
123_68_102	148 cm (10.2 m)
	153 cm (11.0 m)
	158 cm (11.8 m)
	165 cm (13.1 m)

SIDE CUT	LENGTH (RADIUS)
122_69_100	172 cm (15.3 m)

WEIGHT
2850 g* @165cm (w/binding)

MADE IN GERMANY

CORE
Multilayer Woodcore
Poplar / Beech**REC. BINDING**
vMotion 12 GW
black**RACETIGER SRC**ART. NO.
V2510010.000**TECHNOLOGY**


- Tailored Carbon Tip
- 3D Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Base: P-Tex 2100
- Base structure: Zebra structure
- Plate System: vMotion 3

SIDE CUT
124_73_103

LENGTH (RADIUS)
153 cm (12.0 m)
158 cm (12.9 m)
163 cm (13.9 m)
168 cm (14.8 m)
173 cm (15.8 m)

WEIGHT
2850 g* @165cm (w/binding)

MADE IN GERMANY

CORE
Multilayer Woodcore
Poplar / Beech**REC. BINDING**
vMotion 12 GW
black

**RACETIGER
SL R WC FIS**

ART. NO.
V2510850.000 (FLAT)
V2510851.000 (w/plate)

TECHNOLOGY

- Tailored Carbon Tip
- Full Sidewall ABS (155, 157)
- Full Sidewall Phenol (165)
- Full Titanal
- 3D.Glass
- Race Finish SL 0,7° / 87,6° (V2510851)
- Base: P-Tex 2510
- Zebra structure (V2410851)

SIDE CUT
117.5_64.5_97
155 cm (12 m)
10 mm WC Plate

SIDE CUT
114.5_64.5_98
157 cm (12 m)
10 mm WC Plate

SIDE CUT
118.5_64.5_101
165 cm (12 m)
14 mm WC Plate

WEIGHT
2330 g* @ 165 cm (w/plate)

**RACETIGER
SL R FIS**

ART. NO.
V2510840.000 (FLAT)
V2510841.000 (w/plate)

TECHNOLOGY

- Tailored Carbon Tip
- Full Sidewall ABS
- Full Sidewall Soft Tip
- Full Titanal
- 3D.Glass
- Race Finish SL 0,7° / 87,6° (V2510851)
- Base: P-Tex 4504 / Zebra structure

SIDE CUT
117.5_64.5_97
155 cm (12 m)
10 mm WC Plate

SIDE CUT
114.5_64.5_98
157 cm (12 m)
10 mm WC Plate

SIDE CUT
118.5_64.5_101
165 cm (12 m)
14 mm WC Plate

WEIGHT
2230 g* @ 165 cm (w/plate)

**RACETIGER
SL JR**

ART. NO.
V2510800.000 (w/plate)
V2510801.000 (w/WC plate)

TECHNOLOGY

- Full Sidewall ABS
- Torsional Soft Tip
- Full Titanal
- 3D.Glass
- Grown Layup
- Additional glass layer (V2510801.000)
- Base: P-Tex 4504 / Zebra structure

SIDE CUT
113_64.5_93
122 cm (7 m) - JR Plate S
129 cm (9 m) - JR Plate S

SIDE CUT
113_64.5_93
136 (10) - JR Plate L

SIDE CUT
115_64.5_96
143 cm (10 m) - JR Plate L
150 cm (12 m) - JR Plate L

WEIGHT
1180 g* @ 122 cm (w/plate)

**RACETIGER
GSL JR FIS**

ART. NO.
V2510802.000 (w/plate)

TECHNOLOGY

- Full Sidewall ABS
- Base: P-Tex 4504 / Zebra structure

SIDE CUT
111_64.5_91
118 cm (7.5 m) - JR Plate S

SIDE CUT
111_64.5_91
118 cm (7.5 m) - JR Plate S

SIDE CUT
115_64.5_96
143 cm (10 m) - JR Plate L
150 cm (12 m) - JR Plate L

WEIGHT
1050 g * @ 118 cm (w/plate)

**RACETIGER
GS R WC FIS**

ART. NO.
V2510860.000 (FLAT)
V2510861.000 (w/plate)

TECHNOLOGY

- Tailored Carbon Tip
- Full Sidewall Phenol
- Full Titanal
- Race Finish GS 1,1° / 87,6° (V2510861)
- Base: P-Tex 2510
- Zebra structure (V2510861)

SIDE CUT
99_65_83
188 cm (30 m)
99_65_84.3
193 cm (30 m)

SIDE CUT
104_64.5_87
174 cm (21 m)
104_64.5_86
178 cm (23 m)

SIDE CUT
102_64.5_86
183 cm (25 m)
101_64.5_85
188 cm (27 m)

WEIGHT
2750 g* @ 193 cm (w/plate)

**RACETIGER
GS R**

ART. NO.
V2510820.000 (FLAT)
V2510821.000 (w/plate)

TECHNOLOGY

- Tailored Carbon Tip
- Full Sidewall ABS
- Full Titanal
- Race Finish GS 1,1° / 87,6° (V2510861)
- Base: P-Tex 4504
- Zebra structure (V2510861)

SIDE CUT
104_64.5_87
174 cm (21 m)
104_64.5_86
178 cm (23 m)

SIDE CUT
102_64.5_86
183 cm (25 m)
101_64.5_85
188 cm (27 m)

WEIGHT
2330 g* @ 183 cm (w/plate)

**RACETIGER
GS JR**

ART. NO.
V2510810.000

TECHNOLOGY

- Full Sidewall ABS
- Full Titanal
- Grown Layup
- Base: P-Tex 4504
- Zebra structure

SIDE CUT
102_65_84
130 cm (12 m) - JR Plate S
102_65_84
137 cm (14 m) - JR Plate L

SIDE CUT
102_65_84
144 cm (15 m) - JR Plate L
102_65_84
151 cm (17 m) - JR Plate L

SIDE CUT
104_65_86.5
158 cm (17 m) - JR Plate L
106_64_87
165 cm (18 m) - JR Plate L

SIDE CUT
106_64_87
170 cm (19 m) - JR Plate L

**RACETIGER
GS R JR**

ART. NO.
V2510810.000

TECHNOLOGY

- Full Sidewall ABS
- Full Titanal
- Grown Layup
- Base: P-Tex 4504
- Zebra structure

SIDE CUT
102_65_84
130 cm (12 m) - JR Plate S
102_65_84
137 cm (14 m) - JR Plate L

SIDE CUT
102_65_84
144 cm (15 m) - JR Plate L
102_65_84
151 cm (17 m) - JR Plate L

SIDE CUT
104_65_86.5
158 cm (17 m) - JR Plate L
106_64_87
165 cm (18 m) - JR Plate L

SIDE CUT
106_64_87
170 cm (19 m) - JR Plate L

**RACETIGER
GS R WC FIS**

ART. NO.
V2510860.000 (FLAT)
V2510861.000 (w/plate)

TECHNOLOGY

- Tailored Carbon Tip
- Full Sidewall Phenol
- Full Titanal
- Race Finish GS 1,1° / 87,6° (V2510861)
- Base: P-Tex 2510
- Zebra structure (V2510861)

SIDE CUT
99_65_83
188 cm (30 m)
99_65_84.3
193 cm (30 m)

SIDE CUT
104_64.5_87
174 cm (21 m)
104_64.5_86
178 cm (23 m)

SIDE CUT
102_64.5_86
183 cm (25 m)
101_64.5_85
188 cm (27 m)

WEIGHT
2750 g* @ 193 cm (w/plate)

**RACETIGER
GS R**

ART. NO.
V2510820.000 (FLAT)
V2510821.000 (w/plate)

TECHNOLOGY

- Tailored Carbon Tip
- Full Sidewall ABS
- Full Titanal
- Race Finish GS 1,1° / 87,6° (V2510861)
- Base: P-Tex 4504
- Zebra structure (V2510861)

SIDE CUT
104_64.5_87
174 cm (21 m)
104_64.5_86
178 cm (23 m)

SIDE CUT
102_64.5_86
183 cm (25 m)
101_64.5_85
188 cm (27 m)

WEIGHT
2330 g* @ 183 cm (w/plate)

**RACETIGER
GS JR**

ART. NO.
V2510810.000

TECHNOLOGY

- Full Sidewall ABS
- Full Titanal
- Grown Layup
- Base: P-Tex 4504
- Zebra structure

SIDE CUT
102_65_84
130 cm (12 m) - JR Plate S
102_65_84
137 cm (14 m) - JR Plate L

SIDE CUT
102_65_84
144 cm (15 m) - JR Plate L
102_65_84
151 cm (17 m) - JR Plate L

SIDE CUT
104_65_86.5
158 cm (17 m) - JR Plate L
106_64_87
165 cm (18 m) - JR Plate L

SIDE CUT
106_64_87
170 cm (19 m) - JR Plate L

ALL MOUNTAIN
PISTE





NEW GRAPHIC

NEW GRAPHIC
NEW PLATE

NEW



NEW



NEW

**PEREGRINE 76 MASTER****PEREGRINE 76****PEREGRINE 72 MASTER****PEREGRINE 72 BLACK****PEREGRINE 72 GREEN****ART. NO.**
V2510020.000**ART. NO.**
V2510022.000**ART. NO.**
V2510023.000**ART. NO.**
V2510024.000**ART. NO.**
V2510025.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: WC Plate 10 mm

TECHNOLOGY

- Tailored Carbon Tip
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: rMotion Toolless

TECHNOLOGY

- Tailored Carbon Tips
- 3D.Glass
- Carbon Band
- Full Titanal
- Full Sidewall Phenol
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: WC Plate 10 mm

TECHNOLOGY

- Tailored Carbon Tips
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: rMotion Toolless

TECHNOLOGY

- Tailored Carbon Tips
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: rMotion Toolless

SIDE CUT
124_76_104**SIDE CUT**
124_76_104**SIDE CUT**
122_72_103**SIDE CUT**
122_72_103**SIDE CUT**
122_72_103

LENGTH (RADIUS)
176 cm (17.6 m)
181 cm (18.7 m)

LENGTH (RADIUS)
171cm (16.5 m)
176cm (17.6 m)
181cm (18.7 m)

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
158 cm (16.8 m) 11.8 m 14.2 m
R2 168 cm (19.4 m) 13.6 m 16.2 m
173 cm (20.7 m) 14.5 m 17.3 m
R3 178 cm (22.2 m) 15.5 m 18.4 m

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
158 cm (16.8 m) 11.8 m 14.2 m
R2 163 cm (18.1 m) 12.7 m 15.2 m
168 cm (19.4 m) 13.6 m 16.2 m
173 cm (20.7 m) 14.5 m 17.3 m
R3 178 cm (22.2 m) 15.5 m 18.4 m

LENGTH (3D RADIUS)
R1 Length R1 R2 R3
158 cm (16.8 m) 11.8 m 14.2 m
R2 163 cm (18.1 m) 12.7 m 15.2 m
168 cm (19.4 m) 13.6 m 16.2 m
173 cm (20.7 m) 14.5 m 17.3 m
R3 178 cm (22.2 m) 15.5 m 18.4 m

WEIGHT
2420 g* @176cm (w/plate)

WEIGHT
3270 g* @ 176cm (w/Binding)

WEIGHT
2440 g* @173cm (w/plate)

WEIGHT
3205 g* @ 173cm (w/Binding)

WEIGHT
3205 g* @ 173cm (w/Binding)

MADE IN GERMANY**MADE IN GERMANY****MADE IN GERMANY****MADE IN GERMANY****MADE IN GERMANY**

CORE
Worldcup Ash Woodcore
Ash 100%

CORE
Multilayer Woodcore
Beech 67% / Poplar 33%

CORE
Tailored Torsion Woodcore

CORE
Multilayer Woodcore
Beech 67% / Poplar 33%

CORE
Multilayer Woodcore
Beech 67% / Poplar 33%

REC. BINDING
Marker Comp 16 GW
black

REC. BINDING
rMotion-T 12
black

REC. BINDING
Marker Comp 16 GW
master purple

REC. BINDING
rMotion-T 12
black

REC. BINDING
rMotion-T 12
black

HARD SNOW RELIABILITY

ALL COND. VERSATILITY

PURE POWDER FLOATATION

LONG TURN DYNAMICS

SHORT TURN DYNAMICS

SKIER LEVEL


SKIER LEVEL

SKIER LEVEL

SKIER LEVEL

SKIER LEVEL

* Weight can vary slightly due to the production cycles.



**PEREGRINE V.WERKS**ART. NO.
V2410040.000**TECHNOLOGY**

- Tailored Carbon Tips & Tails
- 3D Ridge
- 3D Glass
- Full Sidewall
- 3D Radius Sidecut
- 3D Radius Sidecut
- Titanium Frame
- Binding System: Lowride XL
- Base: P-Tex 4504
- Base structure: Zebra structure

SIDE CUT
132_84_115**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
167 cm	(21.1 m	13.2 m	18 m)	
172 cm	(22.5 m	14.1 m	19.2 m)	
177 cm	(24 m	15 m	20.5 m)	
182 cm	(25.5 m	15.9 m	21.8 m)	

WEIGHT
2880 g* @ 177 cm (w/binding)**MADE IN GERMANY****CORE**
3D Full Sensor Woodcore**REC. BINDING**
Lowride XL 13
VWerks Demo GW Black**PEREGRINE 82**ART. NO.
V2510041.000**TECHNOLOGY**

- Tailored Carbon Tips
- 3D Glass
- Full Sidewall
- 3D Radius Sidecut
- Titanium Frame
- Binding System: IPT Lowride XL
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT
128_82_111**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
162 cm	(21.6 m	12.2 m	19.5 m)	
167 cm	(23.3 m	13.1 m	20.7 m)	
172 cm	(25.1 m	14.1 m	21.9 m)	
177 cm	(26.9 m	15 m	23.2 m)	
182 cm	(28.8 m	16 m	24.5 m)	

WEIGHT
3070 g* @ 177 cm (w/binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore**REC. BINDING**
Lowride 13 FR
blue**PEREGRINE 80**ART. NO.
V2510042.000**TECHNOLOGY**

- Tailored Carbon Tips
- 3D Glass
- Full Sidewall
- 3D Radius Sidecut
- Titanium Frame
- Binding System: IPT Lowride XL
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT
126_80_109**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
162 cm	(21.6 m	12.2 m	19.5 m)	
167 cm	(23.3 m	13.1 m	20.7 m)	
172 cm	(25.1 m	14.1 m	21.9 m)	
177 cm	(26.9 m	15 m	23.2 m)	
182 cm	(28.8 m	16 m	24.5 m)	

WEIGHT
3015 g* @ 177 cm (w/binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore**REC. BINDING**
Lowride 12 TCX**PEREGRINE 78**ART. NO.
V2510043.000**TECHNOLOGY**

- Steel Band
- 3D Glass
- Full Sidewall
- 3D Radius Sidecut
- Binding System: Lowride XL
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT
127_78_106**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
156 cm	(15.1 m	11 m	22.5 m)	
163 cm	(16.9 m	12.2 m	24.8 m)	
170 cm	(18.7 m	15.6 m	27.1 m)	
177 cm	(20.6 m	15 m	29.6 m)	

WEIGHT
3000 g* @ 170 cm (w/binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore**REC. BINDING**
Lowride 11 TCX**PEREGRINE MT**ART. NO.
V2510026.000**TECHNOLOGY**

- Full Sidewall / Mini Cap
- Steel Band
- 3D Glass
- Full Sidewall
- 3D Radius Sidecut
- Binding System: Lowride
- Base: P-Tex 2100
- Base structure: Zebra structure
- Plate System: vMotion 3

SIDE CUT
126_75_105**LENGTH (RADIUS)**

154 cm (12.2 m)
161 cm (13.5 m)
168 cm (15.0 m)
175 cm (16.5 m)

WEIGHT
2234 g* @ 154 cm (w/binding)**MADE IN GERMANY****CORE**
Woodcore Inlay**REC. BINDING**
vMotion 12 Black**PEREGRINE XT**ART. NO.
V2510028.000**TECHNOLOGY**

- Center Sidewall
- Base: P-Tex 2100
- Base structure: Zebra structure
- Plate System: vMotion 1

SIDE CUT
124_76_105**LENGTH (RADIUS)**

154 cm (12.7 m)
161 cm (14.2 m)
168 cm (15.7 m)
175 cm (17.3 m)

WEIGHT
2362 g* @ 154 cm (w/binding)**MADE IN GERMANY****CORE**
Woodcore Inlay**REC. BINDING**
vMotion 10 Black**PEREGRINE X**ART. NO.
V2510029.000**TECHNOLOGY**

- Center Sidewall
- Base: P-Tex 2100
- Base structure: Zebra structure
- Plate System: vMotion 1

SIDE CUT
123_72_104**LENGTH (RADIUS)**

151 cm (11.4 m)
158 cm (12.7 m)
165 cm (14.0



P I S T E

WOMAN

**SHINE SC CARBON**ART. NO.
V2510050.000


TECHNOLOGY
 • Tailored Carbon Tips
 • Titanal Band
 • Plate system: vMotion GW
 • Full Sidewall / Mini Cap
 • Base: P-Tex 2100
 • Base structure: Zebra structure

SIDECUT
123_68_102

LENGTH (RADIUS)
 148 cm (10.2 m)
 153 cm (11.0 m)
 158 cm (11.8 m)
 165 cm (13.1 m)

WEIGHT
2765 g* @ 158 cm (w/binding)

MADE IN GERMANY

CORE
Multilayer WoodcoreREC. BINDING
vMotion 11 TCX
Lady Coral**SHINE SC**ART. NO.
V2510051.000

TECHNOLOGY
 • Titanal Band
 • Plate System: vMotion GW
 • Full Sidewall / Mini Cap
 • Base: P-Tex 2100
 • Base structure: Zebra structure

SIDECUT
124_73_103

LENGTH (RADIUS)
 153 cm (12.0 m)
 158 cm (12.9 m)
 163 cm (13.9 m)

WEIGHT
2642 g* @ 158 cm (w/binding)

MADE IN GERMANY

CORE
WoodcoreREC. BINDING
vMotion 11 TCX
Lady Silver**SHINE MT**ART. NO.
V2510052.000


TECHNOLOGY
 • Full Sidewall / Mini Cap
 • Steel Band
 • Plate System: vMotion GW
 • Base: P-Tex 2100
 • Base structure: Zebra structure

SIDECUT
126_75_105

LENGTH (RADIUS)
 147 cm (11.3 m)
 154 cm (12.2 m)
 161 cm (13.5 m)

WEIGHT
2460 g* @ 147 cm (w/binding)

MADE IN GERMANY

CORE
WoodcoreREC. BINDING
vMotion 11 TCX
Lady Mint**SHINE 78**ART. NO.
V2510053.000


TECHNOLOGY
 • Steel Band
 • 3D.Glass
 • Full Sidewall
 • 3D Radius Sidecut
 • Binding System: Lowride
 • Base structure: Zebra structure

SIDECUT
127_78_106

R1	Length	R1	R2	R3
R2	149 cm (13.5 m)	9.8 m	20.5 m	
R3	156 cm (15.1 m)	11 m	22.5 m	
	163 cm (16.9 m)	12.2 m	24.8 m	

WEIGHT
2920 g* @ 163 cm (w/binding)

MADE IN GERMANY

CORE
Multilayer WoodcoreREC. BINDING
Lowride 11 TCX**SHINE 76**ART. NO.
V2510055.000

TECHNOLOGY
 • Center Sidewall
 • Plate System: vMotion GW
 • Base: P-Tex 2100
 • Base structure: Zebra structure

SIDECUT
124_76_105

LENGTH (RADIUS)
 147 cm (11.8 m)
 154 cm (12.7 m)
 161 cm (14.2 m)

WEIGHT
2320 g* @ 147 cm (w/binding)

MADE IN GERMANY

CORE
WoodcoreREC. BINDING
vMotion 10 Lady Blue**SHINE 72**ART. NO.
V2510056.000

TECHNOLOGY
 • Center Sidewall
 • Plate System: vMotion GW
 • Base: P-Tex 2100
 • Base structure: Zebra structure

SIDECUT
123_72_104

LENGTH (RADIUS)
 137 cm (9.4 m)
 144 cm (10.1 m)
 151 cm (11.4 m)
 158 cm (12.7 m)
 165 cm (14.0 m)

WEIGHT
2120 g* @ 137 cm (w/binding)

MADE IN GERMANY

CORE
Composite CoreREC. BINDING
vMotion 10; 9 Lady Black

ALL MOUNTAIN SPEED

FREERIDE



**KATANA V.WERKS**ART. NO.
V2410100.000

TECHNOLOGY
 • 3D.Ridge Carbon
 • Moderate Taper
 • ICE.OFF Topsheet
 • Full Carbon Jacket
 • SMART SKIN CLIP
 • Base: P-Tex 4504
 • Base structure: Brushed structure
 • Center Sidewall

SIDE CUT
143_112_132

LENGTH (RADIUS)
 177 cm (23.4 m)
 184 cm (23.5 m)
 191 cm (25.9 m)


OPTIONAL
 Pre-cut skin available

WEIGHT
 1846 g* @ 177 cm

MADE IN GERMANY

CORE
 Multilayer Woodcore

REC. BINDING
 MARKER Duke PT 11
 MARKER KINGPIN MWerks 12

**MANTRA 108**ART. NO.
V2510110.000

TECHNOLOGY
 • Carbon Tips
 • Titanal Frame
 • Full Sidewall
 • Base: P-Tex 2100
 • Base structure: Brushed structure

SIDE CUT
146_108_129

LENGTH (3D RADIUS)
 R1 Length R1 R2 R3
 170 cm (32.2 m) 16.2 m 29.5 m
 177 cm (35.9 m) 17.9 m 32.1 m
 184 cm (38.5 m) 19.1 m 33.8 m
 R2 191 cm (43.5 m) 21 m 36.3 m

WEIGHT
 2230 g* @ 177 cm

MADE IN GERMANY

CORE
 Hybrid Multilayer Woodcore

REC. BINDING
 Marker Jester 18 Pro, Jester 16,
 Jester X 16 MWerks

**MANTRA 102**ART. NO.
V2510111.000

TECHNOLOGY
 • Tailored Carbon Tips
 • 3D Radius Sidecut
 • Tailored Titanal Frame
 • Full Sidewall
 • Base: P-Tex 2100
 • Base structure: Brushed structure

SIDE CUT
142_102_124

LENGTH (3D RADIUS)
 R1 Length R1 R2 R3
 170 cm (25.5 m) 16 m 23.4 m
 177 cm (28.2 m) 17.9 m 25.8 m
 184 cm (30.2 m) 18.9 m 27.4 m
 R2 191 cm (33.2 m) 20.8 m 30 m

WEIGHT
 2200 g* @ 184 cm

MADE IN GERMANY

CORE
 Multilayer Woodcore

REC. BINDING
 Marker Jester 18 Pro, Jester 16,
 Griffon X 13 MWerks, Jester X 16 MWerks

**M7 MANTRA**ART. NO.
V2510112.000

TECHNOLOGY
 • Tailored Carbon Tips
 • 4 Radius Drive
 • Tailored Titanal Frame
 • Full Sidewall
 • Base: P-Tex 2100
 • Base structure: Brushed structure

SIDE CUT
139_96_121

LENGTH (4 RADIUS DRIVE)
 R1 Length R1 R2 R3 R4
 163 cm (22.9 m) 36.6 m 13.7 m 17.9 m
 170 cm (23.9 m) 38.3 m 15.2 m 19.8 m
 177 cm (25 m) 40 m 16.8 m 21.8 m
 184 cm (25.7 m) 41.1 m 17.9 m 23.2 m
 R2 191 cm (26.7 m) 42.8 m 19.7 m 25.4 m

WEIGHT
 2090 g* @ 177 cm

MADE IN GERMANY

CORE
 Multilayer Woodcore

REC. BINDING
 Marker Griffon 13, Griffon X 13 MWerks

**MANTRA 88**ART. NO.
V2510113.000

TECHNOLOGY
 • Tailored Carbon Tips
 • 3D Radius Sidecut
 • Tailored Titanal Frame
 • Full Sidewall
 • Base: P-Tex 2100
 • Base structure: Brushed structure

SIDE CUT
134_88_114


LENGTH (3D RADIUS)
 R1 Length R1 R2 R3
 163 cm (23.5 m) 13.2 m 21.3 m
 170 cm (26.3 m) 14.7 m 23.3 m
 177 cm (29.2 m) 16.2 m 25.5 m
 R3 184 cm (31.2 m) 17.3 m 27 m

WEIGHT
 1950 g* @ 177 cm

MADE IN GERMANY

CORE
 Multilayer Woodcore

REC. BINDING
 Marker Griffon 13, Griffon X 13 MWerks

**MANTRA 84**ART. NO.
V2510114.000

TECHNOLOGY
 • Tailored Carbon Tips
 • 3D Radius Sidecut
 • Tailored Titanal Frame
 • Full Sidewall
 • Base: P-Tex 2100
 • Base structure: Brushed structure

SIDE CUT
129_84_110

LENGTH (3D RADIUS)
 R1 Length R1 R2 R3
 163 cm (23.5 m) 13.2 m 21.3 m
 170 cm (26.3 m) 14.7 m 23.3 m
 177 cm (29.2 m) 16.2 m 25.5 m
 R3 184 cm (31.2 m) 17.3 m 27 m

WEIGHT
 1910 g* @ 177 cm

MADE IN GERMANY

CORE
 Multilayer Woodcore

REC. BINDING
 Marker Griffon 13, Griffon X 13 MWerks



MANTRA FAMILY IS GROWING!



MANTRA 102 W

ART. NO.
V2510115.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall
- Tailored Titanal Frame
- Tailored Carbon Tips
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
142_102_124

LENGTH (3D RADIUS)


R1	Length	R1	R2	R3
R2	156 cm (20.4 m	12.8 m	19.1 m)	
	163 cm (22.9 m	14.4 m	21.2 m)	
	170 cm (25.5 m	16 m	23.4 m)	
R3	177 cm (28.2 m	17.7 m	25.8 m)	

WEIGHT
2140 g* @ 177 cm

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Marker Griffon 13, Griffon X 13 MWerks



* Weight can vary slightly due to the production cycles.

M7 MANTRA W

ART. NO.
V2510116.000

TECHNOLOGY

- Tailored Carbon Tips
- 4 Radius Drive
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
139_96_121

LENGTH (4 RADIUS DRIVE)


R1	Length	R1	R2	R3	R4
R2	149 cm (20.8 m	33.3 m	10.8 m	14.4 m)	
	156 cm (21.9 m	35 m	12.2 m	16.1 m)	
	163 cm (22.9 m	36.6 m	13.7 m	17.9 m)	
R3	170 cm (23.9 m	38.3 m	15.2 m	19.8 m)	
	177 cm (25 m	40 m	16.8 m	21.8 m)	

WEIGHT
2090 g* @ 177 cm

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Marker Griffon 13, Griffon X 13 MWerks



MANTRA 88 W

ART. NO.
V2510117.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D Radius Sidecut
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
134_88_114

LENGTH (3D RADIUS)


R1	Length	R1	R2	R3
R2	149 cm (18.5 m	10.6 m	17.6 m)	
	156 cm (20.9 m	11.9 m	19.4 m)	
	163 cm (23.5 m	13.2 m	21.3 m)	
R3	170 cm (26.3 m	14.7 m	23.3 m)	

WEIGHT
1710 g* @ 163 cm (w/o binding)

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Marker Griffon 13, Griffon X 13 MWerks



MANTRA 84 W

ART. NO.
V2510118.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D Radius Sidecut
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
129_84_110

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
R2	149 cm (18.5 m	10.6 m	17.6 m)	
	156 cm (20.9 m	11.9 m	19.4 m)	
	163 cm (23.5 m	13.2 m	21.3 m)	
R3	170 cm (26.3 m	14.7 m	23.3 m)	

WEIGHT
1700 g* @ 163 cm (w/o binding)

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Marker Griffon 13, Griffon X 13 MWerks



MANTRA 80 W

ART. NO.
V2510119.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Glass Frame
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
129_88_103

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
R2	147 cm (15.5 m	11.3 m	14.2 m)	
	154 cm (17.5 m	12.7 m	15.9 m)	
	161 cm (18.7 m	13.7 m	17.4 m)	
R3	168 cm (20.9 m	15.3 m	19.2 m)	

WEIGHT
1680 g* @ 163 cm (w/o binding)

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Marker Griffon 13, Griffon X 13 MWerks



ALL MOUNTAIN LIGHT

FREERIDE



**V.WERKS
100**ART. NO.
V2310130.000**TECHNOLOGY**

- Transparent Design
- 3D H-Woodcore
- Tailored Fibre Placement 2.0
- 3D-Ridge Carbon
- Center Sidewall
- Base: P-Tex 4504
- Base structure: Brushed structure

SIDE CUT
140_100_122**LENGTH (3D RADIUS)**


R1	Length	R1	R2	R3
R2	170 cm	(32.6 m	15.6 m	25.2 m)
R3	179 cm	(36.2 m	17.2 m	27.7 m)
R3	186 cm	(39.9 m	19 m	30.3 m)

WEIGHT
1980 g* @179cm (w/o binding)**BLAZE
114**ART. NO.
V2510131.000**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall
- Titanal Binding Platform
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
154_114_136**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	166 cm	(30.4 m	14.5 m	23.6 m)
R3	158 cm	(17.8 m	28.1 m	12.6 m
R3	165 cm	(18.3 m	30.8 m	13.6 m
R3	176 cm	(35.1 m	16.7 m	26.8 m)
R3	172 cm	(19.2 m	35.2 m	15.2 m
R4	184 cm	(38.8 m	18.4 m	29.4 m)
R4	192 cm	(42.6 m	20.2 m	32.1 m)

WEIGHT
1945 g* @184cm Pre-cut skin avail.**BLAZE
104 TEAL**ART. NO.
V2510132.000**TECHNOLOGY**

- 4 Radius Drive Sidecut
- Full Sidewall
- Titanal Binding Platform
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
143_104_128**LENGTH (4 RADIUS DRIVE)**

R1	Length	R1	R2	R3	R4
R2	158 cm	(17.8 m	28.1 m	12.6 m	17.5 m)
R3	165 cm	(18.3 m	30.8 m	13.6 m	18.7 m)
R3	172 cm	(19.2 m	35.2 m	15.2 m	20.4 m)
R4	179 cm	(20 m	39.9 m	16.8 m	22.3 m)
R4	186 cm	(20.8 m	44.9 m	18.5 m	24.3 m)

WEIGHT
1945 g* @184cm Pre-cut skin avail.**BLAZE
104 PURPLE**ART. NO.
V2510133.000**TECHNOLOGY**

- 4 Radius Drive Sidecut
- Full Sidewall
- Titanal Binding Platform
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
143_104_128**LENGTH (4 RADIUS DRIVE)**

R1	Length	R1	R2	R3	R4
R2	158 cm	(17.8 m	28.1 m	12.6 m	17.5 m)
R3	165 cm	(18.3 m	30.8 m	13.6 m	18.7 m)
R3	172 cm	(19.2 m	35.2 m	15.2 m	20.4 m)
R4	179 cm	(20 m	39.9 m	16.8 m	22.3 m)
R4	186 cm	(20.8 m	44.9 m	18.5 m	24.3 m)

WEIGHT
1945 g* @184cm Pre-cut skin avail.**BLAZE
94 BLACK**ART. NO.
V2510134.000**TECHNOLOGY**

- 4 Radius Drive Sidecut
- Full Sidewall
- Titanal Binding Platform
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
133_94_118**LENGTH (4 RADIUS DRIVE)**

R1	Length	R1	R2	R3	R4
R2	151 cm	(16.9 m	24.2 m	11 m	15.8 m)
R3	158 cm	(17.8 m	28.1 m	12.6 m	17.5 m)
R3	165 cm	(18.3 m	30.8 m	13.6 m	18.7 m)
R4	172 cm	(19.2 m	35.2 m	15.2 m	20.4 m)
R4	179 cm	(20 m	39.9 m	16.8 m	22.3 m)
R4	186 cm	(20.8 m	44.9 m	18.5 m	24.3 m)

WEIGHT
1455 g* @ 165 cm Pre-cut skin avail.**BLAZE
94 ROSE**ART. NO.
V2510135.000**TECHNOLOGY**

- 4 Radius Drive Sidecut
- Full Sidewall
- Titanal Binding Platform
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
133_94_118**LENGTH (4 RADIUS DRIVE)**

R1	Length	R1	R2	R3	R4
R2	151 cm	(16.9 m	24.2 m	11 m	15.8 m)
R3	158 cm	(17.8 m	28.1 m	12.6 m	17.5 m)
R3	165 cm	(18.3 m	30.8 m	13.6 m	18.7 m)
R4	172 cm	(19.2 m	35.2 m	15.2 m	20.4 m)
R4	179 cm	(20 m	39.9 m	16.8 m	22.3 m)
R4	186 cm	(20.8 m	44.9 m	18.5 m	24.3 m)

WEIGHT
1455 g* @ 165 cm Pre-cut skin avail.**BLAZE
86 GREY**ART. NO.
V2510136.000**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Steel Band
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
129_86_111**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	146 cm	(18.2 m	9.7 m	15.3 m)
R2	152 cm	(19.8 m	10.6 m	16.7 m)
R3	159 cm	(22.3 m	11.9 m	18.8 m)
R3	166 cm	(25 m	13.3 m	21 m)
R3	173 cm	(27.8 m	14.8 m	23.4 m)
R3	180 cm	(29.7 m	15.8 m	25 m)

WEIGHT
1380 g* @ 166 cm Pre-cut skin avail.**BLAZE
86 PETROL**ART. NO.
V2510137.000**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Steel Band
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT
129_86_111**LENGTH (3D RADIUS)**

<tbl_header


**BLAZE 86
GREY VMOTION**

ART. NO.
V2510138.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

129_86_111

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
146 cm	(18.2 m	9.7 m	15.3 m)	
152 cm	(19.8 m	10.6 m	16.7 m)	
159 cm	(22.3 m	11.9 m	18.8 m)	
166 cm	(25 m	13.3 m	21 m)	
173 cm	(27.8 m	14.8 m	23.4 m)	
180 cm	(29.7 m	15.8 m	25 m)	


WEIGHT
1440 g* @ 173 cm **OPTIONAL**
Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore Light

REC. BINDING

Squire 11


**BLAZE 86
PETROL VMOTION**

ART. NO.
V2510139.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

129_86_111

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
146 cm	(18.2 m	9.7 m	15.3 m)	
152 cm	(19.8 m	10.6 m	16.7 m)	
159 cm	(22.3 m	11.9 m	18.8 m)	
166 cm	(25 m	13.3 m	21 m)	
173 cm	(27.8 m	14.8 m	23.4 m)	
180 cm	(29.7 m	15.8 m	25 m)	

WEIGHT
1440 g* @ 173 cm **OPTIONAL**
Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore Light

REC. BINDING

Squire 11


**BLAZE 82
GREY VMOTION**

ART. NO.
V2510142.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure
- Plate System: vMotion 1 GW

SIDE CUT

125_82_107

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
146 cm	(18.2 m	9.7 m	15.3 m)	
152 cm	(19.8 m	10.6 m	16.7 m)	
159 cm	(22.3 m	11.9 m	18.8 m)	
166 cm	(25 m	13.3 m	21 m)	
173 cm	(27.8 m	14.8 m	23.4 m)	
180 cm	(29.7 m	15.8 m	25 m)	


WEIGHT
1530 g* @ 159 cm **OPTIONAL**
Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore Light

REC. BINDING

vMotion 12





ALPINISM
TOURING

**RISE 99
V-WERKS****RISE BEYOND 96****RISE BEYOND 96 W****RISE HIGH 88****RISE ABOVE 88****RISE ABOVE 88 W****SIDE CUT**
135_99_117

LENGTH (RADIUS)
170 cm (18 m)
178 cm (20.8 m)
186 cm (23 m)


OPTIONAL
Pre-cut skin available

WEIGHT
1660 g* @ 178 cm

MADE IN GERMANY

CORE
Hybrid Multilayer Woodcore

REC. BINDING
Marker KINGPIN MWerks 12,
Alpinist Free

**SIDE CUT**
138_96_119

LENGTH (3D RADIUS)


R1	Length	R1	R2	R3
156 cm	(17 m)	12 m	16 m	
163 cm	(19 m)	14 m	18 m	
170 cm	(22 m)	16 m	20 m	
177 cm	(24 m)	17 m	22 m	
184 cm	(27 m)	19 m	24 m	

WEIGHT
1262 g* @ 170 cm Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore Light

REC. BINDING
Marker Kingpin,
Marker Alpinist Free

**SIDE CUT**
138_96_119

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
156 cm	(17 m)	12 m	16 m	
163 cm	(19 m)	14 m	18 m	
170 cm	(22 m)	16 m	20 m	
177 cm	(24 m)	17 m	22 m	
184 cm	(27 m)	19 m	24 m	

WEIGHT
1122 g* @ 156 cm Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore Light

REC. BINDING
Marker Kingpin
Marker Alpinist

**SIDE CUT**
127_88_106

LENGTH (RADIUS)

160 cm (16.3 m)

170 cm (18.9 m)

180 cm (21.6 m)

OPTIONAL


Pre-cut skin available

WEIGHT
1005 g* @ 160 cm

MADE IN GERMANY

CORE
Hybrid Multilayer Woodcore

REC. BINDING
Marker Alpinist

**SIDE CUT**
131_88_111

LENGTH (3D RADIUS)

156 cm (20 m)

163 cm (22 m)

170 cm (25 m)

OPTIONAL

Pre-cut skin available

WEIGHT
1187 g* @ 177 cm Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore Light

REC. BINDING
Marker Alpinist

**SIDE CUT**
131_88_111

LENGTH (3D RADIUS)

149 cm (19 m)

156 cm (20 m)

163 cm (22 m)

OPTIONAL

Pre-cut skin available

WEIGHT
1187 g* @ 170 cm Pre-cut skin avail.

MADE IN GERMANY

CORE
Hybrid Multilayer Woodcore

REC. BINDING
Marker Alpinist



**RISE UP 82****RISE UP 82 W****RISE UP 80**

ART. NO.

122378

TECHNOLOGY


- 3D Radius Sidecut
- Smart Skinclip
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

125_82_105

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
R2	156 cm (21 m)	12 m	17 m	
	163 cm (23 m)	14 m	20 m	
	170 cm (26 m)	15 m	22 m	
R3	177 cm (29 m)	17 m	24 m	

WEIGHT
1081 g* @ 163 cm OPTIONAL
Pre-cut skin avail.**MADE IN GERMANY****CORE**
Hybrid Multilayer Woodcore**REC. BINDING**
Marker Alpinist**RISE UP 82 W****RISE UP 80**

ART. NO.

122380

TECHNOLOGY

- 3D Radius Sidecut
- Smart Skinclip
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

125_82_105

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
R2	149 cm (19 m)	11 m	16 m	
	156 cm (21 m)	12 m	17 m	
	163 cm (23 m)	14 m	20 m	
R3	170 cm (26 m)	15 m	22 m	

WEIGHT
1081 g* @ 163 cm OPTIONAL
Pre-cut skin avail.**MADE IN GERMANY****CORE**
Hybrid Multilayer Woodcore**REC. BINDING**
Marker Alpinist**MADE IN GERMANY****RISE UP 80**

ART. NO.

122386

TECHNOLOGY

- Smart Skinclip
- Full Cap
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT

118_80_100

LENGTH (RADIUS)


150 cm (13.5 m)
156 cm (14.7 m)
163 cm (16.5 m)
170 cm (18.3 m)
175 cm (19.6 m)

OPTIONAL

Pre-cut skin available

WEIGHT
1146 g* @ 163 cm**MADE IN GERMANY****CORE**
Multilayer Woodcore**REC. BINDING**
Marker Alpinist 10

* Weight can vary slightly due to the production cycles.



REVOLT

FREESKI



**REVOLT 86****REVOLT 81**ART. NO.
V2510160.000

TECHNOLOGY

- Cap Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100/P-Tex 3000
- Base structure: Brushed structure

SIDE CUT
120_86_110

LENGTH (RADIUS)
 148 cm (14.8 m)
 156 cm (16.6 m)
 164 cm (18.5 m)
 172 cm (21.2 m)
 180 cm (23.3 m)

WEIGHT
1840 g* @ 180 cm

CORE
Multilayer Woodcore

REC. BINDING
Marker Squire 11



WEIGHT
1650 g* @ 168 cm


CORE
Multilayer Woodcore

REC. BINDING
Marker Squire 11 TCX Demo



* Weight can vary slightly due to the production cycles.





SKI
JUNIOR





NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC

RACETIGER JR RED**ART. NO.**
V2510200.000 (FLAT)**LENGTH (RADIUS)**
70 cm (4.7 m)**SIDE CUT**
93_67_76**ART. NO.**
V2510205.000 (VMOTION)**LENGTH (RADIUS)**
80 cm (6.6 m)

90 cm (8.8 m)

ART. NO.
V2510206.000 (VMOTION)**LENGTH (RADIUS)**
100 cm (8.3 m)

110 cm (10.4 m)

120 cm (12.7 m)

ART. NO.
V2510207.000 (VMOTION)**LENGTH (RADIUS)**
130 cm (11.2 m)

140 cm (13.3 m)

150 cm (15.6 m)

160 cm (17.9 m)

TECHNOLOGYPower Shell • Plate System:
JR VMOTION S (80-110cm)
JR VMOTION L (120-160cm)**WEIGHT**1180 g @ 80 cm (w/binding)
470 g @ 70 cm (FLAT)**CORE**

Composite Core

REC. BINDINGFlat: Marker 4.5; Marker 7.0
vMotion: vMotion 4.5 JR;
vMotion 7.0 JR R**RACETIGER JR YELLOW****ART. NO.**
V2510210.000 (FLAT)**LENGTH (RADIUS)**
70 cm (4.7 m)**SIDE CUT**
93_67_76**ART. NO.**
V2510215.000 (VMOTION)**LENGTH (RADIUS)**
80 cm (6.6 m)

90 cm (8.8 m)

ART. NO.
V2510216.000 (VMOTION)**LENGTH (RADIUS)**
100 cm (8.3 m)

110 cm (10.4 m)

120 cm (12.7 m)

ART. NO.
V2510217.000 (VMOTION)**LENGTH (RADIUS)**
130 cm (11.2 m)

140 cm (13.3 m)

150 cm (15.6 m)

160 cm (17.9 m)

TECHNOLOGYPower Shell • Plate System:
JR VMOTION S (80-110cm)
JR VMOTION L (120-160cm)**WEIGHT**1180 g @ 80 cm (w/binding)
470 g @ 70 cm (FLAT)**CORE**

Composite Core

REC. BINDINGFlat: Marker 4.5; Marker 7.0
vMotion: vMotion 4.5 JR;
vMotion 7.0 JR R**RACETIGER JR PRO****ART. NO.**
V2510220.000 (VMOTION)**LENGTH (RADIUS)**
70 cm (4.7 m)**SIDE CUT**
93_67_76**ART. NO.**
V2510215.000 (VMOTION)**LENGTH (RADIUS)**
80 cm (6.6 m)

90 cm (8.8 m)

ART. NO.
V2510216.000 (VMOTION)**LENGTH (RADIUS)**
100 cm (8.3 m)

110 cm (10.4 m)

120 cm (12.7 m)

ART. NO.
V2510217.000 (VMOTION)**LENGTH (RADIUS)**
130 cm (11.2 m)

140 cm (13.3 m)

150 cm (15.6 m)

160 cm (17.9 m)

TECHNOLOGYFull Sidewall / Mini Cap • Vmotion JR L
• Base P-Tex 2100**WEIGHT**1641 g @ 120 cm (w/binding)
470 g @ 70 cm (FLAT)**CORE**

Multilayer Woodcore

REC. BINDING7.0 vMotion JR
vMotion 10**PEREGRINE JR****ART. NO.**
V2510230.000 (FLAT)**LENGTH (RADIUS)**
70 cm (4.7 m)**SIDE CUT**
93_67_76**ART. NO.**
V2510235.000 (VMOTION)**LENGTH (RADIUS)**
80 cm (6.6 m)

90 cm (8.8 m)

ART. NO.
V2510236.000 (VMOTION)**LENGTH (RADIUS)**
100 cm (8.3 m)

110 cm (10.4 m)

120 cm (12.7 m)

ART. NO.
V2510237.000 (VMOTION)**LENGTH (RADIUS)**
130 cm (11.2 m)

140 cm (13.3 m)

150 cm (15.6 m)

160 cm (17.9 m)

TECHNOLOGYPower Shell • Plate System:
JR VMOTION S (80-110cm)
JR VMOTION L (120-160cm)**WEIGHT**1180 g @ 80 cm (w/binding)
470 g @ 70 cm (FLAT)**CORE**

Composite Core

REC. BINDINGFlat: Marker 4.5; Marker 7.0
vMotion: vMotion 4.5 JR;
vMotion 7.0 JR R**PEREGRINE JR PRO****ART. NO.**
V2510240.000 (VMOTION)**LENGTH (RADIUS)**
70 cm (4.7 m)**SIDE CUT**
93_67_76**ART. NO.**
121_70_102 (140cm - 160cm)

117_70_98 (120cm - 130cm)

ART. NO.
121_70_102 (140cm - 160cm)

130 cm (9.0 m)

140 cm (9.7 m)

150 cm (11.2 m)

160 cm (13.0 m)

TECHNOLOGYFull Sidewall / Mini Cap • Vmotion JR L
Base P-Tex 2100**WEIGHT**

1641 g @ 120 cm (w/binding)

CORE

Multilayer Woodcore

REC. BINDING7.0 vMotion JR R
vMotion 10**SHINE JR****ART. NO.**
V2510250.000 (FLAT)**LENGTH (RADIUS)**
70 cm (4.7 m)**SIDE CUT**
93_67_76**ART. NO.**
V2510255.000 (VMOTION)**LENGTH (RADIUS)**
80 cm (6.6 m)

90 cm (8.8 m)

ART. NO.
V2510256.000 (VMOTION)**LENGTH (RADIUS)**
100 cm (8.3 m)

110 cm (10.4 m)

120 cm (12.7 m)

ART. NO.
V2510257.000 (VMOTION)**LENGTH (RADIUS)**
130 cm (11.2 m)

140 cm (13.3 m)

150 cm (15.6 m)

160 cm (17.9 m)

TECHNOLOGYPower Shell • Plate System:
JR VMOTION S (80-110cm)
JR VMOTION L (120-160cm)**WEIGHT**1180 g @ 80 cm (w/binding)
470 g @ 70 cm (FLAT)**CORE**

Composite Core

REC. BINDING

**BLAZE JR ORANGE**

ART. NO.
V2410265.000 (VMOTION)
V2410260.000 (FLAT)

SIDE CUT
126_86_111 (118,128,138)

SIDE CUT
129_86_111 (148,158)

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(9 m)	7 m	7 m	
128 cm	(12 m)	8 m	9 m	
138 cm	(13 m)	10 m	12 m	
148 cm	(18 m)	10 m	14 m	
158 cm	(21 m)	11 m	17 m	

BLAZE JR BLUE PINK

ART. NO.
V2410275.000 (VMOTION)

SIDE CUT
126_86_111 (118,128,138)

SIDE CUT
129_86_111 (148,158)

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(9 m)	7 m	7 m	
128 cm	(12 m)	8 m	9 m	
138 cm	(13 m)	10 m	12 m	
148 cm	(18 m)	10 m	14 m	
158 cm	(21 m)	11 m	17 m	

MANTRA JR

ART. NO.
V2410276.000

SIDE CUT
118_86_111

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(9 m)	7 m	7 m	
128 cm	(12 m)	8 m	9 m	
138 cm	(13 m)	10 m	12 m	
148 cm	(18 m)	10 m	14 m	
158 cm	(21 m)	11 m	17 m	

RISE JR

ART. NO.
V2310280

SIDE CUT
129_86_111

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
118 cm	(9 m)	7 m	7 m	
128 cm	(12 m)	8 m	9 m	
138 cm	(13 m)	10 m	12 m	
148 cm	(18 m)	10 m	14 m	
158 cm	(21 m)	11 m	17 m	

**REVOLT 100 JR**

ART. NO.
V2510290.000

SIDE CUT
132_100_116

LENGTH (RADIUS)
143 cm (14.9 m)
153 cm (17.5 m)
163 cm (20.3 m)

REVOLT JR PARK

ART. NO.
V2510295.000 (VMOTION)

SIDE CUT
108_76_101

LENGTH (RADIUS)
118 cm (7.6 m)
128 cm (9.4 m)
138 cm (11.4 m)
148 cm (13.6 m)

REVOLT JR URBAN

ART. NO.
V2510296.000 (VMOTION)

SIDE CUT
107_78_100

LENGTH (RADIUS)
118 cm (8.2 m)
128 cm (10.2 m)
138 cm (12.4 m)
148 cm (14.8 m)

MINI REVOLT JR

ART. NO.
V2510299.000

SIDE CUT
96_66_89

LENGTH (RADIUS)
88 cm (4.6 m)
98 cm (6.0 m)
108 cm (7.7 m)

TECHNOLOGY
Full Sidewall • 3D Radius Sldecut

WEIGHT
1130 g @ 138 cm

CORE
Multilayer Woodcore

REC. BINDING
vMotion Jr7
Marker Free 7

TECHNOLOGY
Full Sidewall • 3D Radius Sldecut

WEIGHT
1130 g @ 138 cm

CORE
Multilayer Woodcore

REC. BINDING
vMotion Jr7
Marker Free 7

TECHNOLOGY
Full Sidewall

WEIGHT
980 g @ 118 cm

CORE
Full Sensor Woodcore

REC. BINDING
Marker Free 7; 95 mm

TECHNOLOGY
Full Sidewall • 3D Radius Sldecut

WEIGHT
1130 g @ 138 cm

CORE
Multilayer Woodcore

REC. BINDING
Marker Alpinist JT LT
F5 JR Tour

TECHNOLOGY
Full Sidewall • Base: P-Tex 2100

WEIGHT
1800 g @ 163 cm (w/o Binding)

CORE
Multilayer Woodcore

REC. BINDING
Squire 11

TECHNOLOGY
Full Sidewall / Mini Cap

WEIGHT
2040 g @ 128 cm (w/o Binding)

CORE
Full Sensor Woodcore

REC. BINDING
vMotion 7.0 JR
Squire 11

TECHNOLOGY
Full Sidewall / Mini Cap

WEIGHT
1990 g @ 128 cm (w/o Binding)

CORE
Full Sensor Woodcore





REC. BINDING
vMotion 7.0 JR
Squire 11

TECHNOLOGY
Full Cap

WEIGHT
830 g @ 108 cm (w/o Binding)

CORE
Composite Core

REC. BINDING
vMotion JR 4.5





SKI
RENTAL




NEW GRAPHIC

PEREGRINE 7.2 FDT REDART. NO.
V2510360.000**TECHNOLOGY**

- Barcode
- Protected Sticker Area
- Fully Structured Demo Topsheet
- FDT plate pre-mounted
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT

123_72_104

LENGTH (RADIUS)
130 cm (8.2 m)
137 cm (9.4 m)
144 cm (10.5 m)
151 cm (11.8 m)
158 cm (12.7 m)
165 cm (14.0 m)
172 cm (15.5 m)
179 cm (17.0 m)**WEIGHT**
1360 g* @ 130 cm (w/o binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore**REC. BINDING**
Marker FDT TP 10; 80 mm,
FDT TLT 10; 80 mm


NEW GRAPHIC

PEREGRINE 7.6 FDT GOLDART. NO.
V2510361.000**TECHNOLOGY**

- Barcode
- Protected Sticker Area
- FDT plate pre-mounted
- FDT FREE plate pre-mounted
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT

125_76_105

LENGTH (RADIUS)
133 cm (9.2 m)
140 cm (10.4 m)
147 cm (11.7 m)
154 cm (13.1 m)
161 cm (14.1 m)
168 cm (15.5 m)
175 cm (17.1 m)**WEIGHT**
1520 g* @ 140 cm (w/o binding)**MADE IN GERMANY****CORE**
Woodcore**REC. BINDING**
Marker FDT TP 10; 80 mm,
FDT TLT 10; 80 mm

NEW GRAPHIC

PEREGRINE 7.6 FDT ORANGEART. NO.
V2510362.000**TECHNOLOGY**

- Barcode
- Protected Sticker Area
- FDT plate pre-mounted
- FDT FREE plate pre-mounted
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT

125_76_105

LENGTH (RADIUS)
140 cm (10.4 m)
147 cm (11.7 m)
154 cm (13.1 m)
161 cm (14.1 m)
168 cm (15.5 m)
175 cm (17.1 m)**WEIGHT**
1520 g* @ 140 cm (w/o binding)**MADE IN GERMANY****CORE**
Woodcore**REC. BINDING**
Marker FDT TP 10; 80 mm,
FDT TLT 10; 80 mm

NEW GRAPHIC

PEREGRINE 8.0 GREENART. NO.
V2510363.000 (W. PLATE)
V2510364.000 (W/O PLATE)**TECHNOLOGY**

- Barcode
- Protected Sticker Area
- FDT plate pre-mounted
- FDT FREE plate pre-mounted
- Base: P-Tex 2100
- Base structure: Zebra structure

SIDE CUT

125_80_109

LENGTH (RADIUS)
130 cm (9.0 m)
137 cm (10.2 m)
144 cm (11.5 m)
151 cm (12.5 m)
158 cm (13.9 m)
165 cm (15.4 m)
172 cm (17 m)
179 cm (18.7 m)**WEIGHT**
1510 g* @ 130 cm (w/o binding)**MADE IN GERMANY****CORE**
Woodcore**REC. BINDING**
Marker FDT TP 10; 80 mm,
FDT TLT 10; 80 mm


NEW GRAPHIC

M7 MANTRA DEMOART. NO.
V2510350.000**TECHNOLOGY**

- Barcode
- Fully Structured Demo Topsheet
- FDT plate pre-mounted
- FDT FREE plate pre-mounted
- Tailored Titanal Frame
- Tailored Carbon Tips
- Metal Tip Protector
- Base: P-Tex 2100

SIDE CUT

139_96_121

LENGTH (4 RADIUS DRIVE)
163 cm (22.9 m)
170 cm (23.9 m)
177 cm (25 m)
184 cm (25.7 m)
191 cm (26.7 m)**WEIGHT**
2095 g* @ 177 cm (w/o binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore**REC. BINDING**
Marker Griffon 13 D;
100 mm (w/o plate)

NEW GRAPHIC

MANTRA 88 DEMOART. NO.
V2510351.000**TECHNOLOGY**

- Barcode
- Fully Structured Demo Topsheet
- FDT plate pre-mounted
- Tailored Titanal Frame
- Tailored Carbon Tips
- Metal Tip Protector
- Base: P-Tex 2100

SIDE CUT

134_88_114

LENGTH (3 RADIUS)
163 cm (23.5 m)
170 cm (26.3 m)
177 cm (29.2 m)
184 cm (31.2 m)**WEIGHT**
2190 g* @ 177 cm (w/o binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore**REC. BINDING**
Marker Griffon 13 D;
90 mm (w/o plate)

NEW

MANTRA 84 DEMOART. NO.
V2510352.000**TECHNOLOGY**

- Barcode
- Fully Structured Demo Topsheet
- FDT plate pre-mounted
- Tailored Titanal Frame
- Tailored Carbon Tips
- Metal Tip Protector
- Base: P-Tex 2100

SIDE CUT

129_84_110

LENGTH (3 RADIUS)
163 cm (23.5 m)
170 cm (26.3 m)
177 cm (29.2 m)
184 cm (31.2 m)**WEIGHT**
2190 g* @ 177 cm (w/o binding)**MADE IN GERMANY****CORE**
Multilayer Woodcore**REC. BINDING**
Marker Griffon 13 D;
90 mm (w/o plate)

NEW GRAPHIC

BLAZE 86 DEMOART. NO.
V2510354.000**TECHNOLOGY**

- Barcode
- 3D Radius Sidecut
- Fully Structured Demo Topsheet
- FDT plate pre-mounted
- vMotion 3 GW plate pre-mounted
- Fully Structured Demo Topsheet
- Base: P-Tex 2100

SIDE CUT

129_86_111

LENGTH (3 RADIUS)
146 cm (18.2 m)
152 cm (19.8 m)
159 cm (22.3 m)
166 cm (25 m)
173 cm (27.8 m)**WEIGHT**
1800 g* @ 180 cm
OPTIONAL
Pre-cut skin avail.**MADE IN GERMANY****CORE**
Multilayer Woodcore Light

**BLAZE
82 DEMO**ART. NO.
V2510355.000

TECHNOLOGY

- 3D Radius Sidecut
- Fully Structured Demo Topsheet
- Full Sidewall / Mini Cap
- FDT FREE plate pre-mounted
- Metal Tip Protector
- Base: P-Tex 2100
- Suspension Tips & Tails

SIDE CUT
125_82_107


LENGTH (3D RADIUS)			
R1	R1	R2	R3
146 cm (18.2 m)	9.7	15.3 m)	
152 cm (19.8 m)	10.6 m	16.7 m)	
159 cm (22.3 m)	11.9 m	18.8 m)	
166 cm (25 m)	13.3 m	21 m)	
173 cm (27.8 m)	14.8 m	23.4 m)	
180 cm (29.7 m)	15.8 m	25 m)	

WEIGHT
1670 g* @ 173 cm **OPTIONAL**
Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore Light

REC. BINDING
Marker Squire 11 TCX D;
90 mm (w/o plate)

**SIDE CUT**
111_81_104

LENGTH (RADIUS)			
148 cm (13.9 m)			
158 cm (16.3 m)			
168 cm (18.9 m)			
178 cm (21.8 m)			

WEIGHT
2110 g* @ 178 cm **OPTIONAL**
Pre-cut skin avail.

MADE IN GERMANY

CORE
Multilayer Woodcore

REC. BINDING
Marker Squire 11 TCX Demo



VMOTION GW (FDT / FDT HP)

VMOTION 12	VMOTION 12 RED	VMOTION 12 YELLOW	VMOTION 11 TCX	VMOTION 11 TCX LADY ROSE	VMOTION 11 TCX LADY BLUE
ART. NO. 6862U1VA	ART. NO. 6862U1VB	ART. NO. 6862U1VC	ART. NO. 6762X1VT	ART. NO. 6762Z1VP	ART. NO. 6762Z1VW
COLOR Black	COLOR Black - Red	COLOR Black - Yellow	COLOR Black	COLOR Black - Anthracite - Rose	COLOR Black - White - Blue
DIN RANGE 4.0 - 12.0	DIN RANGE 4.0 - 12.0	DIN RANGE 4.0 - 12.0	DIN RANGE 3.0 - 11.0	DIN RANGE 3.0 - 11.0	DIN RANGE 3.0 - 11.0

COMPETITION RACE

COMP 16 GW MASTER RED	COMP 16 GW MASTER PURPLE
ART. NO. 6920Y1VR	ART. NO. 6920Z1VV
COLOR Black - Flo-red	COLOR Black - Purple
DIN RANGE 6.0 - 16.0	DIN RANGE 6.0 - 16.0

RMOTION

RMOTION 12 BLACK RED	RMOTION 12 BLACK
ART. NO. 6877Z1VR	ART. NO. 6877Z1VB
COLOR Black - Flo - Red	COLOR Black
DIN RANGE 4.0 - 12.0	DIN RANGE 4.0 - 12.0



VMOTION 11	VMOTION 11 RED	VMOTION 10	VMOTION 10 LADY BLACK	VMOTION 10 LADY GREEN	VMOTION 9 LADY
ART. NO. 6662U1VA	ART. NO. 6662W1VR	ART. NO. 6562U1VA	ART. NO. 6562V1VL	ART. NO. 6562Z1VG	ART. NO. 6462Z1VL
COLOR Black	COLOR Black - Flo-Red	COLOR Black	COLOR Black	COLOR Black - Green	COLOR Black - Anthracite
DIN RANGE 3.0 - 11.0	DIN RANGE 3.0 - 11.0	DIN RANGE 3.0 - 10.0	DIN RANGE 3.0 - 10.0	DIN RANGE 3.0 - 10.0	DIN RANGE 2.5 - 9.0

VMOTION JUNIOR

7.0 VMOTION JR	7.0 VMOTION JR LADY	4.5 VMOTION JR	4.5 VMOTION JR LADY	7.0 VMOTION JR; 86MM	4.5 VMOTION JR; 86MM
ART. NO. 6262T1VA	ART. NO. 6262U1VB	ART. NO. 6162T1VA	ART. NO. 6162V1VB	ART. NO. 6262X1VC	ART. NO. 6162X1VC
COLOR Black - Anthracite	COLOR Black - Pink	COLOR Black - Anthracite	COLOR Black - Pink	COLOR Black - Anthracite	COLOR Black - Anthracite
DIN RANGE 2.0 - 7.0	DIN RANGE 2.0 - 7.0	DIN RANGE 0.75 - 4.5	DIN RANGE 0.75 - 4.5	DIN RANGE 2.0 - 7.0	DIN RANGE 0.75 - 4.5

LOWRIDE FR

LOWRIDE 13 FR BLUE	LOWRIDE 13 FR VWERKS	LOWRIDE 12 TCX	LOWRIDE 11 TCX
ART. NO. 7535Z1VB	ART. NO. 7535U1VV	ART. NO. 6835Z1VR	ART. NO. 6735Z1VO
COLOR Black - Blue	COLOR Black	COLOR Black - Red	COLOR Black - Anthracite - Orange
DIN RANGE 4.0 - 13.0	DIN RANGE 4.0 - 13.0	DIN RANGE 4.0 - 12.0	DIN RANGE 3.0 - 11.0

SPECIAL EDITION


FDT TP 10	VMOTION 10	VMOTION 10	VMOTION 11
ART. NO. 6562V1MW	ART. NO. 6562V1VW	ART. NO. 6562W1VS	ART. NO. 6662W1VW
COLOR Black - Anthracite	COLOR Black	COLOR White - Anthracite	COLOR Black
DIN RANGE 3.0 - 10.0	DIN RANGE 3.0 - 10.0	DIN RANGE 3.0 - 10.0	DIN RANGE 3.0 - 11.0
BRAKE WIDTH 90 mm	BRAKE WIDTH 90 mm	BRAKE WIDTH 90 mm	BRAKE WIDTH 90 mm

COMPETITION & RACE

COMP 30	COMP 20	COMP 16	COMP 12
ART. NO. 7130Z1MS	ART. NO. 7120Z1MS	ART. NO. 6920Y1MS	ART. NO. 6820Y1MS
COLOR Black - Flo - Red			
DIN RANGE 15.0 - 30.0	DIN RANGE 11.0 - 20.0	DIN RANGE 6.0 - 16.0	DIN RANGE 4.0 - 12.0




COMP 10 TCX	COMP 10	COMP JUNIOR 8
ART. NO. 6520Y1MT (85 mm)	ART. NO. 6520Y1MS (85 mm)	ART. NO. 6320Y1MS (85 mm)
COLOR Black - Flo - Red	COLOR Black - Flo - Red	COLOR Black - Flo - Red
DIN RANGE 3.0 - 10.0	DIN RANGE 3.0 - 10.0	DIN RANGE 2.0 - 8.0

FREERIDE (X MWERKS SERIES)

GRIFFON 13	GRIFFON 13	GRIFFON 13	GRIFFON 13	SQUIRE 11
ART. NO. 7524Z1BA (90 mm) 7524Z1BB (100 mm) 7524Z1BC (110 mm) 7524Z1BD (120 mm)	ART. NO. 7524Z1RA (90 mm) 7524Z1RB (100 mm) 7524Z1RC (110 mm) 7524Z1RD (120 mm)	ART. NO. 7524Z1OA (90 mm) 7524Y1VB (100 mm) 7524Y1VC (110 mm) 7524Y1VD (120 mm)	ART. NO. 7524Y1VA (90 mm) 7524Y1VB (100 mm) 7524Y1VC (110 mm) 7524Y1VD (120 mm)	ART. NO. 7424V1MA (90 mm) 7424V1MB (100 mm) 7424V1MC (110 mm)
COLOR Black - Powder blue	COLOR Black - Red	COLOR Black - Olive green	COLOR Black - Purple	COLOR Black
DIN RANGE 4.0 - 13.0	DIN RANGE 3.0 - 11.0			
SQUIRE 11	SQUIRE 11	SQUIRE 11	SQUIRE 11	SQUIRE 10
ART. NO. 7424V1MD (90 mm) 7424V1ME (100 mm) 7424V1MF (110 mm)	ART. NO. 7424Y1TA (90 mm) 7424Y1TB (100 mm) 7424Y1TC (110 mm)	ART. NO. 7424Y1PA (90 mm) 7424Y1PB (100 mm) 7424Y1PC (110 mm)	ART. NO. 7424Z1YA (90 mm) 7424Z1YB (100 mm) 7424Z1YC (110 mm)	ART. NO. 7224V1MA (85 mm) 7224V1MB (100 mm)
COLOR White	COLOR Black - Tan	COLOR Black - Yellow	COLOR Black - Purple	COLOR Black - Anthracite
DIN RANGE 3.0 - 11.0	DIN RANGE 3.0 - 10.0			

FREERIDE (ROYAL FAMILY)**PERFECT MATCH VÖLKL X MARKER**

**ALPINIST FREE 13**

ART. NO.
7920Y1FS (105mm)
7921Y1FS (w/o brake)

COLOR
Black - Silver

DIN RANGE
6.0 - 13.0

**ALPINIST FREE 11**

ART. NO.
7720Y1FS (105mm)
7721Y1FS (w/o brake)

COLOR
Black - Silver

DIN RANGE
4.0 - 11.0

**ALPINIST 12**

ART. NO.
7833W1MS (w/o brake)
7832W1MS (90 mm)

COLOR
Black

DIN RANGE
6.0 - 12.0

**ALPINIST 10**

ART. NO.
7733W1MS (w/o brake)
7732W1MS (90 mm)

COLOR
Black

DIN RANGE
4.0 - 10.0

**ALPINIST 8**

ART. NO.
7433W1MV (C2; w/o brake)
7432W1MV (C2; 90 mm)
7433W1MS (C1; w/o brake)
7432W1MS (C1; 90 mm)

COLOR
Black (C1)
Black - Purple (C2)

DIN RANGE
3.0 - 8.0

**ALPINIST 12 LONG TRAVEL**

ART. NO.
7834W1ML

COLOR
Black

DIN RANGE
6.0 - 12.0

**ALPINIST 10 LONG TRAVEL**

ART. NO.
7734W1ML

COLOR
Black

DIN RANGE
4.0 - 10.0

**ALPINIST JR LONG TRAVEL**

ART. NO.
7232X1MJ (90 mm)

COLOR
Anthracite - White

DIN RANGE
2.0 - 6.0

**KINGPIN M-WERKS 12**

ART. NO.
7831W1CS (75-100mm)
7831W1CW (100-125mm)

COLOR
Black - Red

DIN RANGE
5.0 - 12.0

**KINGPIN 13**

ART. NO.
7933W1MA (75-100mm)
7933W1MB (100-125mm)

COLOR
Black - Red

DIN RANGE
6.0 - 13.0

**KINGPIN 10**

ART. NO.
7733W1MA (75-100mm)
7733W1MB (100-125mm)

COLOR
Black

DIN RANGE
5.0 - 10.0

**CRUISE 12**

ART. NO.
7810X1MS (90 mm)

ART. NO.
7810X1MW (105 mm)

COLOR
Black

DIN RANGE
6.0 - 12.0

**CRUISE 10**

ART. NO.
7610X1MS (90 mm)

ART. NO.
7610X1MW (105 mm)

COLOR
Anthracite - White

DIN RANGE
4.0 - 10.0

**F12 TOUR EPF**

ART. NO.
7816W1SS (S - 100mm)

ART. NO.
7816W1LS (L - 100mm)

COLOR
Black - Red

DIN RANGE
4.0 - 12.0

**F10 TOUR**

ART. NO.
7716W1TC (S - 90mm)

ART. NO.
7716W1TD (L - 90mm)

COLOR
Black - Red


DIN RANGE
3.0 - 10.0

**F5 JR TOUR**

ART. NO.
7216X1JT (235 - 300 mm)

COLOR
Black - Red

DIN RANGE
1.5 - 5.0

PISTE / ALL MOUNTAIN**12.0 TPX**

ART. NO.
6820T1MA (90 mm)
6720S1MB (C2 - 90 mm)
6720T1MC (C1 - 110 mm)
6720S1MD (C2 - 110 mm)

COLOR
Black - Anthracite

DIN RANGE
4.0 - 12.0

**11.0 TP**

ART. NO.
6720T1MA (C1 - 90 mm)
6720S1MB (C2 - 90 mm)
6720T1MC (C1 - 110 mm)
6720S1MD (C2 - 110 mm)

COLOR
Black - Anthracite (C1)
White (C2)

DIN RANGE
3.0 - 11.0

**10.0 TP**

ART. NO.
7216X1JT (85 mm)

COLOR
Black - Anthracite

DIN RANGE
3.0 - 10.0

**FREE 7**

ART. NO.
6224U1MS (C1 - 95 mm)

ART. NO.
6224U1MW (C2 - 95 mm)

COLOR
Black (C1)
White - Silver (C2)

DIN RANGE
2.0 - 7.0

**7.0**

ART. NO.
6220T1MA (C1 - 70 mm)

ART. NO.
6220T1MB (C2 - 70 mm)

COLOR
Black - Anthracite (C1)
White (C2)

DIN RANGE
2.0 - 7.0

**4.5**

ART. NO.
6120T1MA (C1 - 70 mm)

ART. NO.
6120T1MB (C2 - 70 mm)

COLOR
Black - Anthracite (C1)
White (C2)

DIN RANGE
0.75 - 4.5



**ALU PRO PLATE****WORLD CUP PC INTERFACE****SIZE**

10 mm

COLOR

Silver

ART. NO.2030S1MP
2020Y1SS (10 mm)
2020Y1SB (10 mm; bulk)
2022Y1SS (14 mm)
2022Y1SC (14 mm; bulk)**CRAMPONS****CRAMPON KP / ALPINIST / CRUISE**

ART. NO.	SKI WIDTH
H005S1A (80 mm)	66 - 80 mm
H001P1P (90 mm)	75 - 90 mm
H002P1P (105 mm)	90 - 105 mm
H003P1P (120 mm)	105 - 120 mm

CRAMPON DUKE PT

ART. NO.	SKI WIDTH
H006U1R (105 mm)	90 - 105 mm
H007U1R (125 mm)	105 - 125 mm

CRAMPON

ART. NO.	SKI WIDTH
H003K1A (82 mm)	< 74 mm
H001M1A (92 mm)	74 - 84 mm
H002N1A (105 mm)	90 - 105 mm
H004M1A (120 mm)	106 - 120 mm

SMART SKIN CLIP

The innovative Smart Skinclip system allows the ski tourer to decide for themselves, depending on the situation, in which direction they should pull the skin on and off.

A standard snap hook at the tail end of the ski allows the skin to be attached and detached from behind. The skin can, however, also be pulled on and off quickly and easily from the front. This new flexibility is made possible by an elastic snap hook, which is also easy to grip with gloves. A subtle depression in the ski tip gives the hook lateral guidance and prevents it from unintentionally releasing the skin while walking.

**RISE - MIX MOHAIR SKINS**

	RISE MIX MOHAIR SKINS	149	150	156	158	160	163	165	170	172	175	177	178	180	184	186	191
159752	Rise Up 82 Skins	x		x			x		x			x					
159753	Rise Above 88 Skins	x		x			x		x			x			x		
159754	Rise High 88 Skins					x			x				x				
159760	Rise Beyond 96 Skins			x			x		x			x		x		x	
159772	Rise 99 V-Werks Skins								x			x	x				

BLAZE - MIX MOHAIR SKINS

	BLAZE MIX MOHAIR SKINS	146	152	156	158	159	163	165	166	172	173	176	179	180	184	186	191	192
159768	Blaze 82 Skins	x	x			x			x		x		x		x			
159761	Blaze 86 Skins	x	x			x			x		x		x		x			
159756	Blaze 94 Skins				x			x		x		x		x		x		
159757	Blaze 106 / 104 Skins				x			x		x		x		x		x		
159767	Blaze 114 Skins											x		x		x		

JUNIOR SKIN - MIX MOHAIR SKINS

	RISE / BLAZE MIX MOHAIR SKINS	118	128	138	148	158
159769	Rise & Blaze JR Skin	x	x	x	x	x

VWERKS - MIX MOHAIR SKINS

	VWERKS MIX MOHAIR SKINS	149	150	156	158	160	163	166	170	172	177	178	180	184	186	191
159771	v-werks Katana Skins									x		x	x	x	x	

UNIVERSAL SKINS

	UNIVERSAL MIX MOHAIR SKINS	149	150	156	158	160	163	165	170	172	177	179	180	184	186	191
159724	Universal Vacuum Skins 130 mm												one size			
159758	Marker Freeride Universal Skins												one size			

CLASSIC LINE**CLASSIC BOOT BAG**
VÖLKL**ART. NO.**
140100**COLOR**
Black / Grey / Yellow**SIZE IN CM**
40 x 28 x 39**VOLUME IN L**
45**CLASSIC BOOT & HELMET BAG**
VÖLKL**ART. NO.**
140102**COLOR**
Black / Grey / Yellow**SIZE IN CM**
40.5 x 27 x 42**VOLUME IN L**
46**CLASSIC BOOT & HELMET BACKPACK**
VÖLKL**ART. NO.**
140103**COLOR**
Black / Grey / Yellow**SIZE IN CM**
40.5 x 27 x 42**VOLUME IN L**
46**CLASSIC SINGLE SKI BAG**
175 CM VÖLKL**ART. NO.**
140104**COLOR**
Black / Yellow**SIZE IN CM**
175 x 25 x 25**VOLUME IN L**
80**CLASSIC DOUBLE SKI BAG**
195 CM VÖLKL**ART. NO.**
140105**COLOR**
Black / Yellow**SIZE IN CM**
195 x 35 x 35**VOLUME IN L**
120**RACE LINE****RACE BOOT PACK**
VÖLKL**ART. NO.**
142100**COLOR**
Black/Red**SIZE IN CM**
34 x 31 x 48**VOLUME IN L**
55**RACE BOOT & HELMET BACKPACK**
VÖLKL**ART. NO.**
142101**COLOR**
Black/Red**SIZE IN CM**
39 x 30 x 47**VOLUME IN L**
56**RACE BACKPACK TEAM LARGE**
VÖLKL**ART. NO.**
142103**COLOR**
Black/Red**SIZE IN CM**
49 x 36 x 65**VOLUME IN L**
115**RACE BACKPACK TEAM MEDIUM**
VÖLKL**ART. NO.**
142105**COLOR**
Black/Red**SIZE IN CM**
40 x 36 x 60**VOLUME IN L**
85**TRAVEL LINE****TEAM PRO BACKPACK**
VÖLKL**ART. NO.**
143100**COLOR**
Heather Grey**SIZE IN CM**
56 x 33 x 28**VOLUME IN L**
52**FLIGHT 30 L BACKPACK**
VÖLKL**ART. NO.**
143101**COLOR**
Heather Grey**SIZE IN CM**
50 x 33 x 18**VOLUME IN L**
30**TRAVEL 60 L DUFFEL**
VÖLKL**ART. NO.**
143102**COLOR**
Heather Grey**SIZE IN CM**
61 x 33 x 25**VOLUME IN L**
60**TRAVEL 90 L DUFFEL**
VÖLKL**ART. NO.**
143103**COLOR**
Heather Grey**SIZE IN CM**
74 x 42 x 28**VOLUME IN L**
90**RACE ROLLING BAG**
VÖLKL**ART. NO.**
142108**COLOR**
Black/Red**SIZE IN CM**
76 x 39 x 35**VOLUME IN L**
120**RACE SINGLE SKI BAG**
175 CM VÖLKL**ART. NO.**
142109**COLOR**
Black/Red**SIZE IN CM**
175 x 14 x 14**VOLUME IN L**
80**RACE SINGLE SKI BAG**
165+15+15 VÖLKL**ART. NO.**
142110**COLOR**
Black/Red**SIZE IN CM**
(165+15 x 2) x 14 x 14**VOLUME IN L**
80**RACE DOUBLE SKI BAG**
195 CM VÖLKL**ART. NO.**
142111**COLOR**
Black/Red**SIZE IN CM**
195 x 26 x 40**VOLUME IN L**
120**ROLLING 70 L BAG**
VÖLKL**ART. NO.**
143104**COLOR**
Heather Grey**SIZE IN CM**
61 x 36 x 31**VOLUME IN L**
70**ROLLING 120 L BAG**
VÖLKL**ART. NO.**
143105**COLOR**
Heather Grey**SIZE IN CM**
76 x 41 x 41**VOLUME IN L**
120**ROLLING DOUBLE SKI BAG**
185 CM VÖLKL**ART. NO.**
143106**COLOR**
Heather Grey**SIZE IN CM**
185 x 33 x 20**VOLUME IN L**
122**ROLLING ALL PRO GEAR BAG**
200 CM VÖLKL**ART. NO.**
143107**COLOR**
Heather Grey**SIZE IN CM**
200 x 36 x 25**VOLUME IN L**
180

RACE**SPEEDSTICK CARBON**

ART. NO.

141001

COLOR

Black

LENGTH IN CM

110 - 135

SPEEDSTICK RED

ART. NO.

141002

COLOR

Red

LENGTH IN CM

110 - 135

SPEEDSTICK YELLOW

ART. NO.

141003

COLOR

Yellow

LENGTH IN CM

110 - 135

ALPINE & FREESKI**PHANTASTICK CARBON**

ART. NO.

141004

COLOR

Black

LENGTH IN CM

110 - 135

ALPINE & FREESKI**PHANTASTICK III BLACK**

ART. NO.

141015

COLOR

Black

LENGTH IN CM

110 - 135

PHANTASTICK III WHITE

ART. NO.

141016

COLOR

White

LENGTH IN CM

110 - 135

WMN**PHANTASTICK W BERRY**

ART. NO.

141018

COLOR

Purple

LENGTH IN CM

100 - 130

PHANTASTICK W SILVER

ART. NO.

141017

COLOR

Grey

LENGTH IN CM

100 - 130

PHANTASTICK W PURPLE

ART. NO.

141019

COLOR

Purple

LENGTH IN CM

100 - 130

ALPINE & FREESKI**PHANTASTICK YELLOW**

ART. NO.

141005 (16 mm)

141006 (18 mm)

COLOR

Yellow

LENGTH IN CM

110 - 135

PHANTASTICK GREEN

ART. NO.

141007 (16 mm)

141006 (18 mm)

COLOR

Green

LENGTH IN CM

110 - 135

PHANTASTICK RED

ART. NO.

141009 (16 mm)

141010 (18 mm)

COLOR

Red

LENGTH IN CM

110 - 135

PHANTASTICK BLACK

ART. NO.

141011 (16 mm)

141012 (18 mm)

COLOR

Black

LENGTH IN CM

110 - 135

PHANTASTICK WHITE

ART. NO.

141013 (16 mm)

141014 (18 mm)

COLOR

White

LENGTH IN CM

110 - 135

TOURING**TOURISTICK AA**

ART. NO.

141028

COLOR

White

LENGTH IN CM

Adjustable

TOURISTICK AC

ART. NO.

141029

COLOR

Blue

LENGTH IN CM

Adjustable

TOURISTICK CC

ART. NO.

141030

COLOR

Black

LENGTH IN CM

Adjustable

ALPINE & FREESKI**PHANTASTICK FR**

ART. NO.

140014

COLOR

Blue, Red, Yellow

LENGTH IN CM

Adjustable (Max. 140 cm)

JUNIOR**SPEEDSTICK JR
YELLOW**ART. NO.
141020COLOR
YellowLENGTH IN CM
90 - 110**SPEEDSTICK KIDS
YELLOW**ART. NO.
141021COLOR
YellowLENGTH IN CM
90 - 110**PHANTASTICK JR
YELLOW**ART. NO.
141022COLOR
YellowLENGTH IN CM
90 - 110**PHANTASTICK JR
GREEN**ART. NO.
141023COLOR
GreenLENGTH IN CM
90 - 110**PHANTASTICK JR
BERRY**ART. NO.
141024COLOR
PurpleLENGTH IN CM
90 - 110

24/25

PHANTASTICK**LASER
STRUCTURED
GRIP ZONE**Enhanced grip
no matter which
temperatureSophisticated
look & feel**DUAL CORE GRIP**Soft rubber
surface combined
with lightweight
polyamid

Ergonomic shape

**LIGHT AND
STRONG ALLOY
SHAFT**Highest quality alloy
7075Perfect weight/
performance ratio**JUNIOR****PHANTASTICK KIDS
YELLOW**ART. NO.
141025COLOR
YellowLENGTH IN CM
70 - 105**PHANTASTICK KIDS
GREEN**ART. NO.
141026COLOR
GreenLENGTH IN CM
70 - 105**PHANTASTICK KIDS
BERRY**ART. NO.
141027COLOR
PurpleLENGTH IN CM
70 - 105**RENTASTICK
CARBON**ART. NO.
169826COLOR
Color CodedLENGTH IN CM
110 - 135**RENTASTICK
ALU**ART. NO.
169827COLOR
Color CodedLENGTH IN CM
110 - 135**RENTASTICK
KIDS**ART. NO.
169828COLOR
Color CodedLENGTH IN CM
70 - 105**SETS INKL. DISPLAY**EXEMPLARY
ILLUSTRATION

		LOT UPC CODE				
LOT NR.	DESCRIPTION	110	115	120	125	Total
141070	Phantastick 16 mm Lot (25 Pairs + Display)					821264729489
item nr.	Modelle	110	115	120	125	Total
141005	Phantastick 16 mm Yellow	1	2	2	5	
141007	Phantastick 16 mm Green	1	2	2	5	
141009	Phantastick 16 mm Red	1	2	2	5	
141011	Phantastick 16 mm Black	1	2	2	5	
141013	Phantastick 16 mm White	1	2	2	5	

		LOT UPC CODE				
LOT NR.	BESCHREIBUNG	110	115	120	125	Total
141071	Phantastick 18 mm Lot (25 Pairs + Display)					821264729496
item nr.	Modelle	110	115	120	125	Total
141006	Phantastick 18 mm Yellow	1	1	2	4	
141008	Phantastick 18 mm Green	1	2	3	6	
141010	Phantastick 18 mm Red	1	1	2	6	
141012	Phantastick 18 mm Black	1	1	2	1	5
141014	Phantastick 18 mm White	1	2	1		4

**PHANTASTICK
16MM LOT**
(25 pairs + display)
ART. NO.
141070
COLOR
Green

**PHANTASTICK
18MM LOT**
(25 pairs + display)
ART. NO.
141071
COLOR
Green

RACE



RACETIGER GS MASTER	RACETIGER GS	RACETIGER SL MASTER	RACETIGER SL	RACETIGER RC BLACK	RACETIGER RC RED	RACETIGER SC BLACK	RACETIGER SC YELLOW	RACETIGER SC WHITE
ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.
V2510001.000	V2510002.000	V2510003.000	V2510004.000	V2510005.000	V2510006.000	V2510007.000	V2510008.000	V2510009.000
SIDE CUT 115_67_98	SIDE CUT 115_67_98	SIDE CUT 125_67_102	SIDE CUT 126_67_102	SIDE CUT 122_69_100 (165cm - 179cm)	SIDE CUT 123_68_100 (148cm - 165cm)	SIDE CUT 123_68_102 (148cm - 165cm)	SIDE CUT 122_69_100 (172cm)	SIDE CUT 123_68_102 (148cm - 165cm)
LENGTH (RADIUS) 168 cm (15.4 m) 173 cm (16.4 m) 178 cm (17.5 m) 183 cm (18.6 m)	LENGTH (RADIUS) 168 cm (15.4 m) 173 cm (16.4 m) 178 cm (17.5 m) 183 cm (18.6 m)	LENGTH (RADIUS) 155 cm (12.2 m) 165 cm (12.8 m)	LENGTH (RADIUS) 150 cm (10.2 m) 155 cm (11.0 m) 160 cm (11.8 m) 165 cm (12.6 m) 170 cm (13.4 m)	LENGTH (RADIUS) 155 cm (11.8 m) 165 cm (13.9 m) 172 cm (15.3 m) 179 cm (16.8 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m) 179 cm (16.8 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m) 172 cm (15.3 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m) 172 cm (15.3 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m) 172 cm (15.3 m)

RACE



RACETIGER SRC	SHINE SC CARBON	SHINE SC	SHINE MT	SHINE 78	SHINE 76	SHINE 72	
ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	
V2510010.000	V2510050.000	V2510051.000	V2510052.000	V2510053.000	V2510055.000	V2510056.000	
SIDE CUT 124_73_103	SIDE CUT 123_68_102	SIDE CUT 124_73_103	SIDE CUT 126_75_105	SIDE CUT 127_78_106	SIDE CUT 124_76_105	SIDE CUT 123_72_104	
LENGTH (RADIUS) 153 cm (12.0 m) 158 cm (12.9 m) 163 cm (13.9 m) 168 cm (14.8 m) 173 cm (15.8 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 163 cm (13.9 m) 168 cm (14.8 m)	LENGTH (RADIUS) 153 cm (12.0 m) 158 cm (12.9 m) 163 cm (13.9 m) 168 cm (14.8 m) 173 cm (15.8 m)	LENGTH (3D RADIUS) 147 cm (11.3 m) 154 cm (12.2 m) 161 cm (13.5 m)	LENGTH (3D RADIUS) 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)	LENGTH (3D RADIUS) 149 cm (13.5 m) 156 cm (15.1 m) 163 cm (16.9 m)	LENGTH (3D RADIUS) 147 cm (9.4 m) 144 cm (10.1 m) 151 cm (11.4 m)	LENGTH (3D RADIUS) 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.0 m)
R1 Length R2 R3	R1 Length R2 R3	R1 Length R2 R3	R1 Length R2 R3	R1 Length R2 R3	R1 Length R2 R3	R1 Length R2 R3	

ALL MOUNTAIN PISTE



PEREGRINE 76 MASTER	PEREGRINE 76	PEREGRINE 72 MASTER	PEREGRINE 72 BLACK	PEREGRINE 72 GREEN	PEREGRINE MT
ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.
V2510020.000	V2510022.000	V2510023.000	122_72_103	122_72_103	122_72_103
SIDE CUT 124_76_104	SIDE CUT 124_76_104	LENGTH (3D RADIUS)	Length R1 R2 R3	Length R1 R2 R3	SIDE CUT 126_75_105
LENGTH (RADIUS) 176 cm (17.6 m) 181 cm (18.7 m)	LENGTH (RADIUS) 171cm (16.5 m) 176cm (17.6 m) 181cm (18.7 m)	Length R1 R2 R3	158 cm (16.8 m) 163 cm (18.1 m) 168 cm (19.4 m) 173 cm (20.7 m) 178 cm (22.2 m)	12.8 m 12.7 m 13.6 m 16.2 m 15.5 m	14.2 m 15.2 m 16.2 m 17.3 m 18.4 m
R1 Length R2 R3	R2 Length R1 R3	R3 Length R1 R2	R1 Length R2 R3	R2 Length R1 R3	R3 Length R1 R2

ALL MOUNTAIN FREERIDE



MANTRA 108	MANTRA 102	M7 MANTRA	MANTRA 88 W	MANTRA 84 W	MANTRA 80 W		
ART. NO.							
V2510110.000	146_108_129	V2510111.000	142_102_124	V2510112.000	139_96_121		
SIDE CUT 126_108_129	SIDE CUT 142_102_124	SIDE CUT 139_96_121	SIDE CUT 134_88_114	SIDE CUT 129_84_110	SIDE CUT 121_80_103		
LENGTH (3D RADIUS)	LENGTH (3D RADIUS)	LENGTH (4 RADIUS DRIVE)	LENGTH (3D RADIUS)	LENGTH (3D RADIUS)	LENGTH (3D RADIUS)		
R1 Length R2 R3	R2 Length R1 R3	R3 Length R1 R2	R1 Length R2 R3	R2 Length R1 R3	R3 Length R1 R2		
158 cm (22.9 m) 163 cm (23.9 m) 168 cm (24.4 m) 173 cm (25.0 m) 178 cm (25.5 m)	162 cm (22.9 m) 167 cm (23.9 m) 172 cm (25.1 m) 177 cm (26.7 m) 182 cm (27.2 m)	16.2 m (36.6 m) 17.9 m (32.1 m) 19.7 m (33.8 m) 21.4 m (34.5 m) 23.1 m (35.3 m)	29.5 m (32.1 m) 32.1 m (33.8 m) 33.8 m (34.5 m) 36.3 m (35.3 m) 38.6 m (36.3 m)	16.2 m (36.6 m) 17.9 m (32.1 m) 19.7 m (33.8 m) 21.4 m (34.5 m) 23.1 m (35.3 m)	21.3 m (23.3 m) 23.3 m (25.3 m) 25.3 m (27.3 m) 27.3 m (29.3 m) 29.3 m (31.3 m)	13.2 m (17.9 m) 15.2 m (19.8 m) 17.2 m (21.8 m) 19.2 m (23.8 m) 21.2 m (25.4 m)	17.9 m (19.8 m) 21.8 m (23.8 m) 23.8 m (25.4 m) 25.8 m (27.4 m) 27.8 m (29.4 m)
R1 Length R2 R3	R2 Length R1 R3	R3 Length R1 R2	R1 Length R2 R3	R2 Length R1 R3	R3 Length R1 R2		



PEREGRINE V.WERKS	PEREGRINE 82	PEREGRINE 80	PEREGRINE 78	PEREGRINE XT	PEREGRINE X
ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.
V2410040.000	132_84_115	V2510041.000	128_82_111	V2510042.000	126_80_109
SIDE CUT 162 cm (21 m) 167 cm (23 m) 172 cm (24 m) 177 cm (25 m) 182 cm (25 m)	SIDE CUT 162 cm (21.6 m) 167 cm (23.3 m) 172 cm (25.1 m) 177 cm (26.9 m) 182 cm (28.8 m)	SIDE CUT 13.2 m (18 m) 14.1 m (19 m) 14.1 m (21 m) 15 m (23 m) 16 m (22 m)	SIDE CUT 12.2 m (19.5 m) 13.1 m (20.7 m) 14.1 m (21.9 m) 15 m (23.2 m) 16 m (24.5 m)	SIDE CUT 19.5 m (21.6 m) 20.7 m (23.3 m) 21.9 m (25.1 m) 23.2 m (26.9 m) 24.5 m (28.8 m)	SIDE CUT 12.2 m (19.5 m) 13.1 m (20.7 m) 14.1 m (21.9 m) 15 m (23.2 m) 16 m (24.5 m)
Length R1 R2 R3	Length R1 R2 R3	Length R1 R2 R3	Length R1 R2 R3	Length R1 R2 R3	Length R1 R2 R3
13 m 14 m 15 m 16 m	13 m 14 m 15 m 16 m	18 m 19 m 21 m	19.5 m 20.7 m 21.9 m	22.5 m 24.8 m 27.1 m	22.5 m 24.8 m 27.1 m

ALL MOUNTAIN FREERIDE



ALL MOUNTAIN FREERIDE



FREESKI



JUNIOR



**RACETIGER
JR RED**

ART. NO.
V2510200.000 (FLAT)
LENGTH (RADIUS)
70 cm (4.7 m)

ART. NO.
V2510205.000 (VMOTION)
LENGTH (RADIUS)
80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2510206.000 (VMOTION)
LENGTH (RADIUS)
100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)

ART. NO.
V2510207.000 (VMOTION)
LENGTH (RADIUS)
130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)



**RACETIGER
JR YELLOW**

ART. NO.
V2510210.000 (FLAT)
LENGTH (RADIUS)
70 cm (4.7 m)

ART. NO.
V2510215.000 (VMOTION)
LENGTH (RADIUS)
80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2510216.000 (VMOTION)
LENGTH (RADIUS)
100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)

ART. NO.
V2510217.000 (VMOTION)
LENGTH (RADIUS)
130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)



**RACETIGER
JR PRO**

ART. NO.
V2510220.000
LENGTH (RADIUS)
70 cm (4.7 m)

SIDE CUT
121_70_102
(140 cm - 160 cm)
117_70_98
(120 cm - 130 cm)

LENGTH (RADIUS)
120 cm (7.5 m)
130 cm (9.0 m)
140 cm (9.4 m)
150 cm (11.2 m)
160 cm (13.0 m)

ART. NO.
V2510230.000 (FLAT)
LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510235.000 (VMOTION)
LENGTH (RADIUS)
80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2510236.000 (VMOTION)
LENGTH (RADIUS)
100 cm (8.3 m)
110 cm (10.4 m)
120 cm (12.7 m)

ART. NO.
V2510237.000 (VMOTION)
LENGTH (RADIUS)
130 cm (11.2 m)
140 cm (13.3 m)
150 cm (15.6 m)
160 cm (17.9 m)



**PEREGRINE
JR**

ART. NO.
V2510240.000 (VMOTION)
LENGTH (RADIUS)
70 cm (4.7 m)

SIDE CUT
121_70_102
(140 cm - 160 cm)
117_70_98
(120 cm - 130 cm)

LENGTH (RADIUS)
80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2510240.000 (VMOTION)
LENGTH (RADIUS)
130 cm (9.0 m)
140 cm (9.4 m)
150 cm (11.2 m)
160 cm (13.0 m)



**PEREGRINE
JR PRO**

ART. NO.
V2510240.000 (VMOTION)
LENGTH (RADIUS)
70 cm (4.7 m)

SIDE CUT
121_70_102
(140 cm - 160 cm)
117_70_98
(120 cm - 130 cm)

LENGTH (RADIUS)
80 cm (6.6 m)
90 cm (8.8 m)

ART. NO.
V2510240.000 (VMOTION)
LENGTH (RADIUS)
130 cm (9.0 m)
140 cm (9.4 m)
150 cm (11.2 m)
160 cm (13.0 m)



**REVOLT 81
DEMO**

ART. NO.
V2510356.000
LENGTH (RADIUS)
80 cm (4.7 m)

ART. NO.
V2510361.000
LENGTH (RADIUS)
120 cm (7.5 m)
130 cm (9.4 m)
140 cm (11.3 m)
150 cm (13.1 m)
160 cm (14.1 m)
170 cm (15.5 m)
175 cm (17.1 m)

ART. NO.
V2510362.000
LENGTH (RADIUS)
120 cm (7.5 m)
130 cm (9.4 m)
140 cm (11.3 m)
150 cm (13.1 m)
160 cm (14.1 m)
170 cm (15.5 m)
175 cm (17.1 m)

ART. NO.
V2510363.000 (W. PLATE)
V2510364.000 (W/O PLATE)
LENGTH (RADIUS)
130 cm (9.0 m)
137 cm (10.2 m)
144 cm (10.5 m)
151 cm (11.5 m)
158 cm (12.7 m)
161 cm (14.1 m)
168 cm (15.5 m)
175 cm (17.1 m)



**REVOLT 80
DEMO**

ART. NO.
V2510356.000
LENGTH (RADIUS)
80 cm (4.7 m)

ART. NO.
V2510361.000
LENGTH (RADIUS)
120 cm (7.5 m)
130 cm (9.4 m)
140 cm (11.3 m)
150 cm (13.1 m)
160 cm (14.1 m)
170 cm (15.5 m)
175 cm (17.1 m)

ART. NO.
V2510362.000
LENGTH (RADIUS)
120 cm (7.5 m)
130 cm (9.4 m)
140 cm (11.3 m)
150 cm (13.1 m)
160 cm (14.1 m)
170 cm (15.5 m)
175 cm (17.1 m)

RENTAL



**PEREGRINE
7.2 FDT RED**

ART. NO.
V2510360.000
LENGTH (RADIUS)
80 cm (4.7 m)

SIDE CUT
123_72_104
(140 cm - 160 cm)
117_70_98
(120 cm - 130 cm)

LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510361.000
LENGTH (RADIUS)
120 cm (7.5 m)
130 cm (9.4 m)
140 cm (11.3 m)
150 cm (13.1 m)
160 cm (14.1 m)
170 cm (15.5 m)
175 cm (17.1 m)



**PEREGRINE
7.6 FDT GOLD**

ART. NO.
V2510360.000
LENGTH (RADIUS)
80 cm (4.7 m)

SIDE CUT
123_72_104
(140 cm - 160 cm)
117_70_98
(120 cm - 130 cm)

LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510361.000
LENGTH (RADIUS)
120 cm (7.5 m)
130 cm (9.4 m)
140 cm (11.3 m)
150 cm (13.1 m)
160 cm (14.1 m)
170 cm (15.5 m)
175 cm (17.1 m)



**PEREGRINE
7.6 FDT ORANGE**

ART. NO.
V2510362.000
LENGTH (RADIUS)
80 cm (4.7 m)

SIDE CUT
125_76_105
(140 cm - 160 cm)
117_70_98
(120 cm - 130 cm)

LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510363.000 (W. PLATE)
V2510364.000 (W/O PLATE)
LENGTH (RADIUS)
130 cm (9.0 m)
137 cm (10.2 m)
144 cm (10.5 m)
151 cm (11.5 m)
158 cm (12.7 m)
161 cm (14.1 m)
168 cm (15.5 m)
175 cm (17.1 m)



**PEREGRINE
8.0 GREEN**

ART. NO.
V2510363.000 (W. PLATE)
V2510364.000 (W/O PLATE)
LENGTH (RADIUS)
130 cm (9.0 m)
137 cm (10.2 m)
144 cm (10.5 m)
151 cm (11.5 m)
158 cm (12.7 m)
161 cm (14.1 m)
168 cm (15.5 m)
175 cm (17.1 m)



**REVOLT 84
DEMO**

ART. NO.
V2510356.000
LENGTH (RADIUS)
80 cm (4.7 m)

SIDE CUT
125_80_109
(140 cm - 160 cm)
117_70_98
(120 cm - 130 cm)

LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510356.000
LENGTH (RADIUS)
148 cm (12.9 m)
158 cm (13.9 m)
168 cm (14.9 m)
178 cm (15.8 m)



**REVOLT 88
DEMO**

ART. NO.
V2510351.000
LENGTH (RADIUS)
80 cm (4.7 m)

SIDE CUT
134_88_114
(140 cm - 160 cm)
117_70_98
(120 cm - 130 cm)

LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510352.000
LENGTH (RADIUS)
148 cm (12.9 m)
158 cm (13.9 m)
168 cm (14.9 m)
178 cm (15.8 m)



**REVOLT 100
JR**

ART. NO.
V2510270.000 (VMOTION)
LENGTH (RADIUS)
80 cm (4.7 m)

ART. NO.
V2510275.000 (VMOTION)
LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510280.000 (VMOTION)
LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510285.000 (VMOTION)
LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)



**REVOLT
JR PARK**

ART. NO.
V2510290.000
LENGTH (RADIUS)
80 cm (4.7 m)

SIDE CUT
132_100_116
(140 cm - 160 cm)
117_70_98
(120 cm - 130 cm)

LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510295.000 (VMOTION)
LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510297.000 (FLAT)
LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510298.000 (FLAT)
LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510299.000
LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510300.000
LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

ART. NO.
V2510301.000
LENGTH (RADIUS)
80 cm (4.7 m)
90 cm (8.8 m)

völk



IMPRINT

Marker Dalbello Völkl International GmbH
Ruessenstrasse 6
6341 Baar
Schweiz

Contact:
Julia Frühschütz
Phone +49 8856 8000 277
julia.fruhschuetz@elevate-oc.eu

Created & produced by: yearning.de
© 2024 by Völkl. Subject to alteration

Photography: Max Dräger, Moritz Ablinger,
GEPA, Matt McCormick, Mathäus Gartner, Pally
Learmond, Michael Mayer, Syo Van Vliet, Aina
Punsola